

STI/HIV/Hepatitis B & C Update

2023



Region 1 Data Tables



LOUISIANA
**DEPARTMENT OF
HEALTH**

STD/HIV/Hepatitis Program

Reported Cases of HIV Region 1 - New Orleans, 2023

	2023 New Diagnoses ^a			2023 Prevalence ^b		
	Cases ^c	%	Rate ^d	Cases ^c	%	Rate ^d
Total	210	100.0%	24.3	7,443	100.0%	862.8
Race/Ethnicity^e						
Black	144	68.6%	41.7	4,848	65.2%	1404.5
Hispanic/Latinx	24	11.4%	25.1	653	8.8%	682.7
White	39	18.6%	10.5	1,788	24.0%	479.9
Other	3	1.4%	n/a	150	2.0%	n/a
Gender^f						
Female	43	20.5%	9.6	1,841	24.7%	410.7
Male	159	75.7%	38.4	5,384	72.3%	1299.3
Transgender Male to Female	8	3.8%	n/a	209	2.8%	n/a
Transgender Female to Male	0	0.0%	n/a	7	0.1%	n/a
Age^g						
0-14	0	0.0%	0	7	0.1%	4.6
15-19	14	6.7%	27.3	31	0.4%	60.4
20-29	74	35.2%	69.1	551	7.4%	514.6
30-39	67	31.9%	51.8	1,674	22.5%	1294.2
40-49	31	14.8%	29.3	1,623	21.8%	1534.6
50+	24	11.4%	7.5	3,557	47.8%	1117.3
Risk^h						
GBM	134	63.8%	n/a	4,040	54.3%	n/a
PWID	20	9.5%	n/a	511	6.9%	n/a
GBM/PWID	11	5.2%	n/a	349	4.7%	n/a
High Risk Heterosexual	43	20.5%	n/a	2,451	33.0%	n/a
Perinatal	0	0.0%	n/a	65	0.9%	n/a
Transfusion/Hemophilia	0	0.0%	n/a	19	0.3%	n/a
Other	0	0.0%	n/a	0	0.0%	n/a
Parishⁱ						
Jefferson	65	31.0%	15.3	2,141	28.8%	502.7
Orleans	130	61.9%	35.2	5,007	67.3%	1354.2
Plaquemines	2	1.0%	n/a	56	0.8%	248.7
St. Bernard	13	6.2%	29.2	239	3.2%	537.3

^a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.

^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

^c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.

^d Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.

^e Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.


^f Cases are presented by current gender identity rather than sex at birth.

^g Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2022 census age groups.

^h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.

ⁱ Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

10-Year New HIV Diagnosis Trend - Region 1 New Orleans



Reported Cases of Primary and Secondary Syphilis Region 1 - New Orleans, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	236	100.0%	27.36

Race/Ethnicity^d

Black	158	67.2%	45.77
Hispanic/Latinx	11	4.7%	11.50
White	54	23.0%	14.49
Other	12	5.1%	n/a

Affected Subpopulations Female^h

	Cases ^b	%
Black Female 20-29	14	6.0%
Black Female 30-39	11	4.7%

Gender^e

Female	45	19.1%	10.04
Male	186	78.8%	44.89
Transgender Male to Female	5	2.1%	n/a

Age^f

10-19	5	2.1%	4.91
20-29	87	36.9%	81.25
30-39	63	26.7%	48.71
40-49	36	15.3%	34.04
50+	45	19.1%	14.13


Affected Subpopulations Male^h

Black Male 20-29	48	20.4%
Black Male 30-39	31	13.2%
Black Male 40-49	15	6.4%
Black Male 50+	28	11.9%
Hispanic Male 20-29	5	2.1%
White Male 20-29	11	4.7%
White Male 30-39	11	4.7%
White Male 40-49	12	5.1%
White Male 50+	10	4.3%

Parish^g

Jefferson	62	26.3%	14.56
Orleans	165	69.9%	44.62
Plaquemines	1	0.4%	n/a
St. Bernard	8	3.4%	17.99

10-Year Trend Line



^a New diagnoses include only individuals whose initial primary and secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Age categories align with 2022 census age groups.

^g Parish where first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Early Non-Primary Non-Secondary Syphilis Region 1 - New Orleans, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	278	100.0%	32.23

Race/Ethnicity^d

Black	168	60.4%	48.67
Hispanic/Latinx	24	8.6%	25.09
White	71	25.5%	19.06
Other	15	5.4%	n/a

Affected Subpopulations Female^h

	Cases ^b	%
Black Female 20-29	16	5.8%
Black Female 30-39	9	3.2%
Black Female 40-49	6	2.2%
White Female 40-49	5	1.8%

Gender^e

Female	56	20.1%	12.49
Male	206	74.1%	49.71
Transgender Male to Female	16	5.8%	n/a

Age^f

10-19	10	3.6%	9.82
20-29	68	24.5%	63.50
30-39	92	33.1%	71.13
40-49	60	21.6%	56.73
50+	48	17.3%	15.08


Affected Subpopulations Male^h

Black Male 20-29	33	11.9%
Black Male 30-39	44	15.8%
Black Male 40-49	18	6.5%
Black Male 50+	18	6.5%
Hispanic Male 30-39	8	2.9%
Hispanic Male 40-49	7	2.5%
Other Male 30-39	7	2.5%
White Male 30-39	17	6.1%
White Male 40-49	17	6.1%
White Male 50+	23	8.3%

Parish^g

Jefferson	75	27.0%	17.61
Orleans	195	70.1%	52.74
Plaquemines	2	0.7%	n/a
St. Bernard	6	2.2%	13.49

10-Year Trend Line



^a New diagnoses include only individuals whose initial non-primary non-secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Age categories align with 2022 census age groups.

^g Parish where first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2023

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

	Cases	%	Rate ^b
Total Infant CS Cases	109	100.0%	199.1
Total Mothers Linked to New Cases	107	100.0%	11.7

Maternal Race/Ethnicity

Black	63	58.9%	8.4
Hispanic/Latinx	8	7.5%	6.4
White	25	23.4%	1.9
Other	11	10.3%	n/a

Maternal Age^c

15-19	6	5.6%	4.1
20-24	40	37.4%	25.6
25-29	29	27.1%	20.1
30-34	17	15.9%	10.6
35+	15	14.0%	4.9

Maternal Region of Residence^d

Region 1 - New Orleans	22	20.6%	12.9
Region 2 - Baton Rouge	20	18.7%	14.0
Region 3 - Houma	2	1.9%	2.8
Region 4 - Lafayette	12	11.2%	10.2
Region 5 - Lake Charles	7	6.5%	12.4
Region 6 - Alexandria	7	6.5%	13.1
Region 7 - Shreveport	18	16.8%	18.2
Region 8 - Monroe	9	8.4%	13.1
Region 9 - Hammond/Slidell	10	9.3%	8.4

Infant Region of Residence^d

Region 1 - New Orleans	23	21.1%	248.8
Region 2 - Baton Rouge	21	19.3%	266.9
Region 3 - Houma	2	1.8%	46.7
Region 4 - Lafayette	12	11.0%	154.3
Region 5 - Lake Charles	7	6.4%	188.3
Region 6 - Alexandria	7	6.4%	193.7
Region 7 - Shreveport	18	16.5%	293.4
Region 8 - Monroe	9	8.3%	220.2
Region 9 - Hammond/Slidell	10	9.2%	138.0


Maternal Stage of Syphilis^e

Primary	4	3.7%	n/a
Secondary	6	5.6%	n/a
Early non-primary non-secondary	37	34.6%	n/a
Unknown/Late Latent	57	53.3%	n/a
Other	3	3.7%	n/a

Positive Toxicology Screens^f Cases

Amphetamines/Meth	16
Cocaine	8
Heroin	8
Marijuana	24

10-Year Trend Line



^a New cases only include those who indicated a Louisiana residence at the time of delivery.

^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

^c Reflects maternal age at delivery.

^d Reflects maternal and infant region of residence at delivery.

^e Reflects latest syphilis stage identified during pregnancy

^f Reflects substances detected during maternal toxicology screens conducted during pregnancy or delivery. Mothers can have positive toxicology screens for more than one substance.

Reported Cases of Gonorrhea Region 1 - New Orleans, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	3,517	100.0%	407.71

Race/Ethnicity^d

Black	2,519	72.7%	729.77
Hispanic/Latinx	89	2.6%	93.05
White	651	18.8%	174.74
Other	205	5.9%	n/a

Sex at Birth

Female	1,271	36.2%	283.55
Male	2,242	63.8%	541.04


Age^e

10-19	796	22.6%	781.74
20-29	1,451	41.3%	1,355.06
30-39	800	22.7%	618.49
40-49	310	8.8%	293.12
50+	157	4.5%	49.31

Parish^f

Jefferson	1,016	28.9%	238.56
Orleans	2,300	65.4%	622.04
Plaquemines	39	1.1%	173.21
St. Bernard	162	4.6%	364.22

10-Year Trend Line



Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	376	10.9%
Black Female 20-29	447	12.9%
Black Female 30-39	116	3.3%
Black Female 40-49	33	1.0%
Black Female 50+	17	0.5%
Hispanic Female 10-19	8	0.2%
Hispanic Female 20-29	7	0.2%
Other Female 10-19	32	0.9%
Other Female 20-29	30	0.9%
Other Female 30-39	11	0.3%
White Female 10-19	39	1.1%
White Female 20-29	58	1.7%
White Female 30-39	44	1.3%
White Female 40-49	25	0.7%
White Female 50+	8	0.2%

Affected Subpopulations Males^g

Black Male 10-19	305	8.8%
Black Male 20-29	667	19.3%
Black Male 30-39	370	10.7%
Black Male 40-49	121	3.5%
Black Male 50+	66	1.9%
Hispanic Male 20-29	29	0.8%
Hispanic Male 30-39	21	0.6%
Hispanic Male 40-49	12	0.3%
Other Male 10-19	11	0.3%
Other Male 20-29	68	2.0%
Other Male 30-39	29	0.8%
Other Male 40-49	12	0.3%
Other Male 50+	8	0.2%
White Male 10-19	11	0.3%
White Male 20-29	121	3.5%
White Male 30-39	192	5.5%
White Male 40-49	100	2.9%
White Male 50+	53	1.5%

^a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2022 census age groups.

^f Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chlamydia Region 1 - New Orleans, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	8,164	100.0%	946.41

Race/Ethnicity^d

Black	5,639	72.0%	1,633.66
Hispanic/Latinx	254	3.2%	265.55
White	1,322	16.9%	354.84
Other	622	7.9%	n/a

Sex at Birth

Female	5,178	63.4%	1,155.18
Male	2,984	36.6%	720.10


Age^e

10-19	2,370	29.0%	2,327.55
20-29	3,930	48.1%	3,670.15
30-39	1,277	15.6%	987.26
40-49	396	4.9%	374.43
50+	185	2.3%	58.11

Parish^f

Jefferson	3,093	37.9%	726.25
Orleans	4,549	55.7%	1,230.29
Plaquemines	112	1.4%	497.42
St. Bernard	410	5.0%	921.78

10-Year Trend Line



Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	1,273	16.2%
Black Female 20-29	1,752	22.4%
Black Female 30-39	446	5.7%
Black Female 40-49	70	0.9%
Black Female 50+	34	0.4%
Hispanic Female 10-19	44	0.6%
Hispanic Female 20-29	71	0.9%
Hispanic Female 30-39	21	0.3%
Hispanic Female 40-49	8	0.1%
Other Female 10-19	130	1.7%
Other Female 20-29	240	3.1%
Other Female 30-39	54	0.7%
Other Female 40-49	20	0.3%
Other Female 50+	7	0.1%
White Female 10-19	198	2.5%
White Female 20-29	438	5.6%
White Female 30-39	109	1.4%
White Female 40-49	38	0.5%
White Female 50+	10	0.1%

Affected Subpopulations Males^g

Black Male 10-19	580	7.4%
Black Male 20-29	906	11.6%
Black Male 30-39	387	4.9%
Black Male 40-49	131	1.7%
Black Male 50+	59	0.8%
Hispanic Male 10-19	7	0.1%
Hispanic Male 20-29	49	0.6%
Hispanic Male 30-39	28	0.4%
Hispanic Male 40-49	16	0.2%
Hispanic Male 50+	10	0.1%
Other Male 10-19	20	0.3%
Other Male 20-29	95	1.2%
Other Male 30-39	36	0.5%
Other Male 40-49	12	0.2%
Other Male 50+	7	0.1%
White Male 10-19	41	0.5%
White Male 20-29	204	2.6%
White Male 30-39	144	1.8%
White Male 40-49	87	1.1%
White Male 50+	53	0.7%

^a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2022 census age groups.
^f Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.
^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis B Louisiana, 2023

Region specific table not available due to low case counts.

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	18	100.0%	0.4

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	6	46.2%	0.4
Hispanic/ Latinx	1	7.7%	n/a
White	6	46.2%	0.2

Affected Subpopulations Female^g

Affected subpopulations are all less than 5.

Sex at Birth

Female	10	55.6%	0.4
Male	8	44.4%	0.3


Affected Subpopulations Male^g

Affected subpopulations are all less than 5.

Age^e

18-29	2	11.1%	n/a
30-39	6	33.3%	0.9
40-49	5	27.8%	0.9
50-59	2	11.1%	n/a
60-69	2	11.1%	n/a
70+	1	5.6%	n/a

10 Year Trend Line



Region^f

Region 1 - New Orleans	4	22.2%	n/a
Region 2 - Baton Rouge	1	5.6%	n/a
Region 3 - Houma	1	5.6%	n/a
Region 4 - Lafayette	2	11.1%	n/a
Region 5 - Lake Charles	2	11.1%	n/a
Region 6 - Alexandria	3	16.7%	n/a
Region 7 - Shreveport	1	5.6%	n/a
Region 8 - Monroe	0	0.0%	0.0
Region 9 - Hammond/Slidell	4	22.2%	n/a

^a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

^f Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis B Region 1 - New Orleans, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	151	100.0%	17.2

Race/Ethnicity^d

Asian	21	19.4%	65.6
Black	48	44.4%	13.5
Hispanic/ Latinx	8	7.4%	8.4
White	31	28.7%	8.1

Sex at Birth

Female	57	37.7%	12.51
Male	94	62.3%	22.25

Age^e

0-17	0	0.0%	0.0
18-29	13	8.6%	10.2
30-39	34	22.5%	25.2
40-49	25	16.6%	23.3
50-59	30	19.9%	27.1
60-69	33	21.9%	29.4
70+	16	10.6%	16.2

Parish^f

Jefferson	68	45.0%	15.68
Orleans	72	47.7%	19.10
Plaquemines	4	2.6%	n/a
St. Bernard	7	4.6%	15.82


Affected Subpopulations Female^g

	Cases ^b	%
Asian Female	10	15.6%
Black Female	15	23.4%
White Female	10	15.6%
Hispanic Female	5	7.8%

Affected Subpopulations Male^g

Black Male 30-39	8	12.5%
Black Male 60-69	11	17.2%
White Male 30-39	6	9.4%
White Male 40-49	5	7.8%

10-Year Trend Line



^a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^e Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.
^f Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Region 1 - New Orleans, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	31	100.0%	3.5

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	21	67.7%	5.9
Hispanic/ Latinx	1	3.2%	n/a
White	9	29.0%	2.3

Sex at Birth

Female	7	22.6%	1.5
Male	24	77.4%	5.6

Age^e

0-17	0	0.0%	0.0
18-29	4	12.9%	n/a
30-39	14	45.2%	10.4
40-49	7	22.6%	6.5
50-59	2	6.5%	n/a
60-69	4	12.9%	n/a
70+	0	0.0%	0.0

Parish^f

Jefferson	14	45.2%	3.2
Orleans	16	51.6%	4.2
Plaquemines	0	0.0%	0.0
St. Bernard	1	3.2%	n/a


Affected Subpopulations Female^g

All female subpopulations had a case count less than 5.

Affected Subpopulations Male^g

Black Male	17	54.8%
White Male	6	19.4%

10-Year Trend Line



^a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis C Region 1 - New Orleans, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	653	100.0%	74.4

Race/Ethnicity^d

Asian	12	1.9%	37.5
Black	282	45.5%	79.3
Hispanic/ Latinx	36	5.8%	38.1
White	290	46.8%	76.4

Sex at Birth

Female	230	35.2%	50.5
Male	423	64.8%	100.1


Age^e

0-17	2	0.3%	n/a
18-29	55	8.4%	43.3
30-39	119	18.2%	88.4
40-49	152	23.3%	142.1
50-59	122	18.7%	110.2
60-69	154	23.6%	137.3
70+	49	7.5%	49.7

Parish^f

Jefferson	245	37.5%	56.5
Orleans	342	52.4%	90.7
Plaquemines	18	2.8%	77.2
St. Bernard	48	7.4%	108.5

10-Year Trend Line



Affected Subpopulations Female^g

Subpopulation	Cases	%
White Female 30-39	30	4.7%
White Female 60-69	25	3.9%
Black Female 60-69	24	3.8%
White Female 50-59	22	3.5%
White Female 40-49	18	2.8%
Black Female 40-49	15	2.4%
Black Female 50-59	14	2.2%
Black Female 30-39	13	2.1%
Black Female 18-29	12	1.9%
White Female 70+	11	1.7%
White Female 18-29	10	1.6%
Black Female 70+	10	1.6%

Affected Subpopulations Male^g

Black Male 40-49	61	9.6%
Black Male 60-69	46	7.3%
White Male 60-69	42	6.6%
White Male 50-59	42	6.6%
White Male 40-49	40	6.3%
Black Male 50-59	29	4.6%
White Male 30-39	26	4.1%
Black Male 30-39	26	4.1%
Black Male 70+	19	3.0%
White Male 18-29	17	2.7%
Black Male 18-29	13	2.1%
Hispanic Male 30-39	8	1.3%
White Male 70+	6	0.9%
Hispanic Male 50-59	6	0.9%
Hispanic Male 40-49	6	0.9%
Asian Male 60-69	6	0.9%
Hispanic Male 60-69	5	0.8%

^a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^e Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.
^f Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
^g Affected subpopulations with counts less than 5 are excluded.