

STI/HIV/Hepatitis B & C Update

2023



Region 2 Data Tables



LOUISIANA
**DEPARTMENT OF
HEALTH**

STD/HIV/Hepatitis Program

Reported Cases of HIV Region 2 - Baton Rouge, 2023

	2023 New Diagnoses ^a			2023 Prevalence ^b		
	Cases ^c	%	Rate ^d	Cases ^c	%	Rate ^d
Total	169	100.0%	24.4	5,154	100.0%	743.5
Race/Ethnicity^e						
Black	130	76.9%	45	4,252	82.5%	1470.3
Hispanic/Latinx	11	6.5%	32.9	172	3.3%	513.7
White	25	14.8%	7.3	671	13.0%	196.7
Other	3	1.8%	n/a	59	1.1%	n/a
Gender^f						
Female	42	24.9%	11.8	1,815	35.2%	511.8
Male	124	73.4%	36.6	3,254	63.1%	961.1
Transgender Male to Female	3	1.8%	n/a	82	1.6%	n/a
Transgender Female to Male	0	0.0%	n/a	2	0.0%	n/a
Age^g						
0-14	0	0.0%	0	10	0.2%	7.7
15-19	14	8.3%	28	26	0.5%	51.9
20-29	67	39.6%	60.2	483	9.4%	433.8
30-39	41	24.3%	44.4	1,122	21.8%	1215.5
40-49	26	15.4%	31.5	1,299	25.2%	1576
50+	21	12.4%	9.2	2,214	43.0%	973.8
Risk^h						
GBM	108	63.9%	n/a	2,008	39.0%	n/a
PWID	14	8.3%	n/a	523	10.2%	n/a
GBM/PWID	2	1.2%	n/a	197	3.8%	n/a
High Risk Heterosexual	42	24.9%	n/a	2,354	45.7%	n/a
Perinatal	0	0.0%	n/a	56	1.1%	n/a
Transfusion/Hemophilia	0	0.0%	n/a	9	0.2%	n/a
Other	0	0.0%	n/a	0	0.0%	n/a
Parishⁱ						
Ascension	11	6.5%	8.4	306	5.9%	234.6
East Baton Rouge	133	78.7%	29.5	4,155	80.6%	922.2
East Feliciana	6	3.6%	31.4	151	2.9%	789.1
Iberville	11	6.5%	37.3	244	4.7%	827
Pointe Coupee	2	1.2%	n/a	74	1.4%	367.2
West Baton Rouge	5	3.0%	17.8	134	2.6%	478
West Feliciana	1	0.6%	n/a	90	1.7%	585.1

^a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.

^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

^c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.

^d Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.

^e Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.


^f Cases are presented by current gender identity rather than sex at birth.

^g Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2022 census age groups.

^h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.

ⁱ Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

10-Year New HIV Diagnosis Trend - Region 2 Baton Rouge



Reported Cases of Primary and Secondary Syphilis Region 2 - Baton Rouge, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	244	100.0%	35.20

Race/Ethnicity^d

Black	182	74.9%	62.93
Hispanic/Latinx	8	3.3%	23.89
White	48	19.8%	14.07
Other	5	2.1%	n/a

Affected Subpopulations Female^h

	Cases ^b	%
Black Female 10-19	7	2.9%
Black Female 20-29	19	7.8%
Black Female 30-39	16	6.6%

Gender^e

Female	65	26.6%	18.33
Male	171	70.1%	50.51
Transgender Male to Female	7	2.9%	n/a
Transgender Female to Male	1	0.4%	n/a

Age^f

10-19	15	6.1%	15.90
20-29	82	33.6%	73.64
30-39	88	36.1%	95.33
40-49	32	13.1%	38.82
50+	27	11.1%	11.88


Affected Subpopulations Male^h

Black Male 10-19	8	3.3%
Black Male 20-29	35	14.4%
Black Male 30-39	52	21.4%
Black Male 40-49	17	7.0%
Black Male 50+	14	5.8%
White Male 20-29	15	6.2%
White Male 30-39	9	3.7%
White Male 50+	6	2.5%

Parish^g

Ascension	16	6.6%	12.26
East Baton Rouge	201	82.4%	44.61
East Feliciana	8	3.3%	41.81
Iberville	9	3.7%	30.50
Pointe Coupee	2	0.8%	n/a
West Baton Rouge	4	1.6%	n/a
West Feliciana	4	1.6%	n/a

10-Year Diagnosis Trend



^a New diagnoses include only individuals whose initial primary and secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Age categories align with 2022 census age groups.

^g Parish where first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Early Non-Primary Non-Secondary Syphilis Region 2 - Baton Rouge, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	194	100.0%	27.99

Race/Ethnicity^d

Black	153	78.9%	52.90
Hispanic/Latinx	7	3.6%	20.91
White	23	11.9%	6.74
Other	11	5.7%	n/a

Affected Subpopulations Female^h

	Cases ^b	%
Black Female 20-29	25	12.9%
Black Female 30-39	11	5.7%
Black Female 40-49	5	2.6%

Gender^e

Female	57	29.4%	16.07
Male	135	69.6%	39.87
Transgender Male to Female	2	1.0%	n/a

Age^f

10-19	4	2.1%	n/a
20-29	97	50.0%	87.12
30-39	62	32.0%	67.17
40-49	24	12.4%	29.12
50+	7	3.6%	3.08


Affected Subpopulations Male^h

Black Male 20-29	52	26.8%
Black Male 30-39	37	19.1%
Black Male 40-49	14	7.2%
White Male 20-29	6	3.1%
White Male 30-39	7	3.6%

Parish^g

Ascension	24	12.4%	18.40
East Baton Rouge	146	75.3%	32.41
East Feliciana	2	1.0%	n/a
Iberville	14	7.2%	47.45
Pointe Coupee	3	1.5%	n/a
West Baton Rouge	5	2.6%	17.84
West Feliciana	0	0.0%	n/a

10-Year Trend Line



^a New diagnoses include only individuals whose initial non-primary non-secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Age categories align with 2022 census age groups.

^g Parish where first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2023

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

	Cases	%	Rate ^b
Total Infant CS Cases	109	100.0%	199.1
Total Mothers Linked to New Cases	107	100.0%	11.7

Maternal Race/Ethnicity

Black	63	58.9%	8.4
Hispanic/Latinx	8	7.5%	6.4
White	25	23.4%	1.9
Other	11	10.3%	n/a

Maternal Age^c

15-19	6	5.6%	4.1
20-24	40	37.4%	25.6
25-29	29	27.1%	20.1
30-34	17	15.9%	10.6
35+	15	14.0%	4.9

Maternal Region of Residence^d

Region 1 - New Orleans	22	20.6%	12.9
Region 2 - Baton Rouge	20	18.7%	14.0
Region 3 - Houma	2	1.9%	2.8
Region 4 - Lafayette	12	11.2%	10.2
Region 5 - Lake Charles	7	6.5%	12.4
Region 6 - Alexandria	7	6.5%	13.1
Region 7 - Shreveport	18	16.8%	18.2
Region 8 - Monroe	9	8.4%	13.1
Region 9 - Hammond/Slidell	10	9.3%	8.4

Infant Region of Residence^d

Region 1 - New Orleans	23	21.1%	248.8
Region 2 - Baton Rouge	21	19.3%	266.9
Region 3 - Houma	2	1.8%	46.7
Region 4 - Lafayette	12	11.0%	154.3
Region 5 - Lake Charles	7	6.4%	188.3
Region 6 - Alexandria	7	6.4%	193.7
Region 7 - Shreveport	18	16.5%	293.4
Region 8 - Monroe	9	8.3%	220.2
Region 9 - Hammond/Slidell	10	9.2%	138.0


Maternal Stage of Syphilis^e

Primary	4	3.7%	n/a
Secondary	6	5.6%	n/a
Early non-primary non-secondary	37	34.6%	n/a
Unknown/Late Latent	57	53.3%	n/a
Other	3	3.7%	n/a

Positive Toxicology Screens^f

Substance	Cases
Amphetamines/Meth	16
Cocaine	8
Heroin	8
Marijuana	24

10-Year Trend Line



^a New cases only include those who indicated a Louisiana residence at the time of delivery.

^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

^c Reflects maternal age at delivery.

^d Reflects maternal and infant region of residence at delivery.

^e Reflects latest syphilis stage identified during pregnancy

^f Reflects substances detected during maternal toxicology screens conducted during pregnancy or delivery. Mothers can have positive toxicology screens for more than one substance.

Reported Cases of Gonorrhea Region 2 - Baton Rouge, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	2,266	100.0%	326.89

Race/Ethnicity^d

Black	1,816	81.9%	627.94
Hispanic/Latinx	22	1.0%	65.71
White	278	12.5%	81.51
Other	101	4.6%	n/a

Sex at Birth

Female	1,014	44.8%	285.93
Male	1,249	55.2%	368.89


Age^e

10-19	487	21.5%	516.10
20-29	1,256	55.4%	1,128.02
30-39	359	15.8%	388.92
40-49	97	4.3%	117.68
50+	64	2.8%	28.15

Parish^f

Ascension	210	9.3%	160.97
East Baton Rouge	1,792	79.1%	397.74
East Feliciana	31	1.4%	162.01
Iberville	110	4.9%	372.81
Pointe Coupee	38	1.7%	188.58
West Baton Rouge	61	2.7%	217.59
West Feliciana	24	1.1%	156.04

10-Year Trend Line



Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	236	10.6%
Black Female 20-29	447	20.2%
Black Female 30-39	98	4.4%
Black Female 40-49	28	1.3%
Black Female 50+	7	0.3%
Other Female 10-19	14	0.6%
Other Female 20-29	27	1.2%
White Female 10-19	18	0.8%
White Female 20-29	70	3.2%
White Female 30-39	33	1.5%
White Female 40-49	9	0.4%

Affected Subpopulations Males^g

Black Male 10-19	181	8.2%
Black Male 20-29	568	25.6%
Black Male 30-39	171	7.7%
Black Male 40-49	42	1.9%
Black Male 50+	38	1.7%
Hispanic Male 20-29	9	0.4%
Hispanic Male 30-39	5	0.2%
Other Male 10-19	7	0.3%
Other Male 20-29	35	1.6%
Other Male 30-39	9	0.4%
White Male 10-19	14	0.6%
White Male 20-29	77	3.5%
White Male 30-39	31	1.4%
White Male 40-49	10	0.5%
White Male 50+	14	0.6%

^a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2022 census age groups.

^f Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chlamydia Region 2 - Baton Rouge, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	6,387	100.0%	921.37

Race/Ethnicity^d

Black	4,912	79.1%	1,698.48
Hispanic/Latinx	72	1.2%	215.04
White	871	14.0%	255.36
Other	353	5.7%	n/a

Sex at Birth

Female	4,240	66.4%	1,195.61
Male	2,142	33.6%	632.64


Age^e

10-19	1,894	29.7%	2,007.19
20-29	3,455	54.1%	3,102.94
30-39	753	11.8%	815.76
40-49	195	3.1%	236.58
50+	81	1.3%	35.63

Parish^f

Ascension	786	12.3%	602.49
East Baton Rouge	4,715	73.8%	1,046.51
East Feliciana	133	2.1%	695.06
Iberville	314	4.9%	1,064.19
Pointe Coupee	133	2.1%	660.02
West Baton Rouge	222	3.5%	791.90
West Feliciana	84	1.3%	546.13

10-Year Trend Line



Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	1,080	17.4%
Black Female 20-29	1,710	27.6%
Black Female 30-39	319	5.1%
Black Female 40-49	76	1.2%
Black Female 50+	23	0.4%
Hispanic Female 10-19	13	0.2%
Hispanic Female 20-29	29	0.5%
Other Female 10-19	88	1.4%
Other Female 20-29	150	2.4%
Other Female 30-39	25	0.4%
Other Female 40-49	6	0.1%
White Female 10-19	171	2.8%
White Female 20-29	331	5.3%
White Female 30-39	82	1.3%
White Female 40-49	21	0.3%
White Female 50+	7	0.1%

Affected Subpopulations Males^g

Black Male 10-19	440	7.1%
Black Male 20-29	923	14.9%
Black Male 30-39	244	3.9%
Black Male 40-49	70	1.1%
Black Male 50+	26	0.4%
Hispanic Male 20-29	16	0.3%
Hispanic Male 30-39	5	0.1%
Other Male 10-19	15	0.2%
Other Male 20-29	53	0.9%
Other Male 30-39	10	0.2%
White Male 10-19	36	0.6%
White Male 20-29	154	2.5%
White Male 30-39	39	0.6%
White Male 40-49	10	0.2%
White Male 50+	19	0.3%

^a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2022 census age groups.
^f Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.
^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis B Louisiana, 2023

Region specific table not available due to low case counts.

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	18	100.0%	0.4

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	6	46.2%	0.4
Hispanic/ Latinx	1	7.7%	n/a
White	6	46.2%	0.2

Sex at Birth

Female	10	55.6%	0.4
Male	8	44.4%	0.3

Age^e

18-29	2	11.1%	n/a
30-39	6	33.3%	0.9
40-49	5	27.8%	0.9
50-59	2	11.1%	n/a
60-69	2	11.1%	n/a
70+	1	5.6%	n/a

Region^f

Region 1 - New Orleans	4	22.2%	n/a
Region 2 - Baton Rouge	1	5.6%	n/a
Region 3 - Houma	1	5.6%	n/a
Region 4 - Lafayette	2	11.1%	n/a
Region 5 - Lake Charles	2	11.1%	n/a
Region 6 - Alexandria	3	16.7%	n/a
Region 7 - Shreveport	1	5.6%	n/a
Region 8 - Monroe	0	0.0%	0.0
Region 9 - Hammond/Slidell	4	22.2%	n/a


Affected Subpopulations Female^g

Affected subpopulations are all less than 5.

Affected Subpopulations Male^g

Affected subpopulations are all less than 5.

10 Year Trend Line



^a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

^f Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis B Region 2 - Baton Rouge, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	90	100.0%	12.96

Race/Ethnicity^d

Asian	3	4.6%	n/a
Black	33	50.8%	11.3
Hispanic/ Latinx	6	9.2%	18.6
White	23	35.4%	6.7

Sex at Birth

Female	42	46.7%	11.83
Male	48	53.3%	14.14

Age^e

0-17	3	3.3%	n/a
18-29	19	21.1%	14.8
30-39	19	21.1%	20.0
40-49	19	21.1%	23.0
50-59	13	14.4%	15.8
60-69	10	11.1%	12.8
70+	7	7.8%	10.1

Parish^f

Ascension	12	13.3%	9.3
East Baton Rouge	63	70.0%	13.8
East Feliciana	8	8.9%	41.3
Iberville	3	3.3%	n/a
Pointe Coupee	2	2.2%	n/a
West Baton Rouge	1	1.1%	n/a
West Feliciana	1	1.1%	n/a


Affected Subpopulations Female^g

	Cases ^b	%
Black Female	16	23.9%
White Female	9	13.4%

Affected Subpopulations Male^g

Black Male	17	25.4%
White Male	14	20.9%

10-Year Trend Line



^a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^e Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.
^f Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Region 2 - Baton Rouge, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	17	100.0%	2.4

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	6	50.0%	2.0
Hispanic/ Latinx	1	8.3%	n/a
White	5	41.7%	1.4

Sex at Birth

Female	4	23.5%	n/a
Male	13	76.5%	3.8

Age^e

0-17	0	0.0%	0.0
18-29	6	35.3%	4.6
30-39	3	17.6%	n/a
40-49	5	29.4%	6.0
50-59	1	5.9%	n/a
60-69	1	5.9%	n/a
70+	1	5.9%	n/a

Parish^f

Ascension	2	11.8%	n/a
East Baton Rouge	9	52.9%	1.9
East Feliciana	2	11.8%	n/a
Iberville	3	17.6%	n/a
Pointe Coupee	0	0.0%	0.0
West Baton Rouge	1	5.9%	n/a
West Feliciana	0	0.0%	0.0


Affected Subpopulations Female^g

All female subpopulations had a case count less than 5.

Affected Subpopulations Male^g

All male subpopulations had a case count less than 5.

10-Year Trend Line



^a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^e Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.
^f Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis C Region 2 - Baton Rouge, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	567	100.0%	81.6

Race/Ethnicity^d

Asian	7	1.3%	39.5
Black	227	43.7%	78.0
Hispanic/ Latinx	30	5.8%	93.3
White	255	49.1%	74.4

Sex at Birth

Female	180	31.7%	50.7
Male	387	68.3%	113.9

Age^e

0-17	1	0.2%	n/a
18-29	51	9.0%	39.8
30-39	125	22.0%	132.0
40-49	117	20.6%	141.8
50-59	104	18.3%	126.5
60-69	134	23.6%	171.7
70+	35	6.2%	50.6

Parish^f

Ascension	65	11.5%	50.6
East Baton Rouge	375	66.1%	82.7
East Feliciana	18	3.2%	93.0
Iberville	61	10.8%	204.5
Pointe Coupee	8	1.4%	39.3
West Baton Rouge	24	4.2%	86.3
West Feliciana	16	2.8%	103.2


Affected Subpopulations Females^g

	Cases	%
White Female 30-39	30	5.5%
White Female 40-49	23	4.2%
Black Female 60-69	16	2.9%
White Female 50-59	15	2.7%
Black Female 50-59	14	2.6%
White Female 18-29	12	2.2%
White Female 60-69	11	2.0%
Black Female 40-49	10	1.8%
Black Female 70+	8	1.5%
Black Female 18-29	7	1.3%
Black Female 30-39	5	0.9%

Affected Subpopulations Males^g

Black Male 60-69	67	12.2%
White Male 30-39	55	10.0%
White Male 40-49	46	8.4%
Black Male 50-59	36	6.6%
White Male 60-69	26	4.7%
Black Male 40-49	21	3.8%
Black Male 30-39	19	3.5%
White Male 50-59	16	2.9%
White Male 18-29	14	2.6%
Black Male 70+	12	2.2%
Black Male 18-29	11	2.0%
HispanicM50-59	7	1.3%
Other Male 40-49	7	1.3%
White Male 70+	7	1.3%
Other Male 30-39	5	0.9%

10-Year Trend Line



^a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^e Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.
^f Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
^g Affected subpopulations with counts less than 5 are excluded.