

<u>*</u> National Imaging Associates, Inc. <sup>*</sup>	
Clinical guidelines	Original Date: April 2007
BRAIN (HEAD) MRS	
CPT Codes: 76390, +0698T	Last Revised Date: May 2022 May 2023
Guideline Number: NIA_CG_003	Implementation Date: January 20243

### **GENERAL INFORMATION**

- It is an expectation that all patients receive care/services from a licensed clinician. All appropriate supporting documentation, including recent pertinent office visit notes, laboratory data, and results of any special testing must be provided. If applicable: All prior relevant imaging results and the reason that alternative imaging cannot be performed must be included in the documentation submitted.
- Where a specific clinical indication is not directly addressed in this guideline, medical necessity
   determination will be made based on widely accepted standard of care criteria. These criteria are
   supported by evidence-based or peer-reviewed sources such as medical literature, societal guidelines and
   state/national recommendations.

### INDICATIONS FOR BRAIN MRS<sup>1</sup>

- For the evaluation of a recurrent or residual brain tumor from post-treatment changes, e.g., radiation necrosis<sup>2</sup>
- For further evaluation of a brain lesion to distinguish a brain tumor from other non-tumor diagnoses (e.g., abscess or other infectious or inflammatory process)<sup>3, 4</sup>

### BACKGROUND<sup>3, 5</sup>

Magnetic resonance spectroscopy (MRS) is a noninvasive imaging technique that determines the concentration of brain metabolites, such as N-acetylaspartate, choline, creatine, and lactate, within the body tissue examined. Radiofrequency waves are translated into biochemical composition of the scanned tissue; the resulting metabolic profile is useful in identifying brain tumors, e.g., differentiating neoplastic and non-neoplastic brain lesions. In selected cases, MRS may be a valuable supplement to MRI. It is sensitive, but nonspecific. This modality should be considered as an adjunct to conventional imaging rather than replacement for histopathological evaluation.

<sup>\*</sup> National Imaging Associates, Inc. (NIA) is a subsidiary of Magellan Healthcare, Inc.

<sup>\*</sup>National Imaging Associates, Inc. (NIA) is a subsidiary of Evolent Health LLC. © 2007-2024 National Imaging Associates, Inc., All Rights Reserved.

In terms of brain tumor evaluation and classification, carefully designed multi-center trials complying with criteria of evidence-based medicine have not yet been completed.<sup>6</sup>

**Tumor Recurrence vs. Radiation Necrosis** – Differentiation between recurrent brain tumors and treatment related injury, e.g., radiation necrosis, is difficult using conventional MRI. The typical appearance of radiation necrosis is similar to that of recurrent brain tumors. MRS is a quantitative approach, measuring various brain metabolic markers, to help in the differentiation of recurrent tumors and radiation necrosis. This differentiation is important as additional radiation can benefit recurrent disease but can be detrimental to radiation necrosis. MRS may help in determining treatment options and in preventing unnecessary surgery. In addition, a tumor recurrence diagnosed by MRS allows the surgeon to begin treatment early instead of having to wait for symptoms of recurrence or biopsy confirmation.<sup>2, 7, 8</sup> However, no consensus exists regarding the value of this in clinical decision making, and no approach has yet been validated to be sufficiently accurate.<sup>2, 9, 10</sup>

**Glioma** – MRS has been proposed for pre-operative grading of gliomas and differentiating high-grade gliomas (HGGs) from low-grade gliomas. It has been found to have moderate diagnostic value and should be combined with other advanced imaging techniques to improve accuracy. Currently, the data is limited; more research is needed for a definite conclusion for the utility of MRS for this indication. Therefore, it remains experimental/investigational.<sup>11, 12</sup>

**MRS in other diseases** – A role for MRS has been suggested in the management of neurodegenerative disease, epilepsy, and stroke. MRS can also be applied in conjunction with MRI in the evaluation of pediatric neurodegenerative disease, traumatic brain injury and neonatal hypoxia-ischemia.<sup>13-15</sup> However, to better define these roles, it will be necessary to standardize the MRS methodology, as well as the collection, analysis, and interpretation of data so it can be consistently translated to the applicable clinical settings. Currently, these potential applications remain experimental/investigational.<sup>14</sup>

Date	Summary
March 2023	Updated references
May 2022	Updated references and background section
November 2021	Added +0698T
February 2021	Updated background information and references
May 2020	Updated references
July 2019	<del>Deleted:</del>
	therapeutic f/u indication
	Added:
	<ul> <li>tumor versus non tumor indication</li> </ul>
	Updated:

## **POLICY HISTORY**

#### Page **2** of **9** Brain (Head) MRS



\*National Imaging Associates, Inc. (NIA) is a subsidiary of Evolent Health LLC. © 2007-2024 National Imaging Associates, Inc., All Rights Reserved.

background info and refs

Page **3** of **9** Brain (Head) MRS



Page **4** of **9** Brain (Head) MRS



## REFERENCES

1. American College of Radiology, American Society of Neuroradiology, Society for Pediatric Radiology. ACR–ASNR–SPR practice parameter for the performance and interpretation of magnetic resonance spectroscopy of the central nervous system. American College of Radiology. Updated 2019. Accessed January 29, 2023. https://www.asnr.org/wp-content/uploads/2019/06/MR-Spectroscopy-1.pdf

2. Chuang MT, Liu YS, Tsai YS, Chen YC, Wang CK. Differentiating Radiation-Induced Necrosis from Recurrent Brain Tumor Using MR Perfusion and Spectroscopy: A Meta-Analysis. *PLoS One*. 2016;11(1):e0141438. doi:10.1371/journal.pone.0141438

3. Alam MS, Sajjad Z, Hafeez S, Akhter W. Magnetic resonance spectroscopy in focal brain lesions. *J Pak Med Assoc*. Jun 2011;61(6):540-3.

4. Majós C, Aguilera C, Alonso J, et al. Proton MR spectroscopy improves discrimination between tumor and pseudotumoral lesion in solid brain masses. *AJNR Am J Neuroradiol*. Mar 2009;30(3):544-51. doi:10.3174/ajnr.A1392

5. Hellström J, Romanos Zapata R, Libard S, et al. The value of magnetic resonance spectroscopy as a supplement to MRI of the brain in a clinical setting. *PLoS One*. 2018;13(11):e0207336. doi:10.1371/journal.pone.0207336

6. Horská A, Barker PB. Imaging of brain tumors: MR spectroscopy and metabolic imaging. *Neuroimaging Clin N Am*. Aug 2010;20(3):293-310. doi:10.1016/j.nic.2010.04.003

7. Barajas RF, Chang JS, Sneed PK, Segal MR, McDermott MW, Cha S. Distinguishing recurrent intraaxial metastatic tumor from radiation necrosis following gamma knife radiosurgery using dynamic susceptibility-weighted contrast-enhanced perfusion MR imaging. *AJNR Am J Neuroradiol*. Feb 2009;30(2):367-72. doi:10.3174/ajnr.A1362

 Smith EA, Carlos RC, Junck LR, Tsien CI, Elias A, Sundgren PC. Developing a clinical decision model: MR spectroscopy to differentiate between recurrent tumor and radiation change in patients with new contrast-enhancing lesions. *AJR Am J Roentgenol*. Feb 2009;192(2):W45-52. doi:10.2214/ajr.07.3934
 Walker AJ, Ruzevick J, Malayeri AA, et al. Postradiation imaging changes in the CNS: how can we differentiate between treatment effect and disease progression? *Future Oncol*. May 2014;10(7):1277-97. doi:10.2217/fon.13.271

10. Sundgren PC. MR spectroscopy in radiation injury. *AJNR Am J Neuroradiol*. Sep 2009;30(8):1469-76. doi:10.3174/ajnr.A1580

11. Wang Q, Zhang H, Zhang J, et al. The diagnostic performance of magnetic resonance spectroscopy in differentiating high-from low-grade gliomas: A systematic review and meta-analysis. *Eur Radiol*. Aug 2016;26(8):2670-84. doi:10.1007/s00330-015-4046-z

12. Abrigo JM, Fountain DM, Provenzale JM, et al. Magnetic resonance perfusion for differentiating low-grade from high-grade gliomas at first presentation. *Cochrane Database Syst Rev.* Jan 22 2018;1(1):Cd011551. doi:10.1002/14651858.CD011551.pub2

13. Rossi A, Biancheri R. Magnetic resonance spectroscopy in metabolic disorders. *Neuroimaging Clin N Am*. Aug 2013;23(3):425-48. doi:10.1016/j.nic.2012.12.013

14. Oz G, Alger JR, Barker PB, et al. Clinical proton MR spectroscopy in central nervous system disorders. *Radiology*. Mar 2014;270(3):658-79. doi:10.1148/radiol.13130531

15. Schneider JF. MR spectroscopy in children: protocols and pitfalls in non-tumorous brain pathology. *Pediatr Radiol*. Jun 2016;46(7):963-82. doi:10.1007/s00247-014-3270-z

Page **6** of **9** Brain (Head) MRS



# POLICY HISTORY

Date	Summary
<u>May 2023</u>	Updated references
	<ul> <li>General Information moved to beginning of guideline with added</li> </ul>
	statement on clinical indications not addressed in this guideline
<u>May 2022</u>	Updated references and background section

Page **7** of **9** Brain (Head) MRS



# Reviewed / Approved by NIA Clinical Guideline Committee

**Disclaimer:** National Imaging Associates, Inc. (NIA) authorization policies do not constitute medical advice and are not intended to govern or otherwise influence the practice of medicine. These policies are not meant to supplant your normal procedures, evaluation, diagnosis, treatment and/or care plans for your patients. Your professional judgement must be exercised and followed in all respects with regard to the treatment and care of your patients. These policies apply to all Evolent Health LLC subsidiaries including, but not limited to, National Imaging Associates ("NIA"). The policies constitute only the reimbursement and coverage quidelines of NIA. Coverage for services varies for individual members in accordance with the terms and conditions of applicable Certificates of Coverage, Summary Plan Descriptions, or contracts with governing regulatory agencies. NIA reserves the right to review and update the quidelines at its sole discretion. Notice of such changes, if necessary, shall be provided in accordance with the terms and conditions of provider agreements and any applicable laws or regulations.



#### **GENERAL INFORMATION**

It is an expectation that all patients receive care/services from a licensed clinician. All appropriate supporting documentation, including recent pertinent office visit notes, laboratory data, and results of any special testing must be provided. If applicable: All prior relevant imaging results and the reason that alternative imaging cannot be performed must be included in the documentation submitted.

**Disclaimer:** Magellan Healthcare service authorization policies do not constitute medical advice and are not intended to govern or otherwise influence the practice of medicine. These policies are not meant to supplant your normal procedures, evaluation, diagnosis, treatment and/or care plans for your patients. Your professional judgement must be exercised and followed in all respects with regard to the treatment and care of your patients. These policies apply to all Magellan Healthcare subsidiaries including, but not limited to, National Imaging Associates ("Magellan"). The policies constitute only the reimbursement and coverage guidelines of Magellan. Coverage for services varies for individual members in accordance with the terms and conditions of applicable Certificates of Coverage, Summary Plan Descriptions, or contracts with governing regulatory agencies. Magellan reserves the right to review and update the guidelines at its sole discretion. Notice of such changes, if necessary, shall be provided in accordance with the terms and conditions of provider agreements and any applicable laws or regulations.

