

Concert Genetic Testing: ~~Hearing Loss~~Otolaryngology

Reference Number: LA.CP.CG.08

[Coding implications](#)

Date of Last Revision ~~01/25~~

~~03/26~~

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

OVERVIEW

~~Hereditary hearing loss can be classified as syndromic or nonsyndromic. Syndromic hearing loss refers to hearing loss associated with other medical or physical findings, including visible abnormalities of the external ear. Because syndromic hearing loss occurs as part of a syndrome of multiple clinical manifestations, it is often recognized more readily as hereditary. Nonsyndromic hearing loss is defined as hearing loss not associated with other physical signs or symptoms. Nonsyndromic hearing loss accounts for 70% to 80% of genetically determined deafness, and it is more difficult to determine whether the etiology is hereditary or acquired.~~

~~This policy primarily focuses on the use of genetic testing to identify a cause of suspected hereditary hearing loss. The diagnosis of syndromic hearing loss can be made on the basis of associated clinical findings. However, at the time of hearing loss presentation, associated clinical findings may not be apparent; furthermore, variants in certain genetic loci may cause both syndromic and nonsyndromic hearing loss. Given this overlap, the policy focuses on genetic testing for hereditary hearing loss more generally.~~

~~If there is not a high suspicion for a specific hearing loss etiology, ideally the evaluation should occur in a stepwise fashion. About 50% of individuals with autosomal recessive hereditary hearing loss have pathogenic variants in the *GJB2* gene, in the other 50% of patients with apparent autosomal recessive hereditary hearing loss; numerous other genes are implicated. There is no single identifiable gene responsible for most cases of autosomal dominant hereditary hearing loss.~~

~~If there is suspicion for autosomal recessive congenital hearing loss, it would be reasonable to begin with testing of *GJB2* and *GJB6* and if testing is negative, screening for the other genes associated with hearing loss with a multigene panel would be efficient. An alternative strategy for suspected autosomal recessive or autosomal dominant hearing loss would be to obtain a multigene panel that includes *GJB2* and *GJB6* as a first step.~~

~~Given the extreme heterogeneity in genetic causes of hearing loss, these 2 strategies may be considered reasonably equivalent.~~

~~This policy addresses the use of tests to identify a cause of hereditary hearing loss, or for other tests related to ear, nose, and throat disorders. Pre-test and post-test genetic counseling that~~

facilitates informed decision-making, addresses the possibility of secondary or incidental findings, and a plan for returning results before testing occurs is strongly advised.

For additional information see the Rationale section.

The tests, CPT codes, and ICD codes referenced in this policy are not comprehensive, and their inclusion does not represent a guarantee of coverage or non-coverage. Please see the Concert Platform for additional registered tests.

POLICY REFERENCE TABLE

Coding Implications

This clinical policy references Current Procedural Terminology (CPT[®]). CPT is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted ~~2023~~2024, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only and may not support medical necessity. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

The tests, CPT codes, and ICD codes referenced in this policy are not comprehensive, and their inclusion does not represent a guarantee of coverage or non-coverage. Please see the Concert Platform for additional registered tests.

NOTE: Coverage is subject to each requested code's inclusion on the corresponding LDH fee schedule. Non-covered codes are denoted (*) and are reviewed for Medical Necessity for members under 21 years of age on a per case basis. The non-covered codes will only be denoted in the table below and not throughout the policy. Please only reference the policy reference table for covered and non-covered codes.

~~The tests, associated laboratories, CPT codes, and ICD codes contained within this document serve only as examples to help users navigate claims and corresponding criteria; as such, they are not comprehensive and are not a guarantee of coverage or non-coverage. Please see the Concert Platform for a comprehensive list of registered tests.~~

<u>Criteria</u> <u>Sections</u> <u>CRITERIA</u> <u>SECTIONS</u>	<u>Example Tests (Labs)</u> <u>EXAMPLE TESTS</u> <u>(LABS)</u>	<u>Common CPT</u> <u>Codes</u> <u>COMMON</u> <u>BILLING</u> <u>CODES</u>	<u>Common</u> <u>ICD</u> <u>Codes</u> <u>REF</u>	<u>Ref</u>
<u>Hereditary Hearing Loss</u> <u>Hereditary Hearing Loss</u>				
<u>GJB2 and GJB6</u> <u>Sequencing and/or</u> <u>Deletion/</u> <u>Duplication</u> <u>Analysis or</u> <u>Multigene Panel</u> <u>Analysis</u> <u>GJB2 and</u> <u>GJB6 Sequencing</u> <u>and/or</u> <u>Deletion/Duplicati</u> <u>on Analysis or</u> <u>Multigene Panel</u> <u>Analysis</u>	<u>GJB2 Gene</u> <u>Sequencing</u> <u>Deletion/Duplicati</u> <u>on Analysis (GeneDx)</u>	81252*	81252*, 81479, 81254*, 81479, 81430*, 81431*, H90-H90.8, H90.A-90.A3, H91.3-H91.93	1, 2
	<u>GJB2 Deletion/Duplication</u> <u>Analysis (GeneDx)</u>	81479		
	<u>GJB6 Common Variant</u> <u>Analysis</u>	81254*		
	<u>GJB6 Sequencing Analysis (Billing lab my</u> <u>vary)</u>	81479		
	Hearing Loss Panel (GeneDx)			
	Comprehensive Hearing Loss NGS Panel (Sequencing & Deletion/Duplication) (Fulgent Genetics)			

	Hereditary Hearing Loss and Deafness Panel (PreventionGenetics, part of Exact Sciences)		
	<u>DFNB1 Autosomal Recessive Hearing Loss (GJB2 sequencing and common GJB6 deletions) (Billing lab may vary)</u>		

~~OTHER~~ RELATED POLICIES

This policy document provides criteria for ~~genetic testing for~~ hereditary hearing loss-, or for other tests related to ear, nose, and throat disorders. Please refer to:

- ~~Genetic~~Reproductive Testing: ~~Prenatal and Preconception~~Carrier Screening for criteria related to parental carrier screening for ~~hereditary hearing loss~~genetic disorders before or during pregnancy.
- ~~Genetic~~Specialty Testing: ~~Multisystem Inherited Disorders, Intellectual Disability, and Developmental Delay~~Genetic Conditions for criteria related to diagnostic tests for genetic disorders that affect multiple organ systems: (e.g. whole exome and genome sequencing, chromosomal microarray, and multigene panels for broad phenotypes).
- ~~Genetic Testing: General Approach to Genetic and Molecular~~Laboratory Testing for criteria related to ~~genetic testing for~~ hearing loss, including known familial variant testing, that is not specifically discussed in this or another non-general policy, ~~including known familial variant testing.~~

[back to top](#)

[back to top](#)

CRITERIA

It is the policy of Louisiana Healthcare Connections that the specific genetic testing noted below is **medically necessary** when meeting the related criteria:

***GJB2* and *GJB6* Sequencing and/or Deletion/Duplication Analysis or Multigene Panel Analysis**

~~HEREDITARY HEARING LOSS~~

~~***GJB2* and *GJB6* Sequencing and/or Deletion/Duplication Analysis or Multigene Panel Analysis**~~

- I. *GJB2* sequencing and/or deletion/duplication (~~81252, 81479~~) and/or *GJB6* sequencing and/or deletion/duplication analysis (~~81479~~) or multigene panel analysis (~~81430, 81431, 81254~~) to establish a diagnosis of hereditary hearing loss is considered **medically necessary** when:
 - A. The member/enrollee has hearing loss, **AND**
 - B. There is no known acquired cause of the hearing loss (i.e., TORCH infections [*Toxoplasma gondii*, other agents, rubella, cytomegalovirus, and herpes simplex virus], bacterial infection, age-related or noise-related hearing loss).
- II. Current evidence does not support *GJB2* sequencing and/or deletion/duplication (~~81252, 81479~~) and/or *GJB6* sequencing and/or deletion/duplication analysis (~~81479~~) or multigene panel analysis (~~81430, 81431, 81254~~) to establish a diagnosis of hereditary hearing loss ~~is considered~~ **investigational** for all other indications.

[view rationale](#)

[back to top](#)

HEREDITARY HEARING LOSS

[back to top](#)

~~BACKGROUND AND~~ RATIONALE

GJB2 and GJB6 Sequencing and/or Deletion/Duplication Analysis or Multigene Panel Analysis

American College of Medical Genetics and Genomics (ACMG)

The American College of Medical Genetics and Genomics (ACMG) published guidelines in 2022 to guide genetics evaluation for individuals with hearing loss: “For individuals lacking physical findings suggestive of a known syndrome, a tiered diagnostic approach should be implemented. Unless clinical and/or family history suggests a specific genetic etiology, comprehensive HL gene panel testing should be initiated.” (p. 9).

The guidelines also state the following: “Although nonsyndromic HL [hearing loss] demonstrates high genetic heterogeneity, the DFNB1 locus, which includes the *GJB2* gene encoding the gap junction protein connexin 26 and the *GJB6* gene encoding the gap junction protein connexin 30, accounts for an estimated 50% of all autosomal recessive nonsyndromic HL and 15% to 40% of all deaf individuals in a variety of populations.” (p. 3).

GeneReviews: Hereditary Hearing Loss and Deafness Overview

GeneReviews is an expert-authored review of current literature on a genetic disease, and goes through a rigorous editing and peer review process before being published online.

In the section that discusses possible differential diagnosis for hereditary hearing loss and deafness, it is stated that, ~~In developed countries~~ approximately 65% of prelingual hearing loss is due to genetic causes. ~~in developed countries~~. The remainder of cases are due to environmental (acquired) causes, which should be differentiated from genetic causes to inform the evaluation and required ancillary testing. Acquired hearing loss in children commonly results from prenatal infections from ‘TORCH’ organisms...or postnatal infections (such as CMV). Acquired hearing loss in adults is most often attributed to environmental factors.

GeneReviews also ~~states that molecular genetic testing includes~~ recommends the use of multigene hearing loss panels and/or genomic testing. ~~Single gene testing (sequence analysis of a given gene, followed by gene targeted deletion/duplication analysis) is rarely useful and typically NOT recommended.~~

[back to top](#) [back to top](#)

Reviews, Revisions, and Approvals	Revision Date	Approval Date	Effective Date
Converted corporate to local policy.	09/23	11/27/23	

Reviews, Revisions, and Approvals	Revision Date	Approval Date	Effective Date
Semi-annual review. Updated title to reflect V1.2024 version. Overview, coding, reference-table, background and references updated. Throughout policy: replaced “coverage criteria” with “criteria. For Policy Reference Table: changed “Sequencing Analysis” to “Gene Sequencing”; added “GeneDx” to “GJB2 Deletion/Duplication Analysis; added “part of Exact Sciences” to “Hearing Loss and Deafness...”. For Other Related Policies: added “and Molecular” to “Genetic Testing: General Approach...”. For Hereditary Hearing Loss I.A. added “Targeted variant analysis for a known...”. For Background and Rationale: replaced “inheritance patterns” to “genetic testing”. For GJB2 and GJB6 Sequencing and/or Deletion Duplication Analysis or Multigene Panel Analysis: replaced “congenital” with “prelingual”; replaced “and the remainder” with “with 70% of prelingual...”; removed “Acquired cases”; added “which”; added statement “GeneReviews also states...”.	12/23	2/27/24	
Semi-annual review. Updated title to reflect V2.2024 version. In Known Familial Variant Analysis for Hereditary Hearing Loss criteria, moved criteria to policy “Genetic Testing: General Approach to Genetic and Molecular Testing” to consolidate criteria for known familial variant tests. Minor rewording for clarity throughout. Coding, reference-table, background and references updated.	06/24	8/19/24	9/19/24
Semi-annual review. Updated title to reflect V1.2025 version. GJB2 and GJB6 Sequencing and/or Deletion/Duplication Analysis or Multigene Panel Analysis: Streamlined portions of Background and Rationale section for brevity.	1/25	3/31/25	5/1/25
<u>Annual review. Policy title changed to Concert Genetic Testing: Otolaryngology from Concert Genetic Testing: Hearing Loss. Minor rewording without clinical significance. Changed “investigational” policy statement to note that “current evidence does not support...” Coding table, rationale, background, and references updated.</u>	<u>03/26</u>		

REFERENCES

- Li MM, Tayoun AA, DiStefano M, et al. Clinical evaluation and etiologic diagnosis of hearing loss: A clinical practice resource of the American College of Medical Genetics and Genomics (ACMG). *Genet Med.* 2022;24(7):1392-1406.
- Shearer AE, Hildebrand MS, Smith RJH. Hereditary Genetic Hearing Loss and Deafness Overview. 1999 Feb 14 [Updated 2023 ~~April 6~~September 28]. In: Adam MP, Ardinger HH, Pagon RA, et al., editors. *GeneReviews* [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2024. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK1434/>

[back to top](#)

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. LHCC makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions, and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable LHCC administrative policies and procedures.

This clinical policy is effective as of the date determined by LHCC. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. LHCC retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment, or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care and are solely responsible for the medical advice and treatment of member/enrollees. This clinical policy is not intended to recommend treatment for member/enrollees. Member/enrollees should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom LHCC has no control or right of control. Providers are not agents or employees of LHCC.

This clinical policy is the property of LHCC. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, member/enrollees, and their representatives are bound to the terms and conditions expressed

herein through the terms of their contracts. Where no such contract exists, providers, member/enrollees and their representatives agree to be bound by such terms and conditions by providing services to member/enrollees and/or submitting claims for payment for such services.

©~~2023~~2026 Louisiana Healthcare Connections. All rights reserved. All materials are exclusively owned by Louisiana Healthcare Connections and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Louisiana Healthcare Connections. You may not alter or remove any trademark, copyright or other notice contained herein. Louisiana Healthcare Connections is a registered ~~trademark~~trademarks exclusively owned by Louisiana Healthcare Connections.

[back to top](#)