

March Vision Care

Extended Ophthalmoscopy

Subject: Extended Ophthalmoscopy

Document #:

Publish Date: 9/1/2024

Status: Draft

Last Review Date:

Table of Contents

[Overview](#)

[Clinical criteria](#)

[CPT Coding](#)

Overview

Extended ophthalmoscopy is a method of examining the posterior portion of the eye when the level of examination requires a complete view of the back of the eye and documentation is greater than that required during routine ophthalmoscopy.

Clinical Criteria

March Vision has determined that extended ophthalmoscopy is medically necessary for the following indications:

- Infants undergoing treatment and/or monitoring of retinopathy of prematurity;
- Histoplasmosis;
- Choroidal neoplasms;
- Glaucoma;
- Optic nerve pathology;
- Diabetic retinopathy;
- Hypertensive retinopathy;
- Vascular occlusion;
- Retinal neovascularization;
- Macular pathology;
- Retinal tear, thinning, schisis or detachment;
- Hereditary retinal dystrophies; or
- Other visible retinal disorders requiring detailed imaging for adequate documentation.

CPT Coding

The following list of codes are for informational purposes only and may not be all-inclusive. Deleted codes and codes which are not effective at the time the service is rendered may not be eligible for reimbursement.

<u>92201</u>	<u>Ophthalmoscopy, extended; with retinal drawing and scleral depression of peripheral retinal disease (e.g., for retinal tear, retinal detachment, retinal tumor) with interpretation and report, unilateral or bilateral</u>
<u>92202</u>	<u>Ophthalmoscopy, extended; with drawing of optic nerve or macula (e.g., for glaucoma, macular pathology, tumor) with interpretation and report, unilateral or bilateral</u>