

### Louisiana Fee-for-Service Medicaid

#### Granulocyte Colony Stimulating Factors (GCSF) Agents

Filgrastim (Neupogen®), Filgrastim-saft (Nivestym®), Filgrastim-sndz (Zarxio®),  
Pegfilgrastim (Neulasta®), Pegfilgrastim-ebag (Udenyca®), Pegfilgrastim-jmhb (Fulphila®),  
Sargramostim (Leukine®), and Tbo Filgrastim (Granix®)

The GCSF agents require clinical pre-authorization. The Louisiana Uniform Prescription Drug Prior Authorization Form should be utilized to request clinical pre-authorization for all these granulocyte colony stimulating factor (GCSF) agents (preferred and non-preferred).

Additional Point-of-Sale edits may apply.

#### Authorization approval criteria – all of the following are required:

- There is no preferred alternative that is:
  - the The exact same chemical entity, formulation, strength, etc.; **OR**
  - FDA-approved biosimilar to the requested medication; AND
- For non-preferred filgrastim formulation requests – there has been a treatment failure or intolerable side effect with or contraindication to any preferred filgrastim formulation that is appropriate for the condition being treated; AND
- Previous use of a preferred product - **ONE** of the following is required:
  - The recipient has had a *treatment failure* with at least one preferred product; **OR**
  - The recipient has had an *intolerable side effect* to at least one preferred product; **OR**
  - The recipient has *documented contraindication(s)* to the preferred products that are appropriate to use for the condition being treated; **OR**
  - There is *no preferred product that is appropriate* to use for the condition being treated; **OR**
  - The prescriber states that the recipient is currently using the requested medication; **AND**
- **ONE** of the following is required:
  - The recipient has an approved diagnosis (or indication) for the agent requested (See Table 1); **OR**
  - For requests that do not include diagnoses/indications listed in the table below, support for use of the requested medication is noted on the request with references cited; **AND**
- By submitting the authorization request, the prescriber attests to the following:
  - The prescribing information for the requested medication has been thoroughly reviewed, including any Black Box Warning, Risk Evaluation and Mitigation Strategy (REMS), contraindications, minimum age requirements, recommended dosing, and prior treatment requirements; **AND**
  - All laboratory testing and clinical monitoring recommended in the prescribing information, including absolute neutrophil count (ANC), have been completed as of the date of the request and will be repeated as recommended; **AND**
  - The recipient has no inappropriate concomitant drug therapies or disease states that limit the use of the requested medication, and medication and will not be receiving the requested medication in combination with any medication that is contraindicated or not recommended per FDA labeling.

Formatted

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: (Default) Times New Roman, 12 pt

#### Reauthorization approval criteria – both of the following are required:

- The recipient continues to meet initial approval criteria; **AND**
- The prescriber states on the request that there is evidence of a positive response to therapy as indicated by improvement in signs, symptoms, and/or lab results compared to baseline.

**Duration of initial and reauthorization approval, **both initial and reauthorization**: 126 months**

**Table 1. Diagnoses/Indications for Granulocyte Colony Stimulating Factor Agents**

<u>Covered Diagnoses/Indications</u>	<u>Filgrastim (Neupogen®)</u>	<u>Filgrastim-afí (Nivestym®)</u>	<u>Filgrastim-sndz (Zarxio®)</u>	<u>Pegfilgrastim (Neulasta®)</u>	<u>Pegfilgrastim-chqy (Udenyca®)</u>	<u>Pegfilgrastim-jmdb (Fulphila®)</u>	<u>Sargramostim (Leukine®)</u>	<u>Tbo-filgrastim (Granix®)</u>
Prophylaxis of febrile neutropenia in cancer patients receiving myelosuppressive chemotherapy for non-myeloid malignancies	X	X	X	X	X	X		X
Patients with acute myeloid leukemia (AML) receiving induction and/or consolidation chemotherapy	X	X	X				X <sup>1</sup>	
Bone marrow transplantation in cancer patients	X	X	X				X	
Mobilization and engraftment of peripheral blood progenitor cell collection and therapy in cancer patients	X	X	X				X	
Bone marrow transplant failure or engraftment							X <sup>2</sup>	
Severe chronic neutropenia (congenital, cyclic, or idiopathic)	X	X	X					
Medication/Radiation-induced neutropenia (severe)	X			X			X	

1. For patients 2 years of age or older.

1. Safety and efficacy of Leukine® have not been assessed in AML patients younger than 55 years of age.

2. For patients 2 years of age or older.

Requests must include the name of the offending medication and the condition being treated with the medication.

## References

Fulphila (Pegfilgrastim-jmdb) [package insert]. Rockford, IL: Mylan Institutional LLC; May 20182019.

Retrieved from <https://www.dailymed.nlm.nih.gov/dailymed/fda/fdaDrugXsl.cfm?setid=3ea915d7-2feb-4e75-91f7-913c965b7d8a&type=display>

Field Code Changed

913c965b7d8a&type=display<https://dailymed.nlm.nih.gov/dailymed/getFile.cfm?setid=3ea915d7-2feb-4e75-91f7-913c965b7d8a&type=pdf&name=3ea915d7-2feb-4e75-91f7-913c965b7d8a>

Granix<sup>GRANIX</sup> (tbo-filgrastim) [package insert]. North Wales, PA: Teva Pharmaceuticals USA, Inc.;

March 20182019. <https://www.granixhcp.com/globalassets/granix-hcp/prescribing-information.pdf> Retrieved from <http://www.granixhcp.com/prescribing-information.pdf>

Formatted: Font: (Default) Times New Roman  
Formatted: Hyperlink, Font: (Default) Times New Roman, 12 pt  
Formatted: Hyperlink, Font: (Default) +Body (Calibri), 11 pt

Leukine (sargramostim) [package insert]. Lexington, MA: Partner Therapeutics, Inc.; May 2018.

Retrieved from [https://www.leukine.com/wp-content/uploads/2020/02/Prescribing\\_Information.pdf](https://www.leukine.com/wp-content/uploads/2020/02/Prescribing_Information.pdf)

**Formatted:** Font: (Default) Times New Roman

Neulasta (pegfilgrastim) [package insert]. Thousand Oaks, CA: Amgen Inc.; April 20182019. Retrieved from [https://www.pi.amgen.com/~/media/amgen/repositorysites/pi-amgen-com/neulasta/neulasta\\_pi\\_hcp\\_english.ashx](https://www.pi.amgen.com/~/media/amgen/repositorysites/pi-amgen-com/neulasta/neulasta_pi_hcp_english.ashx) [https://pi.amgen.com/~/media/amgen/repositorysites/pi-amgen-com/neulasta/neulasta\\_pi\\_hep\\_english.pdf](https://pi.amgen.com/~/media/amgen/repositorysites/pi-amgen-com/neulasta/neulasta_pi_hep_english.pdf)

**Field Code Changed**

Neupogen (filgrastim) [package insert]. Thousand Oaks, CA: Amgen Inc.; June 2018. Retrieved from [https://www.pi.amgen.com/~/media/amgen/repositorysites/pi-amgen-com/neupogen/neupogen\\_pi\\_hcp\\_english.pdf](https://www.pi.amgen.com/~/media/amgen/repositorysites/pi-amgen-com/neupogen/neupogen_pi_hcp_english.pdf)

**Field Code Changed**

NivestymNIVESTYM (filgrastim-aafi) [package insert]. New York, NY: Pfizer Inc.; July 2018. Retrieved from <http://labeling.pfizer.com>ShowLabeling.aspx?id=10899>

**Field Code Changed**

Udenyca (pegfilgrastim-cbqv) [package insert]. Redwood City, CA: Coherus BioSciences, Inc.; September 2019. Retrieved from <https://udenyca.com/wp-content/pdfs/udenyca-pi.pdf>

**Formatted:** Hyperlink, Font: (Default) +Body (Calibri), 11 pt

Zarxio (filgrastim-sndz) [package insert]. Princeton, NJ: Sandoz Inc.; 2018August 2019. Retrieved from <https://dailymed.nlm.nih.gov/dailymed/fda/fdaDrugXsl.cfm?setid=c0d1c22b-566b-4776-bdbf-00f96dad0cae&type=display> <https://dailymed.nlm.nih.gov/dailymed/getFile.cfm?setid=c0d1c22b-566b-4776-bdbf-00f96dad0cae&type=pdf&name=c0d1c22b-566b-4776-bdbf-00f96dad0cae>

**Formatted:** Hyperlink, Font: (Default) Times New Roman, 12 pt

**Field Code Changed**

**Field Code Changed**

Revision	Date
Single PDL Implementation	May 2019
Added Udenyca	April 2020

**Formatted:** Font: 9 pt, Bold

**Formatted Table**

**Formatted:** Font: 9 pt

**Formatted:** Font: 9 pt