

Louisiana Medicaid
Calcitonin Gene-Related Peptide (CGRP) Antagonists

The Louisiana Uniform Prescription Drug Prior Authorization Form should be utilized to request authorization for ~~CGRP (Calcitonin Gene-Related Peptide)~~ (CGRP) antagonists.

Additional Point-of-Sale edits may apply.

Some medications in this therapeutic category may have **Black Box Warnings** and/or may be subject to **Risk Evaluation and Mitigation Strategy (REMS)** under FDA safety regulations. Please refer to individual prescribing information for details.

Approval Criteria for Aimovig®, Ajovy® or Emgality®

- The recipient is 18 years of age or older on the date of the request; **AND**
- The requested medication has been prescribed by, or the request states that this medication is prescribed in consultation with, a neurologist or pain specialist; **AND**
- The recipient has been evaluated and does not have medication overuse headache, and this is stated on the request; **AND**
- The dosage and administration follows prescribing information for the diagnosis being treated; **AND**
- ~~For ALL CGRP Antagonists,~~ The following is true and **stated on the request**:
 - The patient has a diagnosis based on documented history of **ONE** of the following:
 - episodic migraine <15 headache days per month; **OR**
 - chronic migraine ≥15 headache days per month; **AND**
 - The patient has a history of migraines for at least 3 months; **AND**
 - The patient failed treatment with an adequate trial (3 months each) of at least **TWO** standard prophylactic pharmacologic therapies for migraine, or has an intolerance or contraindication to standard prophylactic therapies (e.g., beta blockers, antidepressants, divalproex sodium or topiramate); **OR**
- For galcanezumab-gnlm (EmgalityTM), ~~the following is true and is stated on the request~~:
 - The recipient has a diagnosis based on documented history of episodic cluster headaches; **AND**
 - The recipient is in an active cluster period; **AND**
 - The recipient has failed treatment with **AT LEAST ONE** triptan indicated for the treatment of cluster headaches (unless contraindicated); **AND**
- If the request is for a non-preferred agent - **ONE** of the following is required:
 - The recipient has had a *treatment failure* with at least one preferred product; **OR**
 - The recipient has had an *intolerable side effect* to at least one preferred product; **OR**
 - The recipient has a *documented contraindication(s)* to all of the preferred products that are appropriate to use for the condition being treated; **OR**
 - There is *no preferred product that is appropriate* to use for the condition being treated; **AND**
- By submitting the authorization request, the prescriber attests to the following:

Formatted: Space Before: 6 pt, After: 6 pt

Formatted: Font: Not Bold

Formatted: Font: Not Bold

- The prescribing information for the requested medication has been thoroughly reviewed, including any Black Box Warning, Risk Evaluation and Mitigation Strategy (REMS), contraindications, minimum age requirements, recommended dosing, and prior treatment requirements; **AND**
- All laboratory testing and clinical monitoring recommended in the prescribing information have been completed as of the date of the request and will be repeated as recommended; **AND**
- The recipient has no concomitant drug therapies or disease states that limit the use of CGRP antagonists and will not receive CGRP antagonists in combination with any medication that is contraindicated or not recommended per FDA labeling.

Reauthorization Criteria

- The recipient continues to meet initial criteria; **AND**
- The following **is true and stated on the request**:
 - The recipient continues to be monitored for medication overuse headache; **AND**
 - There is evidence of a positive clinical response to CGRP antagonist therapy.

Duration of Initial and Reauthorization Approval: 12 months

Rimegepant (Nurtec™ ODT)

Ubrogepant (Ubrelvy®)

Approval Criteria

- The recipient is 18 years of age or older on the date of the request; **AND**
- The recipient has a diagnosis of migraine, with or without aura; **AND**
- The requested medication is being used to treat moderate to severe pain associated with acute migraine, which is **stated on the request**; **AND**
- The recipient has had a trial of and inadequate response or intolerance to **TWO** oral triptans (at least one must be preferred; names of triptans and trial dates must be **stated on the request**); **AND**
- If the request is for a non-preferred agent - **ONE** of the following is required:
 - The recipient has had a *treatment failure*, with at least one preferred product; **OR**
 - The recipient has had an *intolerable side effect* to at least one preferred product; **OR**
 - The recipient has a *documented contraindication(s)* to all of the preferred products that are appropriate to use for the condition being treated; **OR**
 - There is *no preferred product that is appropriate* to use for the condition being treated; **AND**
- By submitting the authorization request, the prescriber attests to the following:
 - The dosage and administration follow prescribing information for the diagnosis being treated; **AND**
 - The requested medication will not be used concomitantly with preventive medication that acts on the CGRP pathway; **AND**
 - The prescribing information for the requested medication has been thoroughly reviewed, including any Black Box Warning, Risk Evaluation and Mitigation Strategy (REMS), contraindications, minimum age requirements, recommended dosing, and prior treatment requirements; **AND**

Formatted: Font: 12 pt, Bold

Formatted: Space Before: 6 pt, After: 0 pt

Formatted: Space Before: 0 pt, After: 0 pt

Formatted: Space Before: 6 pt

Formatted: Font: Not Bold

Formatted: List Paragraph, Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5", Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: Font: Not Bold

Formatted: List Paragraph, Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: List Paragraph, Bulleted + Level: 2 + Aligned at: 0.75" + Indent at: 1"

Formatted: Font: Not Bold, Italic

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: Not Bold, Italic

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: Not Bold, Italic

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: Not Bold, Italic

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: List Paragraph, Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Formatted: List Paragraph, Bulleted + Level: 2 + Aligned at: 0.75" + Indent at: 1"

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: Not Bold

- All laboratory testing and clinical monitoring recommended in the prescribing information have been completed as of the date of the request and will be repeated as recommended; **AND**
- The recipient has no concomitant drug therapies or disease states that limit the use of CGRP antagonists and will not receive CGRP antagonists in combination with any medication that is contraindicated or not recommended per FDA labeling.

Duration of initial approval: 6 months

Reauthorization Criteria

- The recipient continues to meet initial criteria; **AND**
- The prescriber **states on the request** that the recipient is established on the medication with evidence of a positive response to therapy.

Duration of reauthorization approval: 12 months

Eptinezumab-jjmr (Vyepti™)

Approval Criteria

- The recipient is 18 years of age or older on the date of the request; **AND**
- Eptinezumab-jjmr (Vyepti™) is prescribed by, or the request states that this medication is prescribed in consultation with, a neurologist or pain specialist; **AND**
- For eptinezumab-jjmr (Vyepti™), the following is true and is **stated on the request**:
 - The patient has a diagnosis based on documented history of **ONE** of the following:
 - §episodic migraine <15 headache days per month; **OR**
 - §chronic migraine ≥15 headache days per month; **AND**
 - The patient has a history of migraines for at least 3 months; **AND**
 - The patient failed treatment with an adequate trial (3 months each) of at least **TWO** standard prophylactic pharmacologic therapies for migraine, or has an intolerance or contraindication to standard prophylactic therapies (e.g., beta blockers, antidepressants, divalproex sodium or topiramate); **AND**
- If the request is for a non-preferred agent - **ONE** of the following is required:
 - The recipient has had a *treatment failure* with at least one preferred product; **OR**
 - The recipient has had an *intolerable side effect* to at least one preferred product; **OR**
 - The recipient has a *documented contraindication(s)* to all of the preferred products that are appropriate to use for the condition being treated; **OR**
 - There is *no preferred product that is appropriate* to use for the condition being treated; **AND**
- By submitting the authorization request, the prescriber attests to the following:
 - The requested medication is **NOT** being used for the acute treatment of migraine; **AND**
 - The dosage and administration follow prescribing information for the diagnosis being treated; **AND**
 - The prescribing information for the requested medication has been thoroughly reviewed, including any Black Box Warning, Risk Evaluation and Mitigation Strategy (REMS), contraindications, minimum age requirements, recommended dosing, and prior treatment requirements; **AND**

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: List Paragraph, Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Font: Not Bold

Formatted: Space After: 0 pt

Formatted: Font: Bold

Formatted: Space Before: 6 pt, After: 0 pt

Formatted: Font: 12 pt, Bold

Formatted: Space After: 6 pt

Formatted: Font: 12 pt

Formatted: List Paragraph, Space Before: 0 pt, Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Formatted ...

Formatted ...

Formatted ...

Formatted: Font: 12 pt, Bold

Formatted: Font: 12 pt

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted: Font: 12 pt, Bold

Formatted ...

Formatted ...

Formatted ...

- All laboratory testing and clinical monitoring recommended in the prescribing information have been completed as of the date of the request and will be repeated as recommended; **AND**
- The recipient has no concomitant drug therapies or disease states that limit the use of the requested medication and will not receive the requested medication in combination with any medication that is contraindicated or not recommended per FDA labeling.

Reauthorization Criteria

- The recipient continues to meet initial criteria; **AND**
- The prescriber **states on the request** that the recipient is established with evidence of a positive clinical response.

Duration of initial and reauthorization approval: 12 months

References

Aimovig (erenumab-aooe) [prescribing information]. Thousand Oaks, CA: Amgen Inc; April 2020. https://www.pi.amgen.com/~media/amgen/repositorysites/pi-amgen-com/aimovig/aimovig_pi_hcp_english.ashx

Ajovy (fremanezumab-vfrm) [prescribing information]. North Wales, PA: Teva Pharmaceuticals; January 2020. <https://www.ajovyhcp.com/globalassets/ajovy/ajovy-pi.pdf>

Emgality (galcanezumab-gnlm) [prescribing information]. Indianapolis, IN: Eli Lilly and Company; December 2019. <http://uspl.lilly.com/emgality/emgality.html#s4>

ICHD-3.org. (2019). [online] Available at: <https://ichd-3.org/wp-content/uploads/2018/01/The-International-Classification-of-Headache-Disorders-3rd-Edition-2018.pdf> [Accessed 26 Jun. 2019].

Nurtec (rimegepant) [package insert]. New Haven, CT: Biohaven Pharmaceuticals, Inc.; February 2020. <https://www.nurtec.com/pi>

Ubrelvy (ubrogepant) [package insert]. Madison, NJ: Allergan USA, Inc.; December 2019. https://media.allergan.com/products/Ubrelvy_pi.pdf

Vyepti (eptinezumab-ijmr) [package insert]. Bothell, WA: Lundbeck Seattle BioPharmaceuticals, Inc.; February 2020. https://www.lundbeck.com/upload/us/files/pdf/Products/Vyepti_PI_US_EN.pdf

Revision	Date
Added wording for new indication, strength and quantity limit for Emgality®	November 2019
Removed POS information, formatting changes, updated references	July 2020
Added Nurtec™ ODT, Ubrelvy® and Vyepti®	TBD

Formatted: List Paragraph, Bulleted + Level: 2 +
Aligned at: 0.75" + Indent at: 1"

Formatted: Font: 12 pt, Bold

Formatted: Font: 12 pt

Formatted: Font: 12 pt, Bold

Formatted: Font: 12 pt

Formatted: List Paragraph, Bulleted + Level: 1 +
Aligned at: 0.25" + Indent at: 0.5"

Formatted: Font: 12 pt, Bold

Formatted: Font: 12 pt

Formatted: Font: 12 pt, Bold

Formatted: Font: 12 pt

Formatted: Font: 12 pt, Bold

Formatted: Space After: 0 pt

Formatted: Space Before: 6 pt

Formatted: Space Before: 6 pt, After: 6 pt

Formatted: No underline

Formatted: Font: 12 pt

Formatted: Font: 12 pt