Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes		
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
ADHD/Narcolepsy – Stimulants and Re	lated Agents Applies to FFS and All MCOs as of 4/1/18; Wakix	[®] and Sunosi [™] as of 3/2/20; Qelbree [™] as of 10/1/21; Azstarys [™] as of 4/1/22
Amphetamine Salt Combo – Adderall® Amphetamine Sulfate – Evekeo®	Attention Deficit Hyperactivity Disorders	F90.*
Dextroamphetamine / Amphetamine ER - Adderall XR® Dextroamphetamine Sulfate IR, ER - Dexedrine®, ProCentra®, Zenzedi®	Narcolepsy	G47.4*
A 1- C:1 NI: 11®	Circadian Rhythm Sleep Disorder, Shift Work Type	G47.26
Armodafinil – Nuvigil® Modafinil – Provigil®	Narcolepsy	G47.4*
Wodamiii — Flovigii	Obstructive Sleep Apnea	G47.33
Amphetamine ER − Adzenys XR–ODT TM , Dyanavel XR® Atomoxetine − Strattera® Lisdexamfetamine − Vyvanse® Methamphetamine − Desoxyn® Viloxazine − Qelbree TM Serdexmethylphenidate and Dexmethylphenidate − Azstarys TM	Attention Deficit Hyperactivity Disorders	F90.*
Clonidine ER – Kapvay®	Attention Deficit Hyperactivity Disorders	F90.*
Guanfacine ER – Intuniv®	Tics / Tourette's Disorder	F95.*, G25.6*
Clonidine IR – Catapres®	Attention Deficit Hyperactivity Disorders	F90.*
Clonidine Patch – Catapres–TTS®	Hypertension	I10, I11.*, I12.*, I13.*, I15.*
Guanfacine IR – Tenex® Diagnosis only required if recipient is	Hypertension in Congenital Heart Disease	Q20.*, Q21.*, Q22.*, Q23.*, Q24.*, Q25.*, Q26.*, Q27.*, Q28.*
younger than 21 years of age	Tics / Tourette's Disorder	F95.*, G25.6*
Dexmethylphenidate – Focalin®	Cancer–Related Fatigue	R53.0
Dexmethylphenidate ER – Focalin XR®	Attention Deficit Hyperactivity Disorders	F90.*
Methylphenidate IR – Methylin [®] , Ritalin® Methylphenidate ER – Aptensio XR [®] ,	Cancer–Related Fatigue	R53.0
Concerta [®] , Metadate [®] CD/ER, QuilliChew ER [®] , Quillivant XR [®] ,	Attention Deficit Hyperactivity Disorders	F90.*
Ritalin [®] LA/SR Methylphenidate Patch – Daytrana [®]	Narcolepsy	G47.4*
Pitolisant – Wakix®	Narcolepsy	G47.4*
$Solriam fetol-Sunosi^{^{TM}}$	Narcolepsy	G47.4*
	Obstructive Sleep Apnea	G47.33

Revised October January 20232 Page 1 of 22

Louisiana Medicaid – Medications Requiring ICD–10 Diagnosis Codes			
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes	
Antipsychotics Applies to FFS and All MCOs for A Hafyera [™] and Lybalvi [™] as of 4/1/22	Antipsychotics Applies to FFS and All MCOs for Aripiprazole (Aristada® Initio®) and Risperidone (Perseris®) as of 1/9/19; All Other Antipsychotics as of 10/1/19; Secuado® as of 5/15/20; Invega		
Aripiprazole Oral – Abilify®	Agitation or Aggression or Irritability in Pervasive Developmental Disorder (PDD)/Autistic Disorder		
Aripiprazole Injection Suspension – Abilify Maintena®	† Negative Symptoms of PDD (Description is specific for olanzapine/fluoxetine)	F84.*	
Aripiprazole Lauroxil ER Injection Suspension – Aristada®, Aristada® Initio™	Aggression or Irritability in PDD with Depression (Description is specific for perphenazine/amitriptyline)		
Asenapine – Saphris® Brexpiprazole – Rexulti®	Bipolar Disorder, Agitation or Psychoses in Bipolar Disorder, Agitation or Psychoses in Other Episodic Mood Disorders		
Cariprazine – Vraylar® Chlorpromazine Oral, Injection Clozapine – Clozaril®, FazaClo®, Versacloz® Fluphenazine Oral, Injection, Decanoate Injection	† Bipolar Depression, Negative Symptoms of Psychoses in Bipolar Disorder, Negative Symptoms of Psychoses in Other Episodic Mood Disorders (Description is specific for olanzapine/fluoxetine)	F30.*, F31.*, F32.8*, F34.8*, F34.9, F39	
Haloperidol Oral, Decanoate & Lactate Injection – Haldol® Iloperidone – Fanapt®, Fanapt® Titration Pack	Bipolar Disorder with Depression, Other Episodic Mood Disorders with Depression (Description is specific for perphenazine/amitriptyline)		
Loxapine, Breath Activated Aerosol Powder – Adasuve® Loxapine Capsule Lurasidone – Latuda® Olanzapine Oral and Injection – Zyprexa® Olanzapine Injection Suspension – Zyprexa Relprevv™ Paliperidone Oral – Invega® Paliperidone Injection – Invega Hafyera®, Invega Sustenna®, Invega Trinza® Perphenazine Prochlorperazine Oral and Injection – Compazine®	Delusions, Dementia, Psychoses or Agitation in Delusions, Dementia, Psychoses * Negative Symptoms of Delusions, Dementia or Psychoses (Description is specific for olanzapine/fluoxetine) * Delusions with Depression, Dementia with Depression, Psychoses with Depression (Description is specific for perphenazine/amitriptyline)	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89	
Quetiapine – Seroquel® Quetiapine XR – Seroquel XR® Risperidone Oral – Risperdal® Risperidone Injection Suspension – Risperdal Consta®, Perseris™ Thioridazine	Agitation or Psychoses in Major Depressive Disorder † Major Depressive Disorder, Negative Symptoms of Psychoses in Major Depressive Disorder (Description is specific for olanzapine/fluoxetine) ¥ Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9	
Thioridazine Thiothixene Trifluoperazine Ziprasidone Oral and Injection – Geodon®	Schizophrenia or Schizoaffective Disorder or Agitation in Schizophrenia or Schizoaffective Disorder † Negative Symptoms of Schizophrenia or Schizoaffective		
Olanzapine/Fluoxetine – Symbyax [®] Perphenazine/Amitriptyline ** Perphenazine/Amitriptyline ** Perphenazine/Amitriptyline ** Perphenazine/Amitriptyline ** Perphenazine/Amitriptyline	Disorder (Description is specific for olanzapine/fluoxetine) Schizophrenia with Depression, Schizoaffective Disorder with Depression (Description is specific for	F20.*, F25.*	

Revised October January 20232
Page 2 of 22

Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes		
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
Antipsychotics Applies to FFS and All MCOs for A Hafyera [™] and Lybalvi [™] as of 4/1/22	Aripiprazole (Aristada® Initio®) and Risperidone (Perseris®) as of I.	/9/19; All Other Antipsychotics as of 10/1/19; Secuado® as of 5/15/20; Invega
Aripiprazole Oral – Abilify® Olanzapine Oral – Zyprexa® Quetiapine – Seroquel® Quetiapine XR – Seroquel XR®	Aggression in Conduct Disorder, Disruptive Behavior Disorder, Explosive Personality Disorder, Impulse Control Disorder, Intermittent Explosive Disorder, Isolated Explosive Disorder, Pervasive Developmental Disorder, or Unsocialized Aggression	F60.3, F63.3, F63.8*, F63.9, F84.*, F91.1, F91.8, F91.9
Risperidone Oral – Risperdal® Ziprasidone Oral – Geodon®	Additional Covered Codes: Borderline Personality Disorder, Depersonalization Disorder, Obsessive— Compulsive Disorder, Paranoid Personality Disorder	F42*, F48.1, F60.0, F60.3
Aripiprazole Oral – Abilify® Haloperidol Oral & Lactate Injection – Haldol® Pimozide – Orap® Quetiapine – Seroquel® Quetiapine XR – Seroquel XR® Risperidone Oral – Risperdal® Risperidone Injection Suspension – Risperdal Consta®	Tics/Tourette's Disorder	F95.*, G25.6*
	Hiccough	R06.6
Chlorpromazine Oral, Injection	Nausea and Vomiting	G43.A0, K91.0, R11.*
J	Porphyria	E80.0, E80.1, E80.20, E80.21, E80.29
	Tetanus	A35
Chlorpromazine Oral and Injection	Attention Deficit Hyperactivity Disorder	F90.*
Haloperidol Oral – Haldol®	Severe Behavioral Problems	F43.24, F63.81, F91.1, F91.8, F91.9
Perphenazine Prochlorperazine Oral, Injection and Rectal – Compazine®	Severe Nausea and Vomiting	G43.A0, K91.0, R11.*
Olanzapine/Fluoxetine – Symbyax® Perphenazine/Amitriptyline	Depression	F31.3*, F31.4, F31.5, F31.75, F31.76, F31.81, F31.9, F32.*, F33.*, F34.1
Perphenazine/Amitriptyline Prochlorperazine Oral – Compazine [®] Trifluoperazine	Anxiety	F06.4, F34.1, F41.*
Pimavanserin – Nuplazid™	Hallucinations and/or Delusions Associated with Parkinson's Disease Psychosis	G20
	Bipolar Disorder	F30.*, F31.*, F32.8*, F34.8*, F34.9, F39
Aripiprazole Tablet with Sensor – Abilify [®] Mycite [®]	Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33*
Admiy Wiyette	Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
	<u> </u>	1

Revised October January 20232 Page 3 of 22

	Medicaid – Medications Requiring IC	
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
Antipsychotics Applies to FFS and All MCOs for Hafyera TM and Lybalvi TM as of $4/1/22$	or Aripiprazole (Aristada® Initio®) and Risperidone (Perseris®) as of I	1/9/19; All Other Antipsychotics as of 10/1/19; Secuado® as of 5/15/20; Invega
Asenapine Transdermal - Secuado®	Schizophrenia	F20.*
Lumateperone – Caplyta®	Schizophrenia as of 8/3/2020	F20.*
Eumateperone – Capiyta	Bipolar Depression as of 7/1/2022	F30*, F31*, F32.8*, F34.8*, F34.9, F39
Brexpiprazole – Rexulti® Applies to FFS and All MCOs as of 7/1/21	Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33*
Olassa i a sa 1 Cara i la sa 1 a la 1 i III	Bipolar Disorder	F30.*, F31.*, F32.8*, F34.8*, F34.9, F39
Olanzapine and Samidorphan – Lybalvi [™]	Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
Botulinum Toxins		
	Cervical Dystonia	G24.3
	ULS/LLS Associated with Complete Quadriplegia	G82.53
	ULS/LLS Associated with Incomplete Quadriplegia	G82.54
	ULS/LLS Associated with Cerebral Palsy	G80.0, G80.1, G80.2, G80.4, G80.8, G80.9
AbobotulinumtoxinA – Dysport®	ULS Associated with Diplegia of Upper Limb	G83.0
ULS – Upper Limb Spasticity ULS/LLS – Upper or Lower Limb Spasticity	ULS/LLS Associated with Hemiplegia due to Late Effects of Cerebrovascular Disease	169.•51, 169.•52, 169.•53, 169.•54, 169.•59
	ULS/LLS Associated with Intracranial Injury of Other and Unspecified Nature (Traumatic Brain Injury)	S06.1*, S06.2*, S06.3*, S06.4*, S06.5*, S06.6*, S06.8*, S06.9*
Applies to FFS and All MCOs as of 1/1/21	Spasticity Associated with Monoplegia of Upper or Lower Limb	G83.1*, G83.2*, G83.3*
	Spasticity Associated with Monoplegia of Upper or Lower Limb due to Late Effects of Cerebrovascular Disease	I69.•31, I69.•32, I69.•33, I69.•34, I69.•39, I69.•41, I69.•42, I69.•43, I69.•44, I69.•49
	ULS/LLS Associated with Multiple Sclerosis (Relapsing)	G35
	ULS/LLS Associated with Spastic Hemiplegia	G81.1*
	ULS/LLS Associated with Spinal Cord Injury without Evidence of Spinal Bone Injury	S14.0*, S14.1•5, S14.1•6, S14.1•7

Revised October January 20232 Page 4 of 22

Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes		
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
Botulinum Toxins		
	Blepharospasm	G24.5
	Cervical Dystonia	G24.3
	Chronic Sialorrhea	K11.7
	ULS Associated with Multiple Sclerosis (Relapsing)	G35
	ULS Associated with Cerebral Palsy	G80.0, G80.1, G80.2, G80.4, G80.8, G80.9
	ULS Associated with Spastic Hemiplegia	G81.1*
IncobotulinumtoxinA – Xeomin®	ULS Associated with C5–C7 Complete Quadriplegia	G82.53
ULS – Upper Limb Spasticity ULS/LLS – Upper or Lower Limb Spasticity	ULS Associated with C5–C7 Incomplete Quadriplegia	G82.54
	ULS Associated with Diplegia of Upper Limb	G83.0
Applies to FFS and All MCOs as of 1/1/21	ULS Associated with Monoplegia of Upper Limb due to Late Effects of Cerebrovascular Disease	I69.•31, I69.•32, I69.•33, I69.•34, I69.•39
	ULS Associated with Hemiplegia due to Late Effects of Cerebrovascular Disease	I69.•51, I69.•52, I69.•53, I69.•54, I69.•59
	ULS Associated with Intracranial Injury of Other and Unspecified Nature (Traumatic Brain Injury)	S06.1*, S06.2*, S06.3*, S06.4*, S06.5*, S06.6*, S06.8*, S06.9*
	ULS Associated with Monoplegia of Upper Limb	G83.2*
	ULS Associated with Spinal Cord Injury without Evidence of Spinal Bone Injury (C5–C7)	S14.0*, S14.1•5, S14.1•6, S14.1•7

Page 5 of 22

Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes		
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
Botulinum Toxins		
	Axillary Hyperhidrosis	L74.510
	Blepharospasm	G24.5
	Cervical Dystonia	G24.3
	Chronic Migraine (Prophylaxis)	G43.7*
	Overactive Bladder	N32.81
	Strabismus	H49.*, H50.*, H51.*
	ULS/LLS Associated with Multiple Sclerosis (Relapsing)	G35
	ULS/LLS Associated with Cerebral Palsy	G80.0, G80.1, G80.2, G80.4, G80.8, G80.9
OnabotulinumtoxinA – Botox®	ULS/LLS Associated with Spastic Hemiplegia	G81.1*
ULS – Upper Limb Spasticity	ULS/LLS Associated with Complete Quadriplegia	G82.53
ULS/LLS – Upper or Lower Limb Spasticity	ULS/LLS Associated with Incomplete Quadriplegia	G82.54
Applies to FFS and All MCOs as of 1/1/21	ULS Associated with Diplegia of Upper Limb	G83.0
	Spasticity Associated with Monoplegia of Upper or Lower Limb	G83.1*, G83.2*, G83.3*
	Spasticity Associated with Monoplegia of Upper or Lower Limb due to Late Effects of Cerebrovascular Disease	I69.•31, I69.•32, I69.•33, I69.•34, I69.•39, I69.•41, I69.•42, I69.•43, I69.•44, I69.•49
	ULS/LLS Associated with Hemiplegia due to Late Effects of Cerebrovascular Disease	I69.•51, I69.•52, I69.•53, I69.•54, I69.•59
	ULS/LLS Associated with Intracranial Injury of Other and Unspecified Nature (Traumatic Brain Injury)	S06.1*, S06.2*, S06.3*, S06.4*, S06.5*, S06.6*, S06.8*, S06.9*
	ULS/LLS Associated with Spinal Cord Injury without Evidence of Spinal Bone Injury	S14.0*, S14.1•5, S14.1•6, S14.1•7
	Urinary Incontinence (Detrusor Overactivity Associated with Neurological Disease)	N36.44, N31.9

Revised October January 20232 Page 6 of 22

Louisiana Medicaid – Medications Requiring ICD–10 Diagnosis Codes		
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
Botulinum Toxins		
RimabotulinumtoxinB – Myobloc®	Cervical Dystonia	G24.3
Applies to FFS and All MCOs as of 1/1/21	Chronic Sialorrhea	K11.7
Pulmonary Arterial Hypertension (PAH		
Ambrisentan – Letairis® Bosentan – Tracleer® Epoprostenol Sodium – Veletri®, Flolan® Iloprost – Ventavis® Macitentan – Opsumit® Riociguat – Adempas® Treprostinil – Orenitram®, Remodulin®, Tyvaso®, Tyvaso DPI™®* Applies to FFS and All MCOs as of 1/1/21 * Applies to FFS and All MCOs as of 1/1/23	Pulmonary Arterial Hypertension (PAH)	I27.0, I27.2*, I27.89, P29.3*
Tadalafil – Adcirca® Sildenafil – Revatio® Applies to FFS and All MCOs as of 6/1/18	Pulmonary Arterial Hypertension (PAH)	I27.0, I27.2*, I27.89, P29.3*
Benign Prostatic Hyperplasia (BPH) App	plies to FFS and All MCOs as of 6/1/18	
Tadalafil – Cialis® 2.5mg, 5mg	Benign Prostatic Hypertrophy (BPH)	N40.*
Erectile Dysfunction (ED) Applies to FFS and All MCOs as of 6/1/18		
Avanafil – Stendra [®] Sildenafil – Viagra [®] Vardenafil – Levitra [®] , Staxyn [®]	No Acceptable Diagnosis Code	No Acceptable Diagnosis Code

Revised October January 20232 Page 7 of 22

Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes			
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes	
Hepatitis C Applies to FFS and All MCOs as	Hepatitis C Applies to FFS and All MCOs as of 5/9/18		
Elbasvir/Grazoprevir – Zepatier® Glecaprevir/Pibrentasvir – Mavyret® Ledipasvir/Sofosbuvir – Harvoni® Ombitasvir/Paritaprevir/Ritonavir & Dasabuvir – Viekira Pak® Peginterferon Alfa–2B – PegIntron® Ribavirin – Copegus®, Moderiba®, Rebetol®, Ribasphere® Sofosbuvir – Sovaldi® Sofosbuvir / Velpatasvir – Epclusa®	Chronic Hepatitis C	B18.2	
Other Interferons Applies to FFS and All M	ICOs as of 4/7/21		
	AIDS-Related Kaposi's Sarcoma	C46.*	
	Chronic Hepatitis B	B18.0, B18.1	
	Chronic Hepatitis C	B18.2	
Interferon Alfa–2B Recombinant – Intron A®	External Genital Warts (Condylomata Acuminata)	A63.0	
	Follicular Lymphoma	C82.*	
	Hairy Cell Leukemia	C91.4*	
	Melanoma	C43.*	
	Chronic Granulomatous Disease	D71	
Interferon Gamma–1B – Actimmune®	Malignant Osteopetrosis	Q78.2	
Peginterferon Alfa–2A – Pegasys®	Chronic Hepatitis B	B18.0, B18.1	
Teginoricion Anna 271—Tegasys	Chronic Hepatitis C	B18.2	
Peginterferon Alfa–2B – Sylatron®	Melanoma	C43.*	

Revised October January 20232 Page 8 of 22

Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes		
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
Hormones Applies to FFS and All MCOs as	of 4/7/21; Camcevi TM as of 10/1/22	
Goserelin Acetate (1 month) –	Breast Cancer (Female)	C50.•1*
Zoladex® 3.6mg	Dysfunctional Uterine Bleeding	N89.7, N92.5, N93.8
	Endometriosis	N80.*
	Prostate Cancer	C61
Goserelin Acetate (3 month) – Zoladex® 10.8mg Histrelin Acetate – Vantas® Leuprolide Acetate – Camcevi TM , Eligard®, Lupron Depot® 7.5mg, 22.5mg (3 month), 30mg (4 month), 45mg (6 month) Triptorelin Pamoate – Trelstar®	Prostate Cancer	C61
Histrelin Acetate –Supprelin LA® Leuprolide Acetate – Lupron Depot–Ped®, Fensolvi® Triptorelin Pamoate – Triptodur®	Central Precocious Puberty	E30.1, E30.8
Leuprolide Acetate – Lupron®	Central Precocious Puberty	E30.1, E30.8
Ecupionae rectate Eupion	Prostate Cancer	C61
Leuprolide Acetate – Lupron Depot®	Endometriosis	N80.*
3.75mg, 11.25mg (3 month)	Uterine Leiomyoma	D25.*
Hydroxyprogesterone – Makena®, Generic, Authorized Generic	Pregnancy with History of Preterm–Labor	O09.21*
Nafarelin Acetate – Synarel®	Central Precocious Puberty	E30.1, E30.8
	Endometriosis	N80.*
Oral Contraceptives	Premenstrual Dysphoric Disorder	F32.81
Educational alert at Point-of-Sale Suggests a diagnosis code if one is not	Excessive and Frequent Menstruation	N92*
submitted on the pharmacy claim Applies to FFS and All MCOs as of 10/1/18	Encounter for Contraceptive Management	Z30*
Progesterone – Crinone® Applies to FFS and All MCOs as of 8/1/19	Secondary Amenorrhea	N91.1

Revised October January 20232 Page 9 of 22

Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes		
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
Topical Applies to FFS and All MCOs as of 4	1/7/21	
Imiquimod – Zyclara® 2.5%	Actinic Keratosis	L57.0
Imiquimod – Zyclara® 3.75%	Actinic Keratosis	L57.0
	External Genital Warts (Condylomata Acuminata)	A63.0
	Actinic Keratosis	L57.0
Imiquimod – Aldara® 5%	External Genital Warts (Condylomata Acuminata)	A63.0
	Superficial Basal Cell Carcinoma	C44.•1*
Tazarotene – Tazorac® Diagnosis for psoriatic arthritis bypasses age limit that applies to acne agents Applies to FFS and All MCOs as of 7/1/19	Psoriatic Arthritis	L40.*
Doxepin – Prudoxin®, Zonalon® Applies to FFS and All MCOs as of 5/15/20	Atopic Dermatitis	L20.*
	Lichen Simplex Chronicus	L28.0

Revised October January 20232 Page 10 of 22

Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes		
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
Triptans Diagnosis only required if recipient is younger than 18 years of age Applies to Tosymra® for FFS and All MCOs as of 12/16/19. Applies to all other Triptans for FFS and All MCOs as of 4/7/21		
Almotriptan – Axert® Eletriptan – Relpax® Frovatriptan – Frova® Naratriptan – Amerge® Rizatriptan – Maxalt®, Maxalt MLT® Sumatriptan [Oral, Nasal] – Imitrex®, Onzetra Xsail®, Tosymra® Sumatriptan [Injection] – Zembrace SymTouch® Zolmitriptan – Zomig®, Zomig ZMT®	Migraine	G43.0*, G43.1*, G43.7*
Sumatriptan [Injection] – Imitrex®, Sumavel®	Migraine	G43.0*, G43.1*, G43.7*
Sumatripian [injection] – innuez , Sumaver	Cluster Headache, Acute	G44.009
Substance Use Disorder (SUD) Applies to FFS and All MCOs as of 4/1/18. Sublocade® of	and Vivitrol® as of 9/4/18. Lucemyra® and Naltrexone Tablets as of 4	4/7/21.
Buprenorphine HCl – Subutex® Buprenorphine HCl / Naloxone HCl – Bunavail®, Suboxone®, Zubsolv® Buprenorphine Implant Kit – Probuphine® Buprenorphine Extended Release Injection – Sublocade®	Opioid Type Dependence	F11.2*
Naltrexone – Vivitrol® Naltrexone Tablets	Alcohol Dependence	F10.2*
	Opioid Type Dependence	F11.2*
Lofexidine – Lucemyra®	Opioid Abuse, Dependence or Use [Unspecified] With Withdrawal	F11.13, F11.23, F11.93

Revised October January 20232 Page 11 of 22

Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes		
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
HIV Agents Applies to FFS and All MCOs a	s of 11/1/19	
	Acute hepatitis B with delta–agent without hepatic coma	B16.1
	Acute hepatitis B without delta-agent with hepatic coma	B16.2
	Acute hepatitis B without delta–agent and without hepatic coma	B16.9
	Chronic viral hepatitis B with delta–agent	B18.0
	Chronic viral hepatitis B without delta–agent	B18.1
	Unspecified viral hepatitis B	B19.1
	Unspecified viral hepatitis B without hepatic coma	B19.10
	Unspecified viral hepatitis B with hepatic coma	B19.11
	Human immunodeficiency virus [HIV] disease	B20
	Human immunodeficiency virus, type 2 [HIV 2] as the cause of diseases classified elsewhere	B97.35
HIV Agents (Except Descovy®, Truvada®, and	Contact with hypodermic needle	W46.0XXA, W46.0XXD
Apretude TM and Vocabria®)*	Contact with contaminated hypodermic needle	W46.1XXA, W46.1XXD
*Exception applies to FFS and All MCOs for Descovy® and Truvada® as of 4/1/22, and	Contact with and (suspected) exposure to infections with a predominantly sexual mode of transmission	Z20.2
for Apretude® as of 10/1/22, and for	Contact with and (suspected) exposure to HIV	Z20.6
<u>Vocabria® as of 1/1/23)</u>	Contact with and (suspected) exposure to other viral communicable diseases	Z20.828
	Contact with and (suspected) exposure to other communicable diseases	Z20.89
	Contact with and (suspected) exposure to unspecified communicable disease	Z20.9
	Carrier of viral hepatitis B	Z22.51
	High risk sexual behavior	Z72.5
	High risk heterosexual behavior	Z72.51
	High risk homosexual behavior	Z72.52
	High risk bisexual behavior	Z72.53
	Contact with and (suspected exposure to potentially hazardous body fluids	Z77.21
	Other contact with and (suspected) exposure hazardous to health	Z77.9

Revised October January 20232
Page 12 of 22

Louisiana Medicaid – Medications Requiring ICD–10 Diagnosis Codes				
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes		
Risk Factors Required with Orlistat R	Risk Factors Required with Orlistat Recipient must have at least one of these risk factors warranting Orlistat use. Applies to FFS and All MCOs as of 4/7/21			
	Atherosclerosis	I70.*		
	Cerebrovascular Disease	I60.*, I61.*, I62.*, I63.*, I65.*, I66.*, I67.*, I68.*, I69.*		
	Dyslipidemia	E78.0-E78.5		
	Gastric Reflux Disease	K21.0, K21.9		
	Hyperinsulinemia	E15, E16.1		
	Hypertension	I10, I11.*, I12.*, I13.*, I15.*		
	Impaired Glucose Tolerance	R73.02		
	Ischemic Heart Disease	I21.*, I22.*, I24.*, I25.*		
	Osteoarthritis of Hips/Knees	M16.*, M17.*		
	Other Peripheral Vascular Diseases	I73.*		
Orlistat – Xenical®	Phlebitis & Thrombophlebitis of Lower Extremities, unspecified	I80.3		
Offistat – Actical	Phlebitis & Thrombophlebitis of Other Deep Vessels	I80.2*		
	Phlebitis & Thrombophlebitis of the Femoral Vein	I80.1*		
	Phlebitis & Thrombophlebitis of the Superficial Vessels of the Lower Extremities	I80.0*		
	Pseudotumor Cerebri	G93.2		
	Sleep Apnea	G47.30		
	Type 2 Diabetes	E11.*		
	Varicose Veins of Lower Extremities, with Inflammation	I83.1*		
	Varicose Veins of Lower Extremities, without Mention of Ulcer and Inflammation	I83.9*		
	Varicose Veins of Lower Extremities, with Ulcer	I83.0*		
	Varicose Veins of the Lower Extremities with Ulcer and Inflammation	I83.2*		

Revised October January 20232 Page 13 of 22

Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes		
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
Proton Pump Inhibitors (PPIs) Applies to	o FFS and All MCOs as of 11/1/19	
	Abscess of Esophagus	K20.8
	Angiodysplasia of Stomach and Duodenum with OR without Mention of Hemorrhage	K31.81*
	Atrophic Gastritis with Hemorrhage	K29.41
	Barrett's Esophagus	K22.7*
	Chronic Pancreatitis	K86.0, K86.1
	Congenital Tracheoesophageal Fistula	Q39.1, Q39.2
Dexlansoprazole – Dexilant [®] Esomeprazole – Nexium [®] Lansoprazole – Prevacid [®]	Cystic Fibrosis	E84.*
Omeprazole – Prevacia Omeprazole – Prilosec® Pantoprazole – Protonix®	Eosinophilic Esophagitis	K20.0
Rabeprazole – Aciphex®	Eosinophilic Gastritis	K52.81
Diagnosis codes submitted on the pharmacy claim will bypass the duration of therapy	Gastrointestinal Hemorrhage	K92.2
limit	Gastrointestinal Mucositis (Ulcerative)	K92.81
	Malignant Mast Cell Tumors	C96.2*
	Multiple Endocrine Adenomas	D44.0, D44.2, D44.9
	Tracheoesophageal Fistula	J86.0
	Ulcer of Esophagus with OR without Bleeding	K22.1*
	Zollinger–Ellison Syndrome	E16.4

Revised October January 20232
Page 14 of 22

Louisiana Medicaid – Medications Requiring ICD–10 Diagnosis Codes		
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
Bypass Diagnoses Diagnosis code submitted	l on the pharmacy claim will bypass certain limits.	
Albuterol – ProAir HFA®, ProAir® Digihaler™, ProAir® RespiClick®,	Bronchitis, not specified	J40
	Chronic Airway Obstruction	J44.9
Proventil HFA®, Ventolin HFA® YQ	Cystic Fibrosis	E84.*
Levalbuterol – Xopenex HFA® YQ	Emphysema	J43.*
Yearly Quantity Limit (YQ)	Obstructive Chronic Bronchitis, Chronic Obstructive	J44.*
Applies to FFS and All MCOs as of 4/7/21	Asthma	J++.
Anticonvulsants		
Clonazepam Tablet – Klonopin® BH, CU, QL	Seizures/Convulsions – Bypass BH, CU and/or QL	G40*, P90, R56*
Clorazepate Tablet – Tranxene–T® BH, CU, QL		
Diazepam Tablet – Valium® BH, CU, QL		
Diazepam Oral/Injectable – Valium® BH, CU		
Lorazepam Injectable – Ativan [®] BH , CU Carbamazepine – Equetro [®] BH	Cancer – Bypasses CU	C00.*-C96.*
Behavioral Health Clinical Authorization		
Required for Children Younger than 7 (BH);		
Concurrent Use of Opioid and Benzodiazepine	D III d D CW	7751.5
Restricted (CU); Quantity Limits (QL)	Palliative Care – Bypasses CU	Z51.5
Applies to FFS and All MCOs as of 11/1/19		
Opioids	Cancer – Bypasses CU, PU, QL, MME	C00.*–C96.*
Quantity Limits (QL) & Maximum Morphine	Palliative Care – Bypasses CU, PU, QL, MME	Z51.5
Milligram Equivalent (MME) Limits		
Applies to FFS and All MCOs as of:		T20.2*, T20.3*, T20.6*, T20.7*, T21.2*, T21.3*, T21.6*,
7/10/17 – for Cancer and Palliative Care 10/1/18 – for Second or Third Degree Burns	Second or Third Degree Burns or Corrosions –	T21.7*, T22.2*, T22.3*, T22.6*, T22.7*, T23.2*, T23.3*,
1/1/19 – for Sickle Cell Crisis	Bypasses PU, QL, MME	T23.6*, T23.7*, T24.2*, T24.3*, T24.6*, T24.7*, T25.2*,
171719 Joi stekle Cell Crists		T25.3*, T25.6*, T25.7*
Long-acting Opioid Not Initial Therapy -	Child Call Calls Danie By Of MARE	D57.0* D57.01* D57.41* D57.01*
Requires Previous Opioid Use (PU) &	Sickle Cell Crisis – Bypasses PU , QL , MME	D57.0*, D57.21*, D57.41*, D57.81*
Concurrent Use of Opioid and		
Benzodiazepine Restricted (CU) - Applies to	Seizures/Convulsions – Bypass CU for Incoming	G40*, P90, R56*
FFS and All MCOs as of 10/1/19	Benzodiazepine, NO Bypass for Incoming Opioid	, , , , , ,
Cefixime – Suprax®		
Bypasses PA requirement for non-preferred cefixime	Unspecified sexually transmitted disease	A64
Applies to FFS and All MCOs as of 1/1/21	The state of the s	
· ·		

Revised October January 20232 Page 15 of 22

Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes			
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes	
Bypass Diagnoses Diagnosis code submitted on the pharmacy claim will bypass certain limits.			
Dalteparin Sodium – Fragmin® Enoxaparin Sodium – Lovenox®	Cancer	C00.*-C96.*	
Fondaparinux Sodium – Arixtra® Bypasses duration of therapy (DT) limits Applies to FFS as of 12/12/18	Pregnancy	O00.*-O9A.*	
Sedative/Hypnotics Bypasses quantity limits (QL) Applies to FFS and All MCOs as of 1/1/21	Palliative End-of-Life Care – Bypasses QL	Z51.5	
Enzyme Replacement Applies to FFS and A	All MCOs as of 1/1/21		
Cerliponase alfa – Brineura TM	Neuronal ceroid lipofuscinosis	E75.4	
Eliglustat tartrate – Cerdelga®	Gaucher disease	E75.22	
Imiglucerase – Cerezyme®	Gaucher disease	E75.22	
Taliglucerase alfa – Elelyso®	Gaucher disease	E75.22	
Migalastat − Galafold TM	Fabry (-Anderson) disease	E75.21	
Asfotase alfa – Strensiq®	Perinatal/infantile-onset and juvenile-onset hypophosphatasia	E83.39	
Velaglucerase alfa – Vpriv®	Gaucher disease	E75.22	
Miglustat – Zavesca®	Gaucher disease	E75.22	

Revised October January 20232
Page 16 of 22

Louisiana Medicaid – Medications Requiring ICD–10 Diagnosis Codes			
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes	
Hemophilia Agents Applies to FFS and All	Hemophilia Agents Applies to FFS and All MCOs as of 1/1/21		
Advate® [antihemophilic factor (recombinant)]	Hemophilia A	D66	
Adynovate® [antihemophilic factor (recombinant)]	Hemophilia A	D66	
Afstyla® [antihemophilic factor (recombinant), single chain]	Hemophilia A	D66	
Alphanate® [antihemophilic factor/von	Hemophilia A	D66	
Willebrand factor complex (human)]	Von Willebrand disease	D68.0	
AlphaNine® SD [coagulation factor IX (human)]	Hemophilia B	D67	
Alprolix® [coagulation factor IX (recombinant)]	Hemophilia B	D67	
BeneFIX® [factor IX (recombinant)]	Hemophilia B	D67	
Coagadex®[coagulation factor X (human)]	Hereditary Factor X deficiency	D68.2	
Corifact® [factor XIII concentrate (human)]	Factor XIII deficiency	D68.2	
Eloctate® [antihemophilic factor (recombinant)]	Hemophilia A	D66	
Esperoct® [antihemophilic factor (recombinant)]	Hemophilia A	D66	
Feiba® NF [anti-inhibitor coagulant	Hemophilia A	D66	
complex]	Hemophilia B	D67	
Hemlibra® [emicizumab-kxwh]	Hemophilia A	D66	
Hemofil-M [antihemophilic factor (human)]	Hemophilia A	D66	
Humate-P® [antihemophilic factor/von	Hemophilia A	D66	
Willebrand factor complex (human)]	Von Willebrand disease	D68.0	
Idelvion® [coagulation factor IX (recombinant)]	Hemophilia B	D67	
Ixinity® [coagulation factor IX (recombinant)]	Hemophilia B	D67	
Jivi® [antihemophilic factor (recombinant)]	Hemophilia A	D66	
Koate® DVI [antihemophilic factor (human)]	Hemophilia A	D66	

Revised October January 20232
Page 17 of 22

Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
Iemophilia Agents Continued Applies to	8	
ogenate® FS [antihemophilic factor ecombinant)]	Hemophilia A	D66
ovaltry® [antihemophilic factor ecombinant)]	Hemophilia A	D66
Mononine® [coagulation factor IX (human)]	Hemophilia B	D67
ovoeight® [antihemophilic factor ecombinant)]	Hemophilia A	D66
	Hemophilia A	D66
ovoseven® RT [coagulation factor VIIa	Hemophilia B	D67
recombinant)]	Factor VII deficiency	D68.2
comonant/j	Glanzmann's thrombasthenia	D69.1
	Acquired Hemophilia	D68.311
uwiq® [antihemophilic factor ecombinant)]	Hemophilia A	D66
bizur® [antihemophilic factor ecombinant)]	Hemophilia A	D66
rofilnine® SD [factor IX complex]	Hemophilia B	D67
ebinyn® [coagulation factor IX ecombinant)]	Hemophilia B	D67
ecombinate TM [antihemophilic factor ecombinant)]	Hemophilia A	D66
Rixubis® [coagulation factor IX recombinant)]	Hemophilia B	D67
evenfact® [coagulation factor VIIa	Hemophilia A	D66
recombinant)-jncw]	Hemophilia B	D67
retten® [coagulation factor XIII A-subunit ecombinant)]	Factor XIII A-subunit deficiency	D68.2
onvendi® [von Willebrand factor recombinant)]	Von Willebrand disease	D68.0
Vilate® [von Willebrand factor / coagulation	Hemophilia A	D66
ctor VIII complex (human)]	Von Willebrand disease	D68.0
yntha® [antihemophilic factor ecombinant)]	Hemophilia A	D66
Xyntha® Solofuse® [antihemophilic factor recombinant)]	Hemophilia A	D66

Louisiana Medicaid – Medications Requiring ICD–10 Diagnosis Codes			
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes	
Diabetic Testing Supplies Applies to FFS of	Diabetic Testing Supplies to FFS and All MCOs as of 1/1/21		
	Gestational Diabetes	O24.4*	
	Diabetes in Pregnancy	O24*	
Blood Glucose Test Strips and Lancets	Type 1 Diabetes Mellitus	E10*	
Quantity is limited based on diagnosis	Type 2 Diabetes Mellitus	E11*	
	Other and Unspecified Diabetes Mellitus	E08*, E09*, E13*	
	Long-Term (Current) Use of Insulin [Insulin-treated Non-Type 1 Diabetes Mellitus]	Z79.4	
Miscellaneous			
Aldesleukin – Proleukin®	Melanoma	C43.*	
Applies to FFS and All MCOs as of 1/1/21	Renal Cell Carcinoma	C64.*	
Amikacin Inhalation Suspension – Arikayce® Applies to FFS and All MCOs as of 11/1/19	Mycobacterium avium complex	A31.0, A31.2	
Tobramycin - Kitabis Pak [®] Applies to FFS and All MCOs as of 8/1/19	Cystic Fibrosis with Pseudomonas	E84.*	
Aztreonam – Cayston® Tobramycin – Bethkis®, Tobi® Applies to FFS and All MCOs as of 1/1/21	Cystic Fibrosis with Pseudomonas	E84.*	
Alprazolam ODT – Niravam®	Generalized Anxiety Disorder	F41.1	
Applies to FFS and All MCOs as of 11/1/19	Panic Disorder with Agoraphobia	F40.01	
	Panic Disorder without Agoraphobia	F41.0	
Alprazolam XR – Xanax XR®	Panic Disorder with Agoraphobia	F40.01	
Applies to FFS and All MCOs as of 11/1/19	Panic Disorder without Agoraphobia	F41.0	
Fentanyl Buccal/Sublingual – Abstral [®] , Actiq [®] , Fentora [®] , Lazanda [®] , Subsys [®] Applies to FFS and All MCOs as of 1/1/21	Cancer	C00.*–C96.*	

Revised October January 20232 Page 19 of 22

Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes		
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
Miscellaneous		
Deferiprone - Ferriprox® Applies to FFS and All MCOs as of 1/1/22		
Deferasirox – Exjade®, Jadenu® (2 to 9 years of age) Brand Applies to FFS and All MCOs as of 8/3/20 Generic Applies to FFS and All MCOs as of 10/7/20	Chronic Iron Overload Due to Blood Transfusions	E83.111
Deferasirox – Exjade [®] , Jadenu [®]	Chronic Iron Overload Due to Blood Transfusions	E83.111
(10 years of age and older) Brand Applies to FFS and All MCOs as of 8/3/20 Generic Applies to FFS and All MCOs as of 10/7/20	Chronic Iron Overload Due to Non–Transfusion– Dependent Thalassemias	D56.0, D56.1, D56.5, D56.8, D57.4*
Dornase Alfa – Pulmozyme® Applies to FFS and All MCOs as of 1/1/21	Cystic Fibrosis	E84.*
Ivermectin (oral) – Stromectol® Applies to FFS and All MCOs as of 9/1/21	Unspecified Parasitic Disease	B89
Sacubitril / Valsartan – Entresto® Applies to FFS and All MCOs as of 10/1/21	Heart Failure	I50*
Paroxetine – Brisdelle® Applies to FFS and All MCOs as of 8/1/18	Moderate to Severe Vasomotor Symptoms Associated with Menopause	E28.310, E89.41, N95.1
	Hemolytic-Uremic Syndrome	D59.3
Eculizumab – Soliris [®] Applies to FFS and All MCOs as of 8/1/18	Paroxysmal Nocturnal Hemoglobinuria (Marchiafava–Micheli)	D59.5
	Myasthenia Gravis	G70.0*
Applies to FFS and All MCOs as of 11/1/19	Neuromyelitis Optica Spectrum Disorder (NMOSD)	G36.0
	Hemolytic-Uremic Syndrome	D59.3
Ravulizumab - Ultomiris® Applies to FFS and All MCOs as of 8/3/20	Paroxysmal Nocturnal Hemoglobinuria (Marchiafava–Micheli)	D59.5
Applies to FFS and All MCOs as of 10/1/22	Myasthenia Gravis	G70.0*
Agalsidase beta – Fabrazyme [®] Applies to FFS and All MCOs as of 11/1/19	Fabry (-Anderson) Disease	E75.21
Alglucosidase alfa – Lumizyme [®] Applies to FFS and All MCOs as of 11/1/19	Pompe Disease	F74.00
Avalglucosidase alfa-ngpt – Nexviazyme TM Applies to FFS and All MCOs as of 1/1/22		E74.02

Revised October January 20232 Page 20 of 22

Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes		
Generic – Brand Examples	Diagnosis Description	ICD-10 Codes
Miscellaneous		
Methadone Applies to FFS and All MCOs as of 1/1/21	Diagnosis <i>must</i> be submitted, but <i>cannot</i> be Substance Use Disorder	Diagnosis <i>must</i> be submitted but <i>cannot</i> be F11.2*
Buprenorphine – Belbuca®; Butrans®* Applies to FFS and All MCOs as of 1/1/21 & *7/1/22	Diagnosis <i>must</i> be submitted, but <i>cannot</i> be Substance Use Disorder	Diagnosis <i>must</i> be submitted but <i>cannot</i> be F11.2*
Edaravone – Radicava [®] ; Radicava ORS ^{®†} Applies to FFS and All MCOs as of 3/2/20 & †10/1/22 Riluzole – Rilutek [®] ; Tiglutik [™] ; Exservan ^{™*} Applies to FFS and All MCOs as of 3/2/20 & *1/1/22	Amyotrophic Lateral Sclerosis	G12.21
Inotersen – Tegsedi [®] Patisiran – Onpattro [®] <u>Vutrisiran – Amvuttra™*</u> Applies to FFS and All MCOs as of 3/2/20 *Applies to FFS and All MCOs as of 1/1/23	Polyneuropathy of Hereditary Transthyretin— Mediated Amyloidosis	E85.1
Pomalidomide – Pomalyst® Applies to FFS and All MCOs as of 11/1/19	Multiple Myeloma	C90.0*
Quinine Sulfate 324mg – Qualaquin® Applies to FFS and All MCOs as of 8/3/20	Plasmodium falciparum malaria, unspecified	B50.9
Tiotropium Bromide – Spiriva® Respimat®	1.25 mcg – Asthma	J45*
Applies to FFS and All MCOs as of 10/7/20	2.5 mcg – COPD	J44*
Pegcetacoplan – Empaveli [™] Applies to FFS and All MCOs as of 4/1/22	Paroxysmal Nocturnal Hemoglobinuria (Marchiafava–Micheli)	D59.5
Ropeginterferon alfa-2b-njft – Besremi® Applies to FFS and All MCOs as of 10/1/22	Polycythemia Vera	D45
Mitapivat – Pyrukynd® Applies to FFS and All MCOs as of 10/1/22	Hemolytic Anemia with Pyruvate Kinase (PK) Deficiency	D55.21
$\underline{Dexmedetomidine} - \underline{Igalmi}^{\scriptscriptstyleTM}$	Agitation associated with Schizophrenia	<u>F20.*, F25.*</u>
Applies to FFS and All MCOs as of 1/1/23	Agitation associated with Bipolar I or II Disorder	F30.*, F31.*, F32.8*, F34.8*, F34.9, F39

Page 21 of 22

Louisiana Medicaid – Medications Requiring ICD-10 Diagnosis Codes

Notes

- * any number or letter or combination of **UP TO FOUR** numbers and letters of an assigned ICD-10-CM diagnosis code
- – any **ONE** number or letter of an assigned ICD–10–CM diagnosis code
- BH one of these diagnoses will bypass the Behavioral Health Clinical Authorization requirement for children younger than 7 years old
- CU one of these diagnoses will bypass the concurrent use restriction
- DT one of these diagnoses will bypass the duration of therapy limit
- MME one of these diagnoses will bypass the maximum Morphine Milligram Equivalent limit
- PU one of these diagnoses will bypass the requirement for previous use of another agent
- QL one of these diagnoses will bypass the quantity limit

From www.lamedicaid.com, follow the Medicaid Programs and Initiatives link to Pharmacy to find all provider notifications regarding Fee–For–Service Pharmacy policies. The posted policies may contain ICD–9–CM diagnosis codes; however, this table may be used to determine applicable ICD–10–CM diagnosis codes for the medications included in these policies.

Other medications may require an ICD-10-CM diagnosis code. All Schedule II narcotics require a diagnosis code. In cases where the monthly prescription limit is exceeded, an ICD-10-CM diagnosis code is required on all prescriptions in excess of the monthly prescription limit.

Revised October-January 20232 Page 22 of 22