Field Name	Field Description
Prior Authorization	Vascular Endothelial Growth Factor (VEGF) Inhibitors for
Group Description	Ophthalmic Conditions
Drugs	Preferred Vascular Endothelial Growth Factor (VEGF) Inhibitor(s):
	Avastin (bevacizumab)
	• Byooviz (ranibizumab-eqrn)
	• Cimerli (ranibizumab-nuna)
	Lucentis (ranibizumab)
	Non-Preferred Vascular Endothelial Growth Factor (VEGF)
	Inhibitor(s):
	Beovu (brolucizumab)
	• Eylea (afibercept)
	• Lucentis (ranibizumab)
	• Susvimo (ranibizumab)
	• Vabysmo (faricimab)
	Any newly marketed agent in this class
Covered Uses	Medically accepted indications are defined using the following sources:
	the Food and Drug Administration (FDA), Micromedex, American
	Hospital Formulary Service (AHFS), United States Pharmacopeia Drug
	Information for the Healthcare Professional (USP DI), the Drug
	Package Insert (PPI), or disease state specific standard of care
	guidelines.
Exclusion Criteria	N/A
Required Medical	See "other criteria"
Information	
Age Restrictions	Approvable for adults 18 years of age and older only
Prescriber	Ophthalmologist
Restrictions	
Coverage Duration	If the above conditions are met, the request will be approved with a 3
	month duration for initial and 12 months for renewal; if the criteria are
	not met, the request will be referred to a clinical reviewer for medical
	necessity review.
Other Criteria	**Drug is being requested through the member's medical benefit**
	A
	Avastin:
	Request is for compendia supported dosing for an ophthalmic indication.
	indication
	Lucantic Ryaqviz or Cimarli
	 Lucentis Byooviz or Cimerli: Request is for an FDA-approved dosing regimen
	Request is for an i DA-approved dosing regimen
	Eylea:
	Request is for an FDA-approved dosing regimen
	request is for all 1 D11 approved dooning regimen
	Non-Preferred VEGF Inhibitor:

Revision/Review Date <u>10</u> 5/2022	 Request is for an FDA-approved dosing regimen; AND Documented trial and failure with a preferred VEGF inhibitor for all FDA-approved indications OR: a medical justification for not using a preferred VEGF inhibitor (e.g. experienced a severe
	ADR such as hypersensitivity, arterial thromboembolism, cerebrovascular accident, raised intraocular pressure, retinal detachment).
	Medical Director/clinical reviewer must override criteria when, in his/her professional judgement, the requested item is medically necessary.