

## **Clinical Policy: Ado-Trastuzumab Emtansine (Kadcyla)**

**Reference Number: LA.PHAR.229**

**Effective Date:**

**Last Review Date: 04.22**

**Line of Business: Medicaid**

**[Coding](#)**  
**[Implications](#)**  
**[Revision Log](#)**

**See [Important Reminder](#) at the end of this policy for important regulatory and legal information.**

### **Description**

**Ado-trastuzumab emtansine (Kadcyla®) is a human epidermal growth factor receptor 2 protein (HER2)-targeted antibody and microtubule inhibitor conjugate.**

### **FDA Approved Indication(s)**

**Kadcyla is indicated as a single agent for the:**

- **Adjuvant treatment of patients with HER2-positive early breast cancer who have residual invasive disease after neoadjuvant taxane and trastuzumab-based treatment.**
- **Treatment of patients with HER2-positive, metastatic breast cancer who previously received trastuzumab and a taxane, separately or in combination. Patients should have either:**
  - **Received prior therapy for metastatic disease, or**
  - **Developed disease recurrence during or within six months of completing adjuvant therapy.**

### **Policy/Criteria**

**Prior Authorization is required. Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.**

**It is the policy of Louisiana Healthcare Connections that Kadcyla is medically necessary when the following criteria are met:**

#### **I. Initial Approval Criteria**

##### **A. Breast Cancer (must meet all):**

1. **Diagnosis of HER2-positive breast cancer;**
2. **Prescribed by or in consultation with an oncologist;**
3. **Age ≥ 18 years;**
4. **Prescribed as a single agent;**
5. **Documentation of prior use of trastuzumab-based therapy and a taxane;**
6. **Request meets one of the following (a, b, or c):\***
  - a. **As adjuvant: Dose does not exceed 3.6 mg/kg every 21 days for a maximum of 14 doses;**
  - b. **For metastatic: Dose does not exceed 3.6 mg/kg every 21 days;**
  - c. **Dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (prescriber must submit supporting evidence).**

## CLINICAL POLICY

### Ado-Trastuzumab Emtansine

*\*Prescribed regimen must be FDA-approved or recommended by NCCN*

#### Approval duration:

Medicaid – 6 months

#### **B. Additional NCCN Recommended Uses (off-label) (must meet all):**

1. Diagnosis of one of the following (a or b):
  - a. HER2-positive non-small cell lung cancer (NSCLC);
  - b. Recurrent HER2-positive salivary gland tumor;
2. Prescribed by or in consultation with an oncologist;
3. Age ≥ 18 years;
4. Prescribed as a single agent;
5. Request meets one of the following (a or b):\*
  - a. Dose does not exceed 3.6 mg/kg every 21 days;
  - b. Dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (prescriber must submit supporting evidence).

*\*Prescribed regimen must be FDA-approved or recommended by NCCN*

#### Approval duration:

Medicaid – 6 months

#### **C. Other diagnoses/indications**

1. Refer to the off-label use policy if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): LA.PMN.53 for Medicaid.

## **II. Continued Therapy**

#### **A. All Indications in Section I (must meet all):**

1. Currently receiving medication via Louisiana Healthcare Connections benefit, or documentation supports that member is currently receiving Kadcyla for a covered indication and has received this medication for at least 30 days;
2. Member is responding positively to therapy;
3. If request is for a dose increase, request meets one of the following (a, b, or c):\*
  - a. As adjuvant therapy for breast cancer: New dose does not exceed 3.6 mg/kg every 21 days for a maximum of 14 doses;
  - b. For all other indications: New dose does not exceed 3.6 mg/kg every 21 days;
  - c. New dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (prescriber must submit supporting evidence).

*\*Prescribed regimen must be FDA-approved or recommended by NCCN*

#### Approval duration:

Medicaid – 12 months

#### **B. Other diagnoses/indications (must meet 1 or 2):**

1. Currently receiving medication via Louisiana Healthcare Connections benefit and documentation supports positive response to therapy.  
Approval duration: Duration of request or 6 months (whichever is less); or

## CLINICAL POLICY

### Ado-Trastuzumab Emtansine

2. Refer to the off-label use policy if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): LA.PMN.53 for Medicaid.

#### III. Diagnoses/Indications for which coverage is NOT authorized:

- A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policy – LA.PMN.53 for Medicaid, or evidence of coverage documents.

#### IV. Appendices/General Information

##### Appendix A: Abbreviation/Acronym Key

FDA: Food and Drug Administration

HER2: human epidermal growth factor receptor 2 protein

NSCLC: non-small cell lung cancer

##### Appendix B: Therapeutic Alternatives

Not applicable

##### Appendix C: Contraindications/Boxed Warnings

- Contraindication(s): none reported
- Boxed warning(s): hepatotoxicity, cardiac toxicity, and embryo-fetal toxicity

#### V. Dosage and Administration

<u>Indication</u>	<u>Dosing Regimen</u>	<u>Maximum Dose</u>
<u>Breast cancer</u>	<u>Adjuvant therapy for early breast cancer with residual disease</u> <u>3.6 mg/kg IV Q3WK (21-day cycle) for a total of 14 cycles unless there is disease recurrence or unmanageable toxicity.</u>  <u>Metastatic breast cancer</u> <u>3.6 mg/kg IV Q3WK (21-day cycle) until disease progression or unmanageable toxicity.</u>	<u>3.6 mg/kg</u>

#### VI. Product Availability

Single-use vial: 100 mg, 160 mg

#### VII. References

1. Kadcyla Prescribing Information. South San Francisco, CA: Genentech, Inc.; February 2022. Available at: [https://www.gene.com/download/pdf/kadcyla\\_prescribing.pdf](https://www.gene.com/download/pdf/kadcyla_prescribing.pdf). Accessed February 15, 2022.
2. Ado-trastuzumab emtansine. In: National Comprehensive Cancer Network Drugs and Biologics Compendium. Available at: [http://www.nccn.org/professionals/drug\\_compendium](http://www.nccn.org/professionals/drug_compendium). Accessed February 15, 2022.

## CLINICAL POLICY

### Ado-Trastuzumab Emtansine

3. Minckwitz GV, Huang CS, Mano MS, et al. Trastuzumab emtansine for residual invasive HER2-positive breast cancer. N Engl J Med 2019;380:617-28.

#### Coding Implications

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

<u>HCPCS Codes</u>	<u>Description</u>
<u>J9354</u>	<u>Injection, ado-trastuzumab emtansine, 1 mg</u>

<u>Reviews, Revisions, and Approvals</u>	<u>Date</u>	<u>LDH Approval Date</u>
<u>Converted corporate to local policy.</u>	<u>04.22</u>	

#### Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. LHCC makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable LHCC administrative policies and procedures.

This clinical policy is effective as of the date determined by LHCC. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. LHCC retains the right

## CLINICAL POLICY

### Ado-Trastuzumab Emtansine

to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom LHCC has no control or right of control. Providers are not agents or employees of LHCC.

This clinical policy is the property of LHCC. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

©2020 Louisiana Healthcare Connections. All rights reserved. All materials are exclusively owned by Louisiana Healthcare Connections and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Louisiana Healthcare Connections. You may not alter or remove any trademark, copyright or other notice contained herein. Louisiana Healthcare Connections is a registered trademark exclusively owned by Louisiana Healthcare Connections.