

FORMULATION: 5 Through 11 Years of Age  
**Pfizer-BioNTech COVID-19 Vaccine**

**Ages:** 5 through 11 years of age

**Use for:** Any dose in the 2-dose series.  
COVID-19 vaccines are NOT interchangeable.  
Both doses should be COVID-19 vaccine (Pfizer).

**Route:** Intramuscular (IM) injection

**Prior to administration, mix with 0.9% sodium chloride (normal saline, preservative-free) diluent ONLY.**

**Beyond Use Date/Time:**

**DO NOT PUT IN FREEZER**

**Refrigerator:** Between 2°C and 8°C (36°F and 46°F) for up to 10 weeks.

**Mixed vaccine:** Use within 12 hours of mixing.



FORMULATION: 5 Through 11 Years of Age  
**Pfizer-BioNTech COVID-19 Vaccine**

**Ages:** 5 through 11 years of age

**Use for:** Any dose in the 2-dose series.  
COVID-19 vaccines are NOT interchangeable.  
Both doses should be COVID-19 vaccine (Pfizer).

**Route:** Intramuscular (IM) injection

**Prior to administration, mix with 0.9% sodium chloride (normal saline, preservative-free) diluent ONLY.**

**Beyond Use Date/Time:**

**DO NOT PUT IN FREEZER**

**Refrigerator:** Between 2°C and 8°C (36°F and 46°F) for up to 10 weeks.

**Mixed vaccine:** Use within 12 hours of mixing.



FORMULATION: 5 Through 11 Years of Age  
**Pfizer-BioNTech COVID-19 Vaccine**

**Ages:** 5 through 11 years of age

**Use for:** Any dose in the 2-dose series.  
COVID-19 vaccines are NOT interchangeable.  
Both doses should be COVID-19 vaccine (Pfizer).

**Route:** Intramuscular (IM) injection

**Prior to administration, mix with 0.9% sodium chloride (normal saline, preservative-free) diluent ONLY.**

**Beyond Use Date/Time:**

**DO NOT PUT IN FREEZER**

**Refrigerator:** Between 2°C and 8°C (36°F and 46°F) for up to 10 weeks.

**Mixed vaccine:** Use within 12 hours of mixing.



FORMULATION: 5 Through 11 Years of Age  
**Pfizer-BioNTech COVID-19 Vaccine**

**Ages:** 5 through 11 years of age

**Use for:** Any dose in the 2-dose series.  
COVID-19 vaccines are NOT interchangeable.  
Both doses should be COVID-19 vaccine (Pfizer).

**Route:** Intramuscular (IM) injection

**Prior to administration, mix with 0.9% sodium chloride (normal saline, preservative-free) diluent ONLY.**

**Beyond Use Date/Time:**

**DO NOT PUT IN FREEZER**

**Refrigerator:** Between 2°C and 8°C (36°F and 46°F) for up to 10 weeks.

**Mixed vaccine:** Use within 12 hours of mixing.



FORMULATION: 5 Through 11 Years of Age  
**Pfizer-BioNTech COVID-19 Vaccine**

**Ages:** 5 through 11 years of age

**Use for:** Any dose in the 2-dose series.  
COVID-19 vaccines are NOT interchangeable.  
Both doses should be COVID-19 vaccine (Pfizer).

**Route:** Intramuscular (IM) injection

**Prior to administration, mix with 0.9% sodium chloride (normal saline, preservative-free) diluent ONLY.**

**Beyond Use Date/Time:**

**DO NOT PUT IN FREEZER**

**Refrigerator:** Between 2°C and 8°C (36°F and 46°F) for up to 10 weeks.

**Mixed vaccine:** Use within 12 hours of mixing.



FORMULATION: 5 Through 11 Years of Age  
**Pfizer-BioNTech COVID-19 Vaccine**

**Ages:** 5 through 11 years of age

**Use for:** Any dose in the 2-dose series.  
COVID-19 vaccines are NOT interchangeable.  
Both doses should be COVID-19 vaccine (Pfizer).

**Route:** Intramuscular (IM) injection

**Prior to administration, mix with 0.9% sodium chloride (normal saline, preservative-free) diluent ONLY.**

**Beyond Use Date/Time:**

**DO NOT PUT IN FREEZER**

**Refrigerator:** Between 2°C and 8°C (36°F and 46°F) for up to 10 weeks.

**Mixed vaccine:** Use within 12 hours of mixing.

