STI/HIV/Hepatitis B & C Update

2023






Reported Cases of HIV Louisiana, 2023

| | | 2023 New Diagnoses ^a | | sesa | 2023 Prevalence ^b | | |
|-----------|----------------------------|---------------------------------|--------|---------|------------------------------|--------|---------|
| | | Cases | % | Rated | Cases | % | Rated |
| | Total | 869 | 100.0% | 18.9 | 23,345 | 100.0% | 508.6 |
| Race/Ethr | nicitye | | | | | | |
| | Black | 590 | 67.9% | 39.9 | 15,745 | 67.5% | 1,065.5 |
| | Hispanic/Latinx | 69 | 7.9% | 25.9 | 1,485 | 6.4% | 557.8 |
| | White | 197 | 22.7% | 7.4 | 5,685 | 24.4% | 214.3 |
| | Other | 13 | 1.5% | n/a | 426 | 1.8% | n/a |
| Genderf | | | | | | | |
| | Female | 192 | 22.1% | 8.2 | 6,542 | 28.0% | 279.2 |
| | Male | 655 | 75.4% | 29.1 | 16,325 | 69.9% | 726.4 |
| | Transgender Male to Female | 21 | 2.4% | n/a | 458 | 2.0% | n/a |
| | Transgender Female to Male | 0 | 0.0% | n/a | 12 | 0.1% | n/a |
| Ageg | | | | | | | |
| | 0-14 | 0 | 0.0% | n/a | 28 | 0.1% | 3.2 |
| | 15-19 | 53 | 6.1% | 17.6 | 107 | 0.5% | 35.6 |
| | 20-29 | 312 | 35.9% | 51.3 | 2,192 | 9.4% | 360.6 |
| | 30-39 | 255 | 29.3% | 40.8 | 5,250 | 22.5% | 840.5 |
| | 40-49 | 139 | 16.0% | 25.1 | 5,299 | 22.7% | 958.3 |
| | 50+ | 110 | 12.7% | 6.8 | 10,469 | 44.8% | 643.2 |
| Riskh | | | | | | | |
| | GBM | 554 | 63.8% | n/a | 9,931 | 50.2% | n/a |
| | PWID | 71 | 8.2% | n/a | 1,635 | 8.3% | n/a |
| | GBM/PWID | 35 | 4.0% | n/a | 893 | 4.5% | n/a |
| | High Risk Heterosexual | 199 | 22.9% | n/a | 7,059 | 35.7% | n/a |
| | Perinatal | 0 | 0.0% | n/a | 208 | 1.1% | n/a |
| | Transfusion/Hemophilia | 0 | 0.0% | n/a | 53 | 0.3% | n/a |
| | Other | 0 | 0.0% | n/a | 1 | 0.0% | n/a |
| Region | | | | | | | |
| | Region 1 - New Orleans | 210 | 24.2% | 24.3 | 7,559 | 32.4% | 876.3 |
| | Region 2 - Baton Rouge | 169 | 19.4% | 24.4 | 5,254 | 22.5% | 757.9 |
| | Region 3 - Houma | 46 | 5.3% | 12.1 | 1,014 | 4.4% | 267.3 |
| | Region 4 - Lafayette | 95 | 10.9% | 16 | 2,043 | 8.8% | 343.4 |
| | Region 5 - Lake Charles | 49 | 5.6% | 16.4 | 1,071 | 4.6% | 359.1 |
| | Region 6 - Alexandria | 49 | 5.6% | 16.9 | 1,106 | 4.7% | 381.6 |
| | Region 7 - Shreveport | 113 | 13.0% | 22 | 2,201 | 9.4% | 428.8 |
| | Region 8 - Monroe | 74 | 8.5% | 21.5 | 1,327 | 5.7% | 385.4 |
| | Region 9 - Hammond/Slidell | 64 | 7.4% | 10.4 | 1,730 | 7.4% | 281.5 |

a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.
b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.
c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.
c Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
c Cases are presented by current gender identity rather than sex at birth.
d Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2022 census age groups.
h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.
I Region where first diagnosed with HIV is used for new HIV diagnoses. Region of current residence is used for HIV prevalence. Persons without a region of residence are not included in the total percentage.



Reported Cases of Primary and Secondary Syphilis Louisiana, 2023


| New D | iagnosesª |
|-------|-----------|
|-------|-----------|

| | Cases ^b | % | Ratec | |
|----------------------------|---|-------------------|---|--|
| Total | 1,196 | 100.0% | 26.06 | |
| thnicityd | | | | Affected |
| Black | 681 | 57.2% | 46.08 | |
| Hispanic/Latinx | 37 | 3.1% | 13.90 | |
| White | 418 | 35.1% | 15.76 | |
| Other | 54 | 4.5% | n/a_ | |
| re | | | | |
| Female | 376 | 31.4% | 16.05 | |
| Male | 800 | 66.9% | 35.60 | |
| Transgender Male to Female | 18 | 1.5% | n/a | |
| Transgender Female to Male | 2 | 0.2% | n/a | |
| | | | | |
| 10-19 | 67 | 5.6% | 11.14 | |
| 20-29 | 442 | 37.0% | 72.70 | |
| 30-39 | 359 | 30.0% | 57.47 | Affected |
| 40-49 | 189 | 15.8% | 34.18 | |
| 50+ | 139 | 11.6% | 8.54 | |
| a | | | | |
| Region 1 - New Orleans | 236 | 19.7% | 27.36 | |
| Region 2 - Baton Rouge | 244 | 20.4% | 35.20 | |
| Region 3 - Houma | 42 | 3.5% | 11.07 | |
| Region 4 - Lafayette | 121 | 10.1% | 20.34 | |
| Region 5 - Lake Charles | 39 | 3.3% | 13.08 | |
| Region 6 - Alexandria | 116 | 9.7% | 40.03 | |
| Region 7 - Shreveport | 154 | 12.9% | 30.00 | |
| Region 8 - Monroe | 145 | 12.1% | 42.11 | |
| Region 9 - Hammond/Slidell | 99 | 8.3% | 16.11 | |
| | Region 1 - New Orleans Region 2 - Baton Rouge Region 3 - Houma Region 4 - Lafayette Region 5 - Lake Charles Region 7 - Shreveport | Sthnicity Black | Standard Standard | ### Region 1 - New Orleans Region 2 - Baton Rouge Region 3 - Houma 42 3.5% Region 5 - Lake Charles Region 7 - Shreveport 154 12.9% 30.00 |

| d Subpopulations Female ^h | Cases ^b | % |
|--------------------------------------|--------------------|------|
| Black Female 10-19 | 27 | 2.3% |
| Black Female 20-29 | 99 | 8.3% |
| Black Female 30-39 | 52 | 4.4% |
| Black Female 40-49 | 15 | 1.3% |
| Black Female 50+ | 8 | 0.7% |
| Other Female 20-29 | 8 | 0.7% |
| White Female 10-19 | 5 | 0.4% |
| White Female 20-29 | 41 | 3.4% |
| White Female 30-39 | 55 | 4.6% |
| White Female 40-49 | 37 | 3.1% |
| Hispanic Female 20-29 | 5 | 0.4% |
| White Female 50+ | 11 | 0.9% |

d Subpopulations Maleh

| Cappopalations mais | | |
|---------------------|-----|-------|
| Black Male 10-19 | 27 | 2.3% |
| Black Male 20-29 | 183 | 15.4% |
| Black Male 30-39 | 145 | 12.2% |
| Black Male 40-49 | 52 | 4.4% |
| Black Male 50+ | 56 | 4.7% |
| Hispanic Male 20-29 | 15 | 1.3% |
| Hispanic Male 30-39 | 8 | 0.7% |
| Hispanic Male 40-49 | 5 | 0.4% |
| Other Male 20-29 | 12 | 1.0% |
| Other Male 30-39 | 11 | 0.9% |
| Other Male 50+ | 6 | 0.5% |
| White Male 20-29 | 67 | 5.6% |
| White Male 30-39 | 76 | 6.4% |
| White Male 40-49 | 69 | 5.8% |
| White Male 50+ | 51 | 4.3% |
| | | |



A New diagnoses include only individuals whose initial primary and secondary syphillis diagnosis was made in Louisiana.

b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeess.

c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

c Cases are presented by current gender identity rather than sex at birth.

1 Age when first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Age categories align with 2022 census age

Region where first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Persons without a region of residence are not included in the total percentage.

All subpopulations under 5 were excluded.

Reported Cases of Early Non-Primary Non-Secondary Syphilis Louisiana, 2023

| New Diagno | sesa |
|-------------------|------|
|-------------------|------|

| | | Casesb | % | Ratec | |
|-------|--|------------------------------------|--|---------------------------------|--|
| | Total | 897 | 100.0% | 19.54 | |
| ace/E | Ethnicity ^d | | | | Affected Subpopulations Female |
| | Black | 544 | 60.7% | 36.81 | Black Female 10-19 |
| | Hispanic/Latinx | 42 | 4.7% | 15.78 | Black Female 20-29 |
| | White | 238 | 26.6% | 8.97 | Black Female 30-39 |
| | Other | 72 | 8.0% | n/a | Black Female 40-49 |
| | | | | | Black Female 50+ |
| ende | r <u>e</u> | | | | White Female 10-19 |
| | Female | 298 | 33.2% | 12.72 | White Female 20-29 |
| | Male | 575 | 64.1% | 25.59 | White Female 30-39 |
| | Transgender Male to Female | 24 | 2.7% | n/a | White Female 40-49 |
| | | | | | Other Female 20-29 |
| | | | | | Other Female 30-39 |
| gef | | | | | |
| | 10-19 | 44 | 4.9% | 7.31 | Affected Subpopulations Maleh |
| | 20-29 | 323 | 36.0% | 53.13 | Black Male 10-19 |
| | 30-39 | 290 | 32.3% | 46.43 | Black Male 20-29 |
| | 40-49 | 150 | 16.7% | 27.13 | Black Male 30-39 |
| | 50+ | 90 | 10.0% | 5.53 | Black Male 40-49 |
| | | | | | Black Male 50+ |
| egior | | | | | Hispanic Male 20-29 |
| | Dogian 1 Now Orleans | 278 | 31.0% | 32.23 | Hispania Mala 20 20 |
| | Region 1 - New Orleans | 2.0 | | | Hispanic Male 30-39 |
| | Region 2 - Baton Rouge | 194 | 21.6% | 27.99 | • |
| | - | | 21.6% 4.9% | 11.60 | Hispanic Male 40-49 Other Male 20-29 |
| | Region 2 - Baton Rouge | 194 | 4.9% 10.4% | 11.60 15.63 | Hispanic Male 40-49 |
| | Region 2 - Baton Rouge Region 3 - Houma | 194 44 | 4.9% | 11.60 15.63 6.37 | Hispanic Male 40-49 Other Male 20-29 |
| | Region 2 - Baton Rouge Region 3 - Houma Region 4 - Lafayette | 194 44 93 | 4.9% 10.4% | 11.60 15.63 | Hispanic Male 40-49 Other Male 20-29 Other Male 30-39 |
| | Region 2 - Baton Rouge Region 3 - Houma Region 4 - Lafayette Region 5 - Lake Charles | 194 44 93 19 | 4.9% 10.4% 2.1% | 11.60 15.63 6.37 15.53 | Hispanic Male 40-49 Other Male 20-29 Other Male 30-39 White Male 20-29 |
| | Region 2 - Baton Rouge Region 3 - Houma Region 4 - Lafayette Region 5 - Lake Charles Region 6 - Alexandria | 194 44 93 19 45 | 4.9% 10.4% 2.1% 5.0% | 11.60 15.63 6.37 15.53 | Hispanic Male 40-49 Other Male 20-29 Other Male 30-39 White Male 20-29 White Male 30-39 |
| | Region 2 - Baton Rouge Region 3 - Houma Region 4 - Lafayette Region 5 - Lake Charles Region 6 - Alexandria Region 7 - Shreveport | 194 44 93 19 45 101 | 4.9% 10.4% 2.1% 5.0% 11.3% | 11.60 15.63 6.37 15.53 | Hispanic Male 40-49 Other Male 20-29 Other Male 30-39 White Male 20-29 White Male 30-39 White Male 40-49 |



| Black Male 10-19 | 11 | 1.2% |
|---------------------|-----|-------|
| Black Male 20-29 | 127 | 14.2% |
| Black Male 30-39 | 127 | 14.2% |
| Black Male 40-49 | 46 | 5.1% |
| Black Male 50+ | 32 | 3.6% |
| Hispanic Male 20-29 | 7 | 0.8% |
| Hispanic Male 30-39 | 13 | 1.5% |
| Hispanic Male 40-49 | 9 | 1.0% |
| Other Male 20-29 | 15 | 1.7% |
| Other Male 30-39 | 15 | 1.7% |
| White Male 20-29 | 35 | 3.9% |
| White Male 30-39 | 38 | 4.2% |
| White Male 40-49 | 38 | 4.2% |
| White Male 50+ | 42 | 4.7% |
| Other Male 40-49 | 8 | 0.9% |
| Other Male 50+ | 5 | 0.6% |

Casesb

21 91

48

17

5

5

23

29

22

10

12

%

2.3%

10.2%

5.4%

1.9%


0.6%

0.6% 2.6%

3.2%

2.5% 1.1%

1.3%



^a New diagnoses include only individuals whose initial non-primary non-secondary syphillis diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^e Cases are presented by current gender identity rather than sex at birth.
^f Age when first diagnosed with primary and secondary syphillis is used for new non-primary non-secondary syphillis diagnoses. Age categories align with 2022 census age groups.

Paggion where first diagnosed with non-primary non-secondary syphillis is used for new non-primary non-secondary syphillis diagnoses. Persons without a region of residence are not included in the total percentage.

h All subpopulations under 5 were excluded.


Reported Cases of Congenital Syphilis Louisiana, 2023

| Infants and Mothers Linked to New Congenital Syphilis Cases |
|---|
|---|

| | | intants an | a wotners | Linked to |
|----------------------|------------------------------|------------|-----------|-----------|
| | | Cases | % | Rateb |
| Tota | I Infant CS Cases | 109 | 100.0% | 199.1 |
| | l Mothers Linked to Cases | 107 | 100.0% | 11.7 |
| Maternal Rad | ce/Ethnicity | | | |
| Blac | k | 63 | 58.9% | 8.4 |
| Hisp | anic/Latinx | 8 | 7.5% | 6.4 |
| Whit | е | 25 | 23.4% | 1.9 |
| Othe | er | 11 | 10.3% | n/a |
| Maternal Age | 9° | | | |
| 15-1 | 9 | 6 | 5.6% | 4.1 |
| 20-2 | 4 | 40 | 37.4% | 25.6 |
| 25-2 | 9 | 29 | 27.1% | 20.1 |
| 30-3 | 4 | 17 | 15.9% | 10.6 |
| 35+ | | 15 | 14.0% | 4.9 |
| Maternal Reg | gion of Residenced | | | |
| | on 1 - New Orleans | 22 | 20.6% | 12.9 |
| Regi | on 2 - Baton Rouge | 20 | 18.7% | 14.0 |
| Regi | on 3 - Houma | 2 | 1.9% | 2.8 |
| Regi | on 4 - Lafayette | 12 | 11.2% | 10.2 |
| Regi | on 5 - Lake Charles | 7 | 6.5% | 12.4 |
| Regi | on 6 - Alexandria | 7 | 6.5% | 13.1 |
| Regi | on 7 - Shreveport | 18 | 16.8% | 18.2 |
| Regi | on 8 - Monroe | 9 | 8.4% | 13.1 |
| Regi | on 9 - Hammond/Slidell | 10 | 9.3% | 8.4 |
| Infant Regio | n of Residenced | | | |
| Regi | on 1 - New Orleans | 23 | 21.1% | 248.8 |
| Regi | on 2 - Baton Rouge | 21 | 19.3% | 266.9 |
| Regi | on 3 - Houma | 2 | 1.8% | 46.7 |
| Regi | on 4 - Lafayette | 12 | 11.0% | 154.3 |
| | on 5 - Lake Charles | 7 | 6.4% | 188.3 |
| Regi | on 6 - Alexandria | 7 | 6.4% | 193.7 |
| Regi | on 7 - Shreveport | 18 | 16.5% | 293.4 |
| Regi | on 8 - Monroe | 9 | 8.3% | 220.2 |
| Regi | on 9 - Hammond/Slidell | 10 | 9.2% | 138.0 |
| Materna <u>l Sta</u> | ge of Syphilis ^e | | | |
| Prim | ary | 4 | 3.7% | n/a |
| Seco | ondary | 6 | 5.6% | n/a |
| • | / non-primary secondary | 37 | 34.6% | n/a |
| Unkr | nown/Late Latent | 57 | 53.3% | n/a |
| Othe | er | 3 | 3.7% | n/a |

| Positive Toxicology Screensf | Cases | |
|------------------------------|-------|--|
| Amphetamines/Meth | 16 | |
| Cocaine | 8 | |
| Heroin | 8 | |
| Marijuana | 24 | |

10-Year Trend Line



a New cases only include those who indicated a Louisiana residence at the time of delivery.

b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

c Reflects maternal age at delivery.

d Reflects maternal and infant region of residence at delivery.

e Reflects substances detected during pregnancy

f Reflects substances detected during maternal toxicology screens conducted during pregnancy or delivery. Mothers can have positive toxicology screens for more than one substance.

Reported Cases of Gonorrhea Louisiana, 2023


| New | Diagn | osesa |
|-----|-------|-------|
|-----|-------|-------|

| | | Cases ^b | % | Rate |
|--------|-------------------------------|--------------------|--------|----------|
| | Total | 13,192 | 100.0% | 287.39 |
| Race/E | Ethnicity ^d | | | |
| | Black | 9,448 | 72.8% | 639.36 |
| | Hispanic/Latinx | 178 | 1.4% | 66.86 |
| | White | 2,590 | 20.0% | 97.63 |
| | Other | 761 | 5.9% | n/a |
| | | | · | |
| Sex at | Birth | | | |
| | Female | 5,921 | 44.9% | 252.72 |
| | Male | 7,253 | 55.1% | 322.73 |
| | | | | |
| Agee | | | | |
| | Under 10 | 7 | 0.1% | 1.22 |
| | 10-19 | 3,293 | 25.0% | 547.45 |
| | 20-29 | 6,187 | 46.9% | 1,017.68 |
| | 30-39 | 2,411 | 18.3% | 385.99 |
| | 40-49 | 871 | 6.6% | 157.52 |
| | 50+ | 423 | 3.2% | 25.99 |

| Region | |
|--------|--|
| | |
| | |

| Region 1 - New Orleans | 3,517 | 26.6% | 407.71 |
|----------------------------|-------|-------|--------|
| Region 2 - Baton Rouge | 2,266 | 17.4% | 326.89 |
| Region 3 - Houma | 744 | 5.5% | 196.13 |
| Region 4 - Lafayette | 1,442 | 10.7% | 242.40 |
| Region 5 - Lake Charles | 533 | 4.3% | 178.72 |
| Region 6 - Alexandria | 883 | 6.7% | 304.69 |
| Region 7 - Shreveport | 1,607 | 12.2% | 313.10 |
| Region 8 - Monroe | 1,130 | 8.6% | 328.19 |
| Region 9 - Hammond/Slidell | 1,067 | 8.1% | 173.61 |

10-Year Trend Line



- a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
 d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2022 census age groups.
 Region where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a region of residence are not included in the total percentage.

| Black Female 30-39 | 475 | 3.7% |
|-----------------------|-----|------|
| Black Female 40-49 | 130 | 1.0% |
| Black Female 50+ | 57 | 0.4% |
| Hispanic Female 10-19 | 27 | 0.2% |
| Hispanic Female 20-29 | 27 | 0.2% |
| Hispanic Female 30-39 | 7 | 0.1% |
| Other Female 10-19 | 136 | 1.0% |
| Other Female 20-29 | 183 | 1.4% |
| Other Female 30-39 | 41 | 0.3% |
| Other Female 40-49 | 16 | 0.1% |
| White Female 10-19 | 278 | 2.1% |
| White Female 20-29 | 514 | 4.0% |
| White Female 30-39 | 311 | 2.4% |
| White Female 40-49 | 136 | 1.0% |
| White Female 50+ | 33 | 0.3% |
| | | |

Casesb

1,466

2,004

7

0.1%

11.3%

15.5%

Affected Subpopulations Maleg

Other Female 50+

Affected Subpopulations Femaleg

Black Female 10-19

Black Female 20-29

| · · · | | |
|---------------------|-------|-------|
| Black Male 10-19 | 1,155 | 8.9% |
| Black Male 20-29 | 2,666 | 20.6% |
| Black Male 30-39 | 1,010 | 7.8% |
| Black Male 40-49 | 301 | 2.3% |
| Black Male 50+ | 176 | 1.4% |
| Hispanic Male 10-19 | 8 | 0.1% |
| Hispanic Male 20-29 | 51 | 0.4% |
| Hispanic Male 30-39 | 36 | 0.3% |
| Hispanic Male 40-49 | 16 | 0.1% |
| Hispanic Male 50+ | 5 | 0.0% |
| Other Male 10-19 | 68 | 0.5% |
| Other Male 20-29 | 183 | 1.4% |
| Other Male 30-39 | 80 | 0.6% |
| Other Male 40-49 | 27 | 0.2% |
| Other Male 50+ | 19 | 0.1% |
| White Male 10-19 | 93 | 0.7% |
| White Male 20-29 | 461 | 3.6% |
| White Male 30-39 | 409 | 3.2% |
| White Male 40-49 | 230 | 1.8% |
| White Male 50+ | 121 | 0.9% |

Reported Cases of Chlamydia Louisiana, 2023

| New | Diag | nosesª |
|-----|------|--------|
| | | |
| | | |

| | | Casesb | % | Ratec |
|--------|----------------------------|--------|--------|---------|
| | Total | 36,242 | 100.0% | 789.54 |
| Race/E | thnicityd | | | |
| | Black | 24,200 | 68.8% | 1637.65 |
| | Hispanic/Latinx | 600 | 1.7% | 225.36 |
| | White | 8,006 | 22.8% | 301.79 |
| | Other | 2,381 | 6.8% | n/a |
| Sex at | Birth | | | |
| | Female | 24,117 | 66.6% | 1029.38 |
| | Male | 12,074 | 33.4% | 537.25 |
| Agee | | | | |
| -5,7 | Under 10 | 23 | 0.1% | 4.00 |
| | 10-19 | 11,710 | 32.3% | 1946.76 |
| | 20-29 | 18,276 | 50.4% | 3006.16 |
| | 30-39 | 4,522 | 12.5% | 723.96 |
| | 40-49 | 1,206 | 3.3% | 218.10 |
| | 50+ | 505 | 1.4% | 31.03 |
| Regio | n ^f | | | |
| | Region 1 - New Orleans | 8,164 | 22.5% | 946.41 |
| | Region 2 - Baton Rouge | 6,387 | 18.0% | 921.37 |
| | Region 3 - Houma | 2,658 | 7.2% | 700.70 |
| | Region 4 - Lafayette | 4,169 | 11.2% | 700.81 |
| | Region 5 - Lake Charles | 1,713 | 5.0% | 574.38 |
| | Region 6 - Alexandria | 2,291 | 6.3% | 790.54 |
| | Region 7 - Shreveport | 4,115 | 11.4% | 801.75 |
| | Region 8 - Monroe | 3,034 | 8.4% | 881.17 |
| | Region 9 - Hammond/Slidell | 3,705 | 10.1% | 574.38 |
| 10-Yea | ar Trend Line | | | |
| 36,000 | 36 203 | 36. | 131 36 | ,200 |
| | 34,749 | (1) | | 3 |

| 10-Year | Trend | Line | | | | | | | | |
|---------|-------|--------|--------|--------------|------|---------|--------|-------|------|--------|
| 36,000 | | | 34, | 36,2 ,749 | 293 | 36 | ,131 | 36,20 | 00 | 36,242 |
| 34,000 | | 22 205 | | | | | | 33,7 | 759 | |
| 32,000 | | 32,305 | 31,727 | | | | 32,997 | | | |
| 30,000 | 28 | ,896 | | | | | | | | |
| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
| | | | | | Di | agnosis | Year | | | |

^a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.

Affected Subpopulations Femaleg

Black Female 10-19

Black Female 20-29

Black Female 30-39

Black Female 40-49

Hispanic Female 10-19

Hispanic Female 20-29

Hispanic Female 30-39

Hispanic Female 40-49

Other Female 10-19

Other Female 20-29

Other Female 30-39

Other Female 40-49

White Female 10-19

White Female 20-29

White Female 30-39

White Female 40-49

White Female 50+

Other Female 50+

Black Female 50+

Casesb

5,787

7,843

1,576

298

114

109

212

43

13

591

949

175

43

15

1,800

2,919

690

205

56

16.5% 22.3%

> 4.5% 0.8%

0.3%

0.3% 0.6%

0.1%

0.0%

1.7%

2.7%

0.5%

0.1%

0.0%

5.1%

8.3% 2.0%

0.6%

0.2%

| Affected | Subpopulations Maleg | | |
|------------------|----------------------|-------|-------|
| | Black Male 10-19 | 2,575 | 7.3% |
| | Black Male 20-29 | 4,186 | 11.9% |
| | Black Male 30-39 | 1,293 | 3.7% |
| | Black Male 40-49 | 356 | 1.0% |
| | Black Male 50+ | 144 | 0.4% |
| | Hispanic Male 10-19 | 22 | 0.1% |
| | Hispanic Male 20-29 | 123 | 0.3% |
| | Hispanic Male 30-39 | 40 | 0.1% |
| | Hispanic Male 40-49 | 25 | 0.1% |
| | Hispanic Male 50+ | 11 | 0.0% |
| | Other Male 10-19 | 135 | 0.4% |
| | Other Male 20-29 | 321 | 0.9% |
| | Other Male 30-39 | 96 | 0.3% |
| | Other Male 40-49 | 33 | 0.1% |
| | Other Male 50+ | 17 | 0.0% |
| | White Male 10-19 | 363 | 1.0% |
| | White Male 20-29 | 1,179 | 3.4% |
| | White Male 30-39 | 462 | 1.3% |
| ges for the | White Male 40-49 | 191 | 0.5% |
| eteness. race | White Male 50+ | 128 | 0.4% |
| | | | |

Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

group.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
d Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2022 census age groups.

Region where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a region of residence are

not included in the total percentage.

9 Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis B Louisiana, 2023

New Diagnosesa

| | Casesb | % | Ratec |
|-----------------------------|--------|--------|-------|
| Total | 18 | 100.0% | 0.4 |
| Race/Ethnicity ^d | | | |
| Asian | 0 | 0.0% | 0.0 |
| Black | 6 | 46.2% | 0.4 |
| Hispanic/ Latinx | 1 | 7.7% | n/a |
| White | 6 | 46.2% | 0.2 |

Affected Subpopulations Female⁹

Affected subpopulations are all less than 5.

Sex at Birth

| Female | 10 | 55.6% | 0.4 |
|--------|----|-------|-----|
| Male | 8 | 44.4% | 0.3 |


Affected Subpopulations Maleg

Affected subpopulations are all less than 5.

Agee

| 18-29 | 2 | 11.1% | n/a |
|-------|---|-------|-----|
| 30-39 | 6 | 33.3% | 0.9 |
| 40-49 | 5 | 27.8% | 0.9 |
| 50-59 | 2 | 11.1% | n/a |
| 60-69 | 2 | 11.1% | n/a |
| 70+ | 1 | 5.6% | n/a |

10 Year Trend Line



2015 2016 2017 2018 2019 2020 2021 2022

Diagnosis Year

Regionf

| ' | | | |
|----------------------------|---|-------|-----|
| Region 1 - New Orleans | 4 | 22.2% | n/a |
| Region 2 - Baton Rouge | 1 | 5.6% | n/a |
| Region 3 - Houma | 1 | 5.6% | n/a |
| Region 4 - Lafayette | 2 | 11.1% | n/a |
| Region 5 - Lake Charles | 2 | 11.1% | n/a |
| Region 6 - Alexandria | 3 | 16.7% | n/a |
| Region 7 - Shreveport | 1 | 5.6% | n/a |
| Region 8 - Monroe | 0 | 0.0% | 0.0 |
| Region 9 - Hammond/Slidell | 4 | 22.2% | n/a |



a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Groups.

Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

Region where first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.


Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis B Louisiana, 2023

| New D | iagnosesa |
|-------|-----------|
|-------|-----------|

| | Casesb | % | Ratec | <u>-</u> |
|-----------------------------|--------------|--------|-------|--------------------------------|
| Total | 733 | 100.0% | 15.9 | _ |
| Race/Ethnicity ^d | | | | Affected Subpopulations Female |
| Asian | 49 | 8.8% | 58.2 | Asian Female 30-39 |
| Black | 242 | 43.2% | 16.1 | Black Female 18-29 |
| Hispanic/ Latinx | 31 | 5.5% | 12.0 | Black Female 30-39 |
| White | 225 | 40.2% | 8.4 | Black Female 40-49 |
| Other | 13 | 2.3% | n/a | Black Female 50-59 |
| | | | | Black Female 70+ |
| Sex at Birth | | | | White Female 18-29 |
| Female | 315 | 43.0% | 13.4 | White Female 30-39 |
| Male | 418 | 57.0% | 18.5 | White Female 40-49 |
| | | | | White Female 50-59 |
| Age ^e | | | | White Female 60-69 |
| 0-17 | 6 | 0.8% | 0.5 | White Female 70+ |
| 18-29 | 97 | 13.2% | 13.5 | |
| 30-39 | 136 | 18.6% | 21.3 | Affected Subpopulations Maleg |
| 40-49 | 144 | 19.6% | 26.0 | Black Male 18-29 |
| 50-59 | 119 | 16.2% | 20.8 | Black Male 30-39 |
| 60-69 | 134 | 18.3% | 23.9 | Black Male 40-49 |
| 70+ | 97 | 13.2% | 19.4 | Black Male 50-59 |
| | | | | Black Male 50-59 |
| Region ^f | | | | Black Male 70+ |
| Region 1 - New Orle | ans 151 | 20.6% | 17.2 | White Male 18-29 |
| Region 2 - Baton Ro | | 12.3% | 13.0 | White Male 30-39 |
| Region 3 - Houma | 55 | 7.5% | 14.1 | White Male 40-49 |
| Region 4 - Lafayette | 84 | 11.5% | 14.2 | White Male 40-49 |
| Region 5 - Lake Cha | rles 46 | 6.3% | 15.2 | White Male 50-59 |
| Region 6 - Alexandri | | 8.7% | 21.8 | White Male 70+ |
| Region 7 - Shrevepo | | 15.3% | 21.6 | withte male 10. |
| Region 8 - Monroe | 57 | 7.8% | 16.4 | 10-Year Trend Line |
| Region 9 - Hammon | d/Slidell 74 | 10.1% | 12.2 | |




%

1.8%

Cases^b

10



2015 2016 2017 2018 2019 2020 2021 2022

Diagnosis Year



30

18

5.4%

3.2%

a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

To class per 100,000 population. Rates not available (11/a) for case counts less trian's. Rates not available to Other race groups.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

e Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

Region where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a region of residence are

not included in the total percentage

g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Louisiana, 2023

New Diagnosesa

| | | Casesb | % | Rate |
|---------|-----------------------|--------|--------|------|
| | Total | 106 | 100.0% | 2.3 |
| Race/Et | :hnicity ^d | | | |
| | Asian | 0 | 0.0% | 0.0 |
| | Black | 43 | 43.9% | 1.4 |
| | Hispanic/ Latinx | 5 | 5.1% | 0.9 |
| | White | 50 | 51.0% | 0.9 |

| Affected Subpopulations Female ⁹ | Casesb | % |
|---|--------|------|
| Black Female 30-39 | 6 | 5.7% |
| White Female 18-29 | 8 | 7.5% |
| White Female 30-39 | 5 | 4.7% |

Sex at Birth

Agee

| Female | 39 | 36.8% | 1.6 |
|--------|----|-------|-----|
| Male | 67 | 63.2% | 2.9 |
| | | | |
| | | | |
| 0-17 | 0 | 0.0% | 0.0 |
| 18-29 | 21 | 20.0% | 2.9 |
| 30-39 | 32 | 30.5% | 5.0 |
| 40-49 | 27 | 25.7% | 4.8 |
| 50-59 | 11 | 10.5% | 1.9 |
| 60-69 | 11 | 10.5% | 1.9 |
| 70+ | 3 | 2.9% | n/a |


Affected Subpopulations Maleg

| White Male 40-49 | 13 | 12.3% |
|------------------|----|-------|
| Black Male 30-39 | 11 | 10.4% |
| White Male 18-29 | 7 | 6.6% |
| Black Male 60-69 | 6 | 5.7% |
| Black Male 40-49 | 5 | 4.7% |
| White Male 30-39 | 5 | 4.7% |

Regionf

| f | | | | |
|----------------------------|----|-------|-----|--|
| Region 1 - New Orleans | 31 | 29.5% | 3.5 | |
| Region 2 - Baton Rouge | 17 | 16.2% | 2.4 | |
| Region 3 - Houma | 8 | 7.6% | 2.0 | |
| Region 4 - Lafayette | 9 | 8.6% | 1.5 | |
| Region 5 - Lake Charles | 1 | 1.0% | n/a | |
| Region 6 - Alexandria | 6 | 5.7% | 2.0 | |
| Region 7 - Shreveport | 9 | 8.6% | 1.7 | |
| Region 8 - Monroe | 4 | 3.8% | n/a | |
| Region 9 - Hammond/Slidell | 20 | 19.0% | 3.2 | |

10-Year Trend Line



Diagnosis Year



a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Groups:

Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

Region where first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

Region where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis C Louisiana, 2023

New Diagnosesa

Ratec

| | | Cases | % | Rate | | | | |
|--------|-------------------------------|-------|--------|-------|--------------------------------|-------|------|--|
| | Total | 3,589 | 100.0% | 77.6 | | | | |
| Race/E | Ethnicity ^d | | | | Affected Subpopulations Female | Cases | % | |
| | Asian | 40 | 1.2% | 47.5 | White Female 30-39 | 190 | 5.6% | |
| | Black | 1,123 | 34.0% | 74.9 | White Female 40-49 | 169 | 4.9% | |
| | Hispanic/ Latinx | 170 | 5.1% | 65.8 | White Female 60-69 | 143 | 4.2% | |
| | White | 1,972 | 59.7% | 73.6 | White Female 50-59 | 131 | 3.8% | |
| | | | | | Black Female 60-69 | 104 | 3.0% | |
| | | | | | White Female 18-29 | 101 | 3.0% | |
| Sex at | Birth | | | | Black Female 50-59 | 64 | 1.9% | |
| | Female | 1,286 | 35.8% | 54.5 | Black Female 70+ | 54 | 1.6% | |
| | Male | 2,303 | 64.2% | 101.7 | Black Female 40-49 | 54 | 1.6% | |
| | | | | | White Female 70+ | 48 | 1.4% | |
| Agee | | | | | Black Female 30-39 | 41 | 1.2% | |
| | 0-17 | 20 | 0.6% | 1.7 | Black Female 18-29 | 39 | 1.1% | |
| | 18-29 | 313 | 8.7% | 43.6 | Hispanic Female 30-39 | 16 | 0.5% | |
| | 30-39 | 689 | 19.2% | 108.0 | Hispanic Female 40-49 | 15 | 0.4% | |
| | 40-49 | 740 | 20.6% | 133.8 | Hispanic Female 60-69 | 14 | 0.4% | |
| | 50-59 | 671 | 18.7% | 117.4 | Other Female 50-59 | 10 | 0.3% | |
| | 60-69 | 855 | 23.8% | 152.8 | Hispanic Female 50-59 | 10 | 0.3% | |
| | 70+ | 301 | 8.4% | 60.1 | Hispanic Female 18-29 | 10 | 0.3% | |


Regionf

| Region 1 - New Orleans | 653 | 18.4% | 74.4 |
|----------------------------|-----|-------|-------|
| Region 2 - Baton Rouge | 567 | 16.0% | 81.6 |
| Region 3 - Houma | 207 | 5.8% | 53.2 |
| Region 4 - Lafayette | 371 | 10.4% | 62.5 |
| Region 5 - Lake Charles | 326 | 9.2% | 108.0 |
| Region 6 - Alexandria | 317 | 8.9% | 107.9 |
| Region 7 - Shreveport | 413 | 11.6% | 79.6 |
| Region 8 - Monroe | 212 | 6.0% | 61.0 |
| Region 9 - Hammond/Slidell | 488 | 13.7% | 80.5 |

Casesb

%

10-Year Trend Line



Affected Subpopulations Maleg

| uppopulations Male9 | | | |
|---------------------|-----|------|--|
| White Male 40-49 | 278 | 8.1% | |
| Black Male 60-69 | 264 | 7.7% | |
| White Male 60-69 | 254 | 7.4% | |
| White Male 30-39 | 252 | 7.4% | |
| White Male 50-59 | 238 | 7.0% | |
| Black Male 50-59 | 142 | 4.2% | |
| Black Male 40-49 | 130 | 3.8% | |
| Black Male 70+ | 92 | 2.7% | |
| White Male 18-29 | 83 | 2.4% | |
| Black Male 30-39 | 82 | 2.4% | |
| White Male 70+ | 76 | 2.2% | |
| Black Male 18-29 | 52 | 1.5% | |
| Hispanic Male 40-49 | 25 | 0.7% | |
| Hispanic Male 50-59 | 24 | 0.7% | |
| Hispanic Male 30-39 | 23 | 0.7% | |
| Hispanic Male 60-69 | 18 | 0.5% | |
| Other Male 30-39 | 16 | 0.5% | |
| Other Male 60-69 | 16 | 0.5% | |
| Other Male 40-49 | 14 | 0.4% | |
| Other Male 50-59 | 14 | 0.4% | |
| Other Male 70+ | 11 | 0.3% | |
| Asian Male 60-69 | 10 | 0.3% | |
| | | | |



a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable

completeness.

• Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

groups.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
e Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2020 census age

groups.

f Region where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a region of residence are not included in the total percentage...