

STI/HIV/Hepatitis B & C Update

2023



Region 3 Data Tables



LOUISIANA
**DEPARTMENT OF
HEALTH**

STD/HIV/Hepatitis Program

Reported Cases of HIV Region 3 - Houma, 2023

	2023 New Diagnoses ^a			2023 Prevalence ^b		
	Cases ^c	%	Rate ^d	Cases ^c	%	Rate ^d
Total	46	100.0%	12.1	985	100.0%	259.7
Race/Ethnicity^e						
Black	25	54.3%	25.4	597	60.6%	606.7
Hispanic/Latinx	7	15.2%	31.8	64	6.5%	290.4
White	13	28.3%	5.5	302	30.7%	127.3
Other	1	2.2%	n/a	22	2.2%	n/a
Gender^f						
Female	6	13.0%	3.1	322	32.7%	167.6
Male	38	82.6%	20.3	646	65.6%	345.1
Transgender Male to Female	2	4.3%	n/a	15	1.5%	n/a
Transgender Female to Male	0	0.0%	n/a	0	0.0%	n/a
Age^g						
0-14	0	0.0%	0	3	0.3%	n/a
15-19	1	2.2%	n/a	2	0.2%	n/a
20-29	16	34.8%	35.3	118	12.0%	260.5
30-39	17	37.0%	34.4	219	22.2%	443.6
40-49	6	13.0%	13.1	230	23.4%	504.1
50+	6	13.0%	4.2	413	41.9%	292.1
Risk^h						
GBM	34	73.9%	n/a	482	49.0%	n/a
PWID	2	4.3%	n/a	72	7.3%	n/a
GBM/PWID	1	2.2%	n/a	32	3.3%	n/a
High Risk Heterosexual	9	19.6%	n/a	383	39.0%	n/a
Perinatal	0	0.0%	n/a	14	1.4%	n/a
Transfusion/Hemophilia	0	0.0%	n/a	0	0.0%	n/a
Other	0	0.0%	n/a	0	0.0%	n/a
Parishⁱ						
Assumption	2	4.3%	n/a	50	5.1%	242.7
Lafourche	13	28.3%	13.6	184	18.7%	191.9
St. Charles	4	8.7%	n/a	123	12.5%	241.2
St. James	4	8.7%	n/a	80	8.1%	411.9
St. John the Baptist	7	15.2%	17.6	210	21.3%	526.8
St. Mary	5	10.9%	10.5	110	11.2%	230.2
Terrebonne	11	23.9%	10.5	228	23.1%	217.6

^a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.

^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

^c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.

^d Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.

^e Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.


^f Cases are presented by current gender identity rather than sex at birth.

^g Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2022 census age groups.

^h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.

ⁱ Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

10-Year New HIV Diagnosis Trend - Region 3 Houma



Reported Cases of Primary and Secondary Syphilis Region 3 - Houma, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	42	100.0%	11.07

Race/Ethnicity^d

Black	22	52.4%	22.36
White	18	42.9%	7.59
Other	2	4.8%	n/a

Affected Subpopulations Female^h

Cases^b %

All female subpopulations had a case count of less than 5.

Gender^e

Female	10	23.8%	5.21
Male	31	73.8%	16.56
Transgender Male to Female	1	2.4%	n/a

Age^f

10-19	2	4.8%	n/a
20-29	15	35.7%	33.12
30-39	10	23.8%	20.26
40-49	13	31.0%	28.49
50+	2	4.8%	n/a


Affected Subpopulations Male^h

Black Male 20-29	8	19.0%
White Male 40-49	8	19.0%

Parish^g

Assumption	6	14.3%	29.12
Lafourche	11	26.2%	11.47
St. Charles	4	9.5%	n/a
St. James	2	4.8%	n/a
St. John the Baptist	5	11.9%	12.54
St. Mary	6	14.3%	12.56
Terrebonne	8	19.0%	7.63

10-Year Trend Line



^a New diagnoses include only individuals whose initial primary and secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Age categories align with 2022 census age groups.

^g Parish where first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Early Non-Primary Non-Secondary Syphilis Region 3 - Houma, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
--	--------------------	---	-------------------

Race/Ethnicity^d

Black	21	47.7%	21.34
Hispanic/Latinx	3	6.8%	n/a
White	17	38.6%	7.17
Other	3	6.8%	n/a

Affected Subpopulations Female^h

Cases ^b	%
All female subpopulations have a count less than 5.	

Gender^e

Female	13	29.5%	6.77
Male	29	65.9%	15.49
Transgender Male to Female	2	4.5%	n/a

Age^f

10-19	1	2.3%	n/a
20-29	18	40.9%	39.74
30-39	12	27.3%	24.31
40-49	8	18.2%	17.53
50+	5	11.4%	3.54


Affected Subpopulations Male^h

Black Male 30-39	7	15.9%
White Male 20-29	6	13.6%

Parish^g

Assumption	2	4.5%	n/a
Lafourche	9	20.5%	9.39
St. Charles	4	9.1%	n/a
St. James	4	9.1%	n/a
St. John the Baptist	5	11.4%	12.54
St. Mary	8	18.2%	16.74
Terrebonne	12	27.3%	11.45

10-Year Trend Line



^a New diagnoses include only individuals whose initial non-primary non-secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Age categories align with 2022 census age groups.

^g Parish where first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2023

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

	Cases	%	Rate ^b
Total Infant CS Cases	109	100.0%	199.1
Total Mothers Linked to New Cases	107	100.0%	11.7

Maternal Race/Ethnicity

Black	63	58.9%	8.4
Hispanic/Latinx	8	7.5%	6.4
White	25	23.4%	1.9
Other	11	10.3%	n/a

Maternal Age^c

15-19	6	5.6%	4.1
20-24	40	37.4%	25.6
25-29	29	27.1%	20.1
30-34	17	15.9%	10.6
35+	15	14.0%	4.9

Maternal Region of Residence^d

Region 1 - New Orleans	22	20.6%	12.9
Region 2 - Baton Rouge	20	18.7%	14.0
Region 3 - Houma	2	1.9%	2.8
Region 4 - Lafayette	12	11.2%	10.2
Region 5 - Lake Charles	7	6.5%	12.4
Region 6 - Alexandria	7	6.5%	13.1
Region 7 - Shreveport	18	16.8%	18.2
Region 8 - Monroe	9	8.4%	13.1
Region 9 - Hammond/Slidell	10	9.3%	8.4

Infant Region of Residence^d

Region 1 - New Orleans	23	21.1%	248.8
Region 2 - Baton Rouge	21	19.3%	266.9
Region 3 - Houma	2	1.8%	46.7
Region 4 - Lafayette	12	11.0%	154.3
Region 5 - Lake Charles	7	6.4%	188.3
Region 6 - Alexandria	7	6.4%	193.7
Region 7 - Shreveport	18	16.5%	293.4
Region 8 - Monroe	9	8.3%	220.2
Region 9 - Hammond/Slidell	10	9.2%	138.0


Maternal Stage of Syphilis^e

Primary	4	3.7%	n/a
Secondary	6	5.6%	n/a
Early non-primary non-secondary	37	34.6%	n/a
Unknown/Late Latent	57	53.3%	n/a
Other	3	3.7%	n/a

Positive Toxicology Screens^f

Amphetamines/Meth	16
Cocaine	8
Heroin	8
Marijuana	24

10-Year Trend Line



^a New cases only include those who indicated a Louisiana residence at the time of delivery.

^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

^c Reflects maternal age at delivery.

^d Reflects maternal and infant region of residence at delivery.

^e Reflects latest syphilis stage identified during pregnancy

^f Reflects substances detected during maternal toxicology screens conducted during pregnancy or delivery. Mothers can have positive toxicology screens for more than one substance.

Reported Cases of Gonorrhea Region 3 - Houma, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	744	100.0%	196.13

Race/Ethnicity^d

Black	499	68.1%	507.08
Hispanic/Latinx	10	1.4%	45.38
White	183	25.0%	77.14
Other	41	5.6%	n/a

Sex at Birth

Female	378	50.8%	196.76
Male	366	49.2%	195.50

Age^e

10-19	165	22.2%	326.64
20-29	358	48.1%	790.44
30-39	149	20.0%	301.80
40-49	50	6.7%	109.58
50+	22	3.0%	15.56

Parish^f

Assumption	51	6.9%	247.52
Lafourche	120	16.1%	125.17
St. Charles	69	9.3%	135.30
St. James	70	9.4%	360.40
St. John the Baptist	152	20.4%	381.30
St. Mary	82	11.0%	171.59
Terrebonne	200	26.9%	190.87


Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	71	9.7%
Black Female 20-29	123	16.8%
Black Female 30-39	25	3.4%
Black Female 40-49	9	1.2%
Other Female 10-19	5	0.7%
Other Female 20-29	18	2.5%
White Female 10-19	26	3.5%
White Female 20-29	38	5.2%
White Female 30-39	32	4.4%
White Female 40-49	10	1.4%

Affected Subpopulations Males^g

Black Male 10-19	47	6.4%
Black Male 20-29	143	19.5%
Black Male 30-39	60	8.2%
Black Male 40-49	12	1.6%
Black Male 50+	7	1.0%
Other Male 20-29	6	0.8%
White Male 10-19	6	0.8%
White Male 20-29	21	2.9%
White Male 30-39	24	3.3%
White Male 40-49	15	2.0%
White Male 50+	8	1.1%

10-Year Trend Line



^a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2022 census age groups.

^f Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chlamydia Region 3 - Houma, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	2,658	100.0%	700.70

Race/Ethnicity^d

Black	1,634	62.9%	1,660.45
Hispanic/Latinx	36	1.4%	163.36
White	770	29.6%	324.56
Other	159	6.1%	n/a

Sex at Birth

Female	1,883	71.1%	980.13
Male	767	28.9%	409.69


Age^e

10-19	872	32.8%	1,726.25
20-29	1,355	51.0%	2,991.76
30-39	310	11.7%	627.91
40-49	85	3.2%	186.29
50+	31	1.2%	21.92

Parish^f

Assumption	148	5.6%	718.31
Lafourche	530	19.9%	552.83
St. Charles	339	12.8%	664.73
St. James	164	6.2%	844.36
St. John the Baptist	452	17.0%	1,133.86
St. Mary	306	11.5%	640.31
Terrebonne	719	27.1%	686.16

10-Year Trend Line



Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	413	15.9%
Black Female 20-29	544	21.0%
Black Female 30-39	103	4.0%
Black Female 40-49	25	1.0%
Black Female 50+	11	0.4%
Hispanic Female 20-29	17	0.7%
Other Female 10-19	29	1.1%
Other Female 20-29	81	3.1%
Other Female 30-39	12	0.5%
White Female 10-19	186	7.2%
White Female 20-29	310	12.0%
White Female 30-39	69	2.7%
White Female 40-49	23	0.9%
White Female 50+	5	0.2%

Affected Subpopulations Males^g

	Cases ^b	%
Black Male 10-19	167	6.4%
Black Male 20-29	267	10.3%
Black Male 30-39	81	3.1%
Black Male 40-49	15	0.6%
Hispanic Male 20-29	9	0.3%
Other Male 10-19	7	0.3%
Other Male 20-29	18	0.7%
White Male 10-19	42	1.6%
White Male 20-29	80	3.1%
White Male 30-39	32	1.2%
White Male 40-49	9	0.3%
White Male 50+	10	0.4%

^a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2022 census age groups.

^f Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis B Louisiana, 2023

Region specific table not available due to low case counts.

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	18	100.0%	0.4

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	6	46.2%	0.4
Hispanic/ Latinx	1	7.7%	n/a
White	6	46.2%	0.2

Affected Subpopulations Female^g

Affected subpopulations are all less than 5.

Sex at Birth

Female	10	55.6%	0.4
Male	8	44.4%	0.3


Affected Subpopulations Male^g

Affected subpopulations are all less than 5.

Age^e

18-29	2	11.1%	n/a
30-39	6	33.3%	0.9
40-49	5	27.8%	0.9
50-59	2	11.1%	n/a
60-69	2	11.1%	n/a
70+	1	5.6%	n/a

10 Year Trend Line



Region^f

Region 1 - New Orleans	4	22.2%	n/a
Region 2 - Baton Rouge	1	5.6%	n/a
Region 3 - Houma	1	5.6%	n/a
Region 4 - Lafayette	2	11.1%	n/a
Region 5 - Lake Charles	2	11.1%	n/a
Region 6 - Alexandria	3	16.7%	n/a
Region 7 - Shreveport	1	5.6%	n/a
Region 8 - Monroe	0	0.0%	0.0
Region 9 - Hammond/Slidell	4	22.2%	n/a

^a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

^f Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis B Region 3 - Houma, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	55	100.0%	14.1

Race/Ethnicity^d

Asian	4	8.0%	n/a
Black	18	36.0%	17.5
Hispanic/ Latinx	2	4.0%	n/a
White	26	52.0%	10.6

Sex at Birth

Female	28	50.9%	14.2
Male	27	49.1%	14.1

Age^e

0-17	0	0.0%	0.0
18-29	9	16.4%	16.3
30-39	7	12.7%	13.5
40-49	12	21.8%	25.8
50-59	8	14.5%	15.2
60-69	11	20.0%	22.4
70+	8	14.5%	19.2

Parish^f

Assumption	0	0.0%	0.0
Lafourche	15	27.3%	15.3
St. Charles	8	14.5%	15.3
St. James	3	5.5%	n/a
St. John the Baptist	4	7.3%	n/a
St. Mary	7	12.7%	14.5
Terrebonne	18	32.7%	16.5


Affected Subpopulations Female^g

	Cases ^b	%
Black Female	10	19.2%
White Female	10	19.2%

Affected Subpopulations Male^g

Black Male	8	15.4%
White Male	16	30.8%

10-Year Trend Line



^a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Region 3 - Houma, 2023

New Diagnoses^a

	Cases ^b	% of	Rate ^c
Total	8	100.0%	2.1

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	3	42.9%	n/a
Hispanic/Latinx	0	0.0%	0.0
White	4	57.1%	n/a

Sex at Birth

Female	2	25.0%	n/a
Male	6	75.0%	3.1

Age^e

0-17	0	0.0%	0.0
18-29	2	25.0%	n/a
30-39	2	25.0%	n/a
40-49	3	37.5%	n/a
50-59	0	0.0%	0.0
60-69	1	12.5%	n/a
70+	0	0.0%	0.0

Parish^f

Assumption	0	0.0%	0.0
Lafourche	3	37.5%	n/a
St. Charles	1	12.5%	n/a
St. James	0	0.0%	0.0
St. John the Baptist	2	25.0%	n/a
St. Mary	1	12.5%	n/a
Terrebonne	1	12.5%	n/a


Affected Subpopulations Female^g

Cases ^b	%
All female subpopulations had a case count less than 5.	

Affected Subpopulations Male^g

All male subpopulations had a case count less than 5.

10-Year Trend Line



^a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis C

Region 3 - Houma, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	207	100.0%	53.2

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	47	24.0%	45.8
Hispanic/ Latinx	6	3.1%	27.4
White	143	73.0%	58.8

Sex at Birth

Female	65	31.4%	32.9
Male	142	68.6%	74.0

Age^e

0-17	1	0.5%	n/a
18-29	13	6.3%	23.5
30-39	39	18.8%	75.5
40-49	52	25.1%	112.1
50-59	35	16.9%	66.6
60-69	47	22.7%	95.8
70+	20	9.7%	48.1

Parish^f

Assumption	7	3.4%	33.8
Lafourche	44	21.3%	45.1
St. Charles	24	11.6%	45.9
St. James	10	4.8%	50.6
St. John the Baptist	17	8.2%	40.3
St. Mary	22	10.6%	45.6
Terrebonne	83	40.1%	76.3


Affected Subpopulations Female^g

	Cases	%
White Female 40-49	14	6.9%
White Female 30-39	12	5.9%
White Female 50-59	10	4.9%
White Female 60-69	8	3.9%
Black Female 60-69	5	2.5%

Affected Subpopulations Male^g

White Male 40-49	25	12.3%
White Male 60-69	22	10.8%
White Male 30-39	17	8.4%
White Male 50-59	16	7.9%
Black Male 60-69	10	4.9%
Black Male 50-59	6	3.0%
Black Male 18-29	5	2.5%
Black Male 30-39	5	2.5%

10-Year Trend Line



^a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.