

STI/HIV/Hepatitis B & C Update

2023



Region 4 Data Tables



LOUISIANA
**DEPARTMENT OF
HEALTH**

STD/HIV/Hepatitis Program

Reported Cases of HIV

Region 4 - Lafayette, 2023

	2023 New Diagnoses ^a			2023 Prevalence ^b		
	Cases ^c	%	Rate ^d	Cases ^c	%	Rate ^d
Total	95	100.0%	16	2,007	100.0%	337.4
Race/Ethnicity^e						
Black	62	65.3%	37.6	1,105	55.1%	670.8
Hispanic/Latinx	5	5.3%	20	129	6.4%	515.9
White	26	27.4%	6.8	731	36.4%	190.2
Other	2	2.1%	n/a	42	2.1%	n/a
Gender^f						
Female	21	22.1%	6.9	466	23.2%	153.6
Male	71	74.7%	24.4	1,507	75.1%	517.1
Transgender Male to Female	3	3.2%	n/a	34	1.7%	n/a
Transgender Female to Male	0	0.0%	n/a	0	0.0%	n/a
Age^g						
0-14	0	0.0%	0	1	0.0%	n/a
15-19	4	4.2%	n/a	10	0.5%	26.2
20-29	29	30.5%	38.1	227	11.3%	298.5
30-39	38	40.0%	46.2	502	25.0%	610.3
40-49	19	20.0%	26.7	390	19.4%	548.2
50+	5	5.3%	2.4	877	43.7%	425.6
Risk^h						
GBM	63	66.3%	n/a	1,164	58.3%	n/a
PWID	7	7.4%	n/a	144	7.2%	n/a
GBM/PWID	3	3.2%	n/a	102	5.1%	n/a
High Risk Heterosexual	20	21.1%	n/a	569	28.5%	n/a
Perinatal	0	0.0%	n/a	13	0.7%	n/a
Transfusion/Hemophilia	0	0.0%	n/a	5	0.3%	n/a
Other	0	0.0%	n/a	1	0.1%	n/a
Parishⁱ						
Acadia	10	10.5%	17.6	141	7.0%	248.5
Evangeline	6	6.3%	18.8	123	6.1%	384.5
Iberia	10	10.5%	14.6	175	8.7%	256.1
Lafayette	40	42.1%	16.1	978	48.7%	394.6
St. Landry	14	14.7%	17.1	327	16.3%	399.9
St. Martin	8	8.4%	15.6	154	7.7%	300.6
Vermilion	7	7.4%	12.3	109	5.4%	191.4

^a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.

^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

^c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.

^d Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.

^e Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.


^f Cases are presented by current gender identity rather than sex at birth.

^g Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2022 census age groups.

^h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.

ⁱ Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

10-Year New HIV Diagnosis Trend - Region 4 Lafayette



Reported Cases of Primary and Secondary Syphilis Region 4 - Lafayette, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	121	100.0%	20.34

Race/Ethnicity^d

Black	52	43.0%	31.57
White	63	52.1%	16.39
Other	6	5.0%	n/a

Affected Subpopulations Female^h

	Cases ^b	%
Black Female 20-29	6	5.0%
White Female 20-29	5	4.1%
White Female 30-39	9	7.4%
White Female 40-49	6	5.0%

Gender^e

Female	38	31.4%	12.52
Male	82	67.8%	28.14
Transgender Male to Female	1	0.8%	n/a

Age^f

10-19	7	5.8%	8.80
20-29	37	30.6%	48.66
30-39	39	32.2%	47.42
40-49	21	17.4%	29.52
50+	17	14.0%	8.25


Affected Subpopulations Male^h

Black Male 20-29	17	14.0%
Black Male 30-39	12	9.9%
White Male 20-29	7	5.8%
White Male 30-39	13	10.7%
White Male 40-49	11	9.1%
White Male 50+	7	5.8%

Parish^g

Acadia	5	4.1%	8.81
Evangeline	5	4.1%	15.63
Iberia	12	9.9%	17.56
Lafayette	56	46.3%	22.59
St. Landry	11	9.1%	13.45
St. Martin	21	17.4%	40.99
Vermilion	11	9.1%	19.31

10-Year Trend Line



^a New diagnoses include only individuals whose initial primary and secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Age categories align with 2022 census age groups.

^g Parish where first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Early Non-Primary Non-Secondary Syphilis Region 4 - Lafayette, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	93	100.0%	15.63

Race/Ethnicity^d

Black	41	44.1%	24.89
Hispanic/Latinx	1	1.1%	n/a
White	35	37.6%	9.11
Other	16	17.2%	n/a

Affected Subpopulations Female^h

	Cases ^b	%
White Female 30-39	7	7.5%
White Female 40-49	5	5.4%

Gender^e

Female	30	32.3%	9.89
Male	62	66.7%	21.27
Transgender Male to Female	1	1.1%	n/a

Age^f

10-19	3	3.2%	n/a
20-29	32	34.4%	42.08
30-39	30	32.3%	36.47
40-49	18	19.4%	25.30
50+	10	10.8%	4.85


Affected Subpopulations Male^h

Black Male 20-29	11	11.8%
Black Male 30-39	10	10.8%
Black Male 40-49	6	6.5%
White Male 20-29	7	7.5%
White Male 40-49	5	5.4%

Parish^g

Acadia	4	4.3%	n/a
Evangeline	3	3.2%	n/a
Iberia	10	10.8%	14.64
Lafayette	38	40.9%	15.33
St. Landry	16	17.2%	19.57
St. Martin	18	19.4%	35.13
Vermilion	4	4.3%	n/a

10-Year Trend Line



^a New diagnoses include only individuals whose initial non-primary non-secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Age categories align with 2022 census age groups.

^g Parish where first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2023

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

	Cases	%	Rate ^b
Total Infant CS Cases	109	100.0%	199.1
Total Mothers Linked to New Cases	107	100.0%	11.7

Maternal Race/Ethnicity

Black	63	58.9%	8.4
Hispanic/Latinx	8	7.5%	6.4
White	25	23.4%	1.9
Other	11	10.3%	n/a

Maternal Age^c

15-19	6	5.6%	4.1
20-24	40	37.4%	25.6
25-29	29	27.1%	20.1
30-34	17	15.9%	10.6
35+	15	14.0%	4.9

Maternal Region of Residence^d

Region 1 - New Orleans	22	20.6%	12.9
Region 2 - Baton Rouge	20	18.7%	14.0
Region 3 - Houma	2	1.9%	2.8
Region 4 - Lafayette	12	11.2%	10.2
Region 5 - Lake Charles	7	6.5%	12.4
Region 6 - Alexandria	7	6.5%	13.1
Region 7 - Shreveport	18	16.8%	18.2
Region 8 - Monroe	9	8.4%	13.1
Region 9 - Hammond/Slidell	10	9.3%	8.4

Infant Region of Residence^d

Region 1 - New Orleans	23	21.1%	248.8
Region 2 - Baton Rouge	21	19.3%	266.9
Region 3 - Houma	2	1.8%	46.7
Region 4 - Lafayette	12	11.0%	154.3
Region 5 - Lake Charles	7	6.4%	188.3
Region 6 - Alexandria	7	6.4%	193.7
Region 7 - Shreveport	18	16.5%	293.4
Region 8 - Monroe	9	8.3%	220.2
Region 9 - Hammond/Slidell	10	9.2%	138.0


Maternal Stage of Syphilis^e

Primary	4	3.7%	n/a
Secondary	6	5.6%	n/a
Early non-primary non-secondary	37	34.6%	n/a
Unknown/Late Latent	57	53.3%	n/a
Other	3	3.7%	n/a

Positive Toxicology Screens^f

Amphetamines/Meth	16
Cocaine	8
Heroin	8
Marijuana	24

10-Year Trend Line



^a New cases only include those who indicated a Louisiana residence at the time of delivery.

^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

^c Reflects maternal age at delivery.

^d Reflects maternal and infant region of residence at delivery.

^e Reflects latest syphilis stage identified during pregnancy

^f Reflects substances detected during maternal toxicology screens conducted during pregnancy or delivery. Mothers can have positive toxicology screens for more than one substance.

Reported Cases of Gonorrhea Region 4 - Lafayette, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	1,442	100.0%	242.40

Race/Ethnicity^d

Black	980	69.3%	594.92
Hispanic/Latinx	9	0.6%	35.99
White	367	25.9%	95.51
Other	59	4.2%	n/a

Sex at Birth

Female	659	46.0%	217.16
Male	775	54.0%	265.94


Age^e

10-19	353	24.5%	444.00
20-29	678	47.0%	891.61
30-39	269	18.7%	327.05
40-49	91	6.3%	127.92
50+	51	3.5%	24.75

Parish^f

Acadia	138	9.6%	243.20
Evangeline	92	6.4%	287.63
Iberia	203	14.1%	297.10
Lafayette	501	34.7%	202.13
St. Landry	275	19.1%	336.30
St. Martin	111	7.7%	216.64
Vermilion	122	8.5%	214.22

10-Year Trend Line



Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	140	10.0%
Black Female 20-29	195	13.9%
Black Female 30-39	57	4.1%
Black Female 40-49	10	0.7%
Black Female 50+	8	0.6%
Other Female 20-29	14	1.0%
White Female 10-19	57	4.1%
White Female 20-29	81	5.8%
White Female 30-39	45	3.2%
White Female 40-49	20	1.4%
White Female 50+	7	0.5%

Affected Subpopulations Males^g

Black Male 10-19	122	8.7%
Black Male 20-29	302	21.5%
Black Male 30-39	105	7.5%
Black Male 40-49	21	1.5%
Black Male 50+	16	1.1%
Other Male 20-29	12	0.9%
Other Male 30-39	12	0.9%
Other Male 50+	5	0.4%
White Male 10-19	15	1.1%
White Male 20-29	58	4.1%
White Male 30-39	38	2.7%
White Male 40-49	29	2.1%
White Male 50+	13	0.9%

^a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2022 census age groups.

^f Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chlamydia

Region 4 - Lafayette, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	4,169	100.0%	700.81

Race/Ethnicity^d

Black	2,608	64.5%	1,583.21
Hispanic/Latinx	38	0.9%	151.96
White	1,227	30.4%	319.31
Other	168	4.2%	n/a

Sex at Birth

Female	2,837	68.5%	934.88
Male	1,306	31.5%	448.15


Age^e

10-19	1,418	34.0%	1,783.54
20-29	2,104	50.5%	2,766.89
30-39	472	11.3%	573.85
40-49	121	2.9%	170.09
50+	54	1.3%	26.21

Parish^f

Acadia	380	9.1%	669.67
Evangeline	198	4.7%	619.02
Iberia	655	15.7%	958.63
Lafayette	1,535	36.8%	619.29
St. Landry	707	17.0%	864.59
St. Martin	360	8.6%	702.63
Vermilion	334	8.0%	586.46

10-Year Trend Line



Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	633	15.8%
Black Female 20-29	859	21.4%
Black Female 30-39	141	3.5%
Black Female 40-49	24	0.6%
Black Female 50+	12	0.3%
Hispanic Female 10-19	8	0.2%
Hispanic Female 20-29	18	0.4%
Other Female 10-19	34	0.8%
Other Female 20-29	67	1.7%
Other Female 30-39	18	0.4%
White Female 10-19	338	8.4%
White Female 20-29	442	11.0%
White Female 30-39	100	2.5%
White Female 40-49	35	0.9%
White Female 50+	10	0.2%

Affected Subpopulations Males^g

	Cases ^b	%
Black Male 10-19	292	7.3%
Black Male 20-29	474	11.8%
Black Male 30-39	119	3.0%
Black Male 40-49	28	0.7%
Black Male 50+	10	0.2%
Hispanic Male 20-29	5	0.1%
Other Male 10-19	6	0.1%
Other Male 20-29	17	0.4%
Other Male 30-39	13	0.3%
White Male 10-19	55	1.4%
White Male 20-29	157	3.9%
White Male 30-39	53	1.3%
White Male 40-49	19	0.5%
White Male 50+	12	0.3%

^a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2022 census age groups.

^f Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis B Louisiana, 2023

Region specific table not available due to low case counts.

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	18	100.0%	0.4

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	6	46.2%	0.4
Hispanic/ Latinx	1	7.7%	n/a
White	6	46.2%	0.2

Affected Subpopulations Female^g

Affected subpopulations are all less than 5.

Sex at Birth

Female	10	55.6%	0.4
Male	8	44.4%	0.3


Affected Subpopulations Male^g

Affected subpopulations are all less than 5.

Age^e

18-29	2	11.1%	n/a
30-39	6	33.3%	0.9
40-49	5	27.8%	0.9
50-59	2	11.1%	n/a
60-69	2	11.1%	n/a
70+	1	5.6%	n/a

10 Year Trend Line



Region^f

Region 1 - New Orleans	4	22.2%	n/a
Region 2 - Baton Rouge	1	5.6%	n/a
Region 3 - Houma	1	5.6%	n/a
Region 4 - Lafayette	2	11.1%	n/a
Region 5 - Lake Charles	2	11.1%	n/a
Region 6 - Alexandria	3	16.7%	n/a
Region 7 - Shreveport	1	5.6%	n/a
Region 8 - Monroe	0	0.0%	0.0
Region 9 - Hammond/Slidell	4	22.2%	n/a

^a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

^f Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis B Region 4 - Lafayette, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	84	100.0%	14.15

Race/Ethnicity^d

Asian	5	7.5%	55.9
Black	30	44.8%	18.2
Hispanic/ Latinx	0	0.0%	0.0
White	32	47.8%	8.3

Sex at Birth

Female	42	50.0%	13.9
Male	42	50.0%	14.5

Age^e

0-17	1	1.2%	n/a
18-29	5	6.0%	5.6
30-39	16	19.0%	19.3
40-49	17	20.2%	24.2
50-59	14	16.7%	18.9
60-69	16	19.0%	22.4
70+	15	17.9%	25.2

Parish^f

Acadia	10	11.9%	17.4
Evangeline	8	9.5%	24.8
Iberia	10	11.9%	14.4
Lafayette	33	39.3%	13.5
St. Landry	11	13.1%	13.4
St. Martin	4	4.8%	n/a
Vermillion	8	9.5%	13.9


Affected Subpopulations Females^g

	Cases ^b	%
Black Female 30-39	5	7.4%
White Female 60-69	7	10.3%
White Female 70+	5	7.4%

Affected Subpopulations Males^g

Black Male	20	29.4%
White Male	14	20.6%

10-Year Trend Line



^a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Region 4 - Lafayette, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	9	100.0%	1.5

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	4	44.4%	n/a
Hispanic/ Latinx	0	0.0%	0.0
White	5	55.6%	1.2

Sex at Birth

Female	5	55.6%	1.6
Male	4	44.4%	n/a

Age^e

0-17	0	0.0%	0.0
18-29	1	11.1%	n/a
30-39	2	22.2%	n/a
40-49	1	11.1%	n/a
50-59	3	33.3%	n/a
60-69	2	22.2%	n/a
70+	0	0.0%	0.0

Parish^f

Acadia	1	11.1%	n/a
Evangeline	1	11.1%	n/a
Iberia	3	33.3%	n/a
Lafayette	3	33.3%	n/a
St. Landry	1	11.1%	n/a
St. Martin	0	0.0%	0.0
Vermilion	0	0.0%	0.0


Affected Subpopulations Female^g

All female subpopulations had a case count less than 5.

Affected Subpopulations Male^g

All male subpopulations had a case count less than 5.

10-Year Trend Line



^a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis C

Region 4 - Lafayette, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	371	100.0%	62.5

Race/Ethnicity^d

Asian	7	1.9%	78.2
Black	116	32.1%	70.5
Hispanic/ Latinx	19	5.3%	79.7
White	219	60.7%	56.8

Sex at Birth

Female	151	40.7%	49.8
Male	220	59.3%	75.7

Age^e

0-17	4	1.1%	n/a
18-29	28	7.5%	31.4
30-39	59	15.9%	71.3
40-49	51	13.7%	72.7
50-59	77	20.8%	104.3
60-69	108	29.1%	151.2
70+	44	11.9%	73.9

Parish^f

Acadia	42	11.3%	73.3
Evangeline	12	3.2%	37.2
Iberia	25	6.7%	36.2
Lafayette	165	44.5%	67.5
St. Landry	58	15.6%	70.6
St. Martin	30	8.1%	58.2
Vermilion	39	10.5%	68.1


Affected Subpopulations Females^g

	Cases	%
White Female 60-69	24	6.6%
White Female 50-59	18	5.0%
White Female 30-39	17	4.7%
White Female 40-49	14	3.9%
White Female 70+	11	3.0%
White Female 18-29	9	2.5%
Black Female 60-69	9	2.5%
Black Female 70+	8	2.2%
Black Female 18-29	7	1.9%
Black Female 50-59	6	1.7%
Black Female 30-39	6	1.7%

Affected Subpopulations Males^g

White Male 60-69	36	9.9%
White Male 50-59	31	8.6%
Black Male 60-69	30	8.3%
White Male 40-49	23	6.4%
White Male 30-39	19	5.2%
Black Male 50-59	15	4.1%
Black Male 70+	13	3.6%
White Male 70+	10	2.8%
Black Male 30-39	8	2.2%
Black Male 40-49	7	1.9%
White Male 18-29	6	1.7%

10-Year Trend Line



^a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.