

STI/HIV/Hepatitis B & C Update

2023



Region 7 Data Tables



LOUISIANA
**DEPARTMENT OF
HEALTH**

STD/HIV/Hepatitis Program

Reported Cases of HIV

Region 7 - Shreveport, 2023

	2023 New Diagnoses ^a			2023 Prevalence ^b		
	Cases ^c	%	Rate ^d	Cases ^c	%	Rate ^d
Total	112	100.0%	21.8	2,161	100.0%	421
Race/Ethnicity^e						
Black	85	75.9%	42.7	1,590	73.6%	798.4
Hispanic/Latinx	6	5.4%	27.9	68	3.1%	316.2
White	19	17.0%	7	456	21.1%	167.9
Other	2	1.8%	n/a	47	2.2%	n/a
Gender^f						
Female	39	34.8%	14.8	640	29.6%	242.1
Male	70	62.5%	28.1	1,478	68.4%	593.8
Transgender Male to Female	2	1.8%	n/a	40	1.9%	n/a
Transgender Female to Male	0	0.0%	n/a	1	0.0%	n/a
Age^g						
0-14	0	0.0%	0	1	0.0%	n/a
15-19	3	2.7%	n/a	9	0.4%	27.5
20-29	37	33.0%	56.9	275	12.7%	423.2
30-39	29	25.9%	43	585	27.1%	867.8
40-49	19	17.0%	31.3	491	22.7%	809.4
50+	24	21.4%	12.7	800	37.0%	424.2
Risk^h						
GBM	58	51.8%	n/a	1,118	51.8%	n/a
PWID	8	7.1%	n/a	163	7.6%	n/a
GBM/PWID	3	2.7%	n/a	112	5.2%	n/a
High Risk Heterosexual	43	38.4%	n/a	746	34.6%	n/a
Perinatal	0	0.0%	n/a	14	0.6%	n/a
Transfusion/Hemophilia	0	0.0%	n/a	5	0.2%	n/a
Other	0	0.0%	n/a	0	0.0%	n/a
Parishⁱ						
Bienville	2	1.8%	n/a	48	2.2%	379.7
Bossier	12	10.7%	9.3	351	16.2%	271.5
Caddo	77	68.8%	33.6	1,410	65.2%	615.7
Claiborne	1	0.9%	n/a	43	2.0%	312.9
De Soto	4	3.6%	n/a	65	3.0%	242.1
Natchitoches	6	5.4%	16.4	131	6.1%	357.3
Red River	2	1.8%	n/a	20	0.9%	269.5
Sabine	2	1.8%	n/a	24	1.1%	109.2
Webster	6	5.4%	16.8	69	3.2%	193.6

^a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.

^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

^c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.

^d Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.

^e Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.


^f Cases are presented by current gender identity rather than sex at birth.

^g Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2022 census age groups.

^h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.

ⁱ Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

10-Year New HIV Diagnosis Trend - Region 7 Shreveport



Reported Cases of Primary and Secondary Syphilis Region 7 - Shreveport, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	154	100.0%	30.00

Race/Ethnicity^d

Black	93	60.4%	46.70
Hispanic/Latinx	7	4.5%	32.55
White	43	27.9%	15.83
Other	11	7.1%	n/a

Affected Subpopulations Female^h

	Cases ^b	%
Black Female 20-29	22	14.3%
White Female 20-29	6	3.9%
White Female 30-39	5	3.2%
White Female 40-49	5	3.2%

Gender^e

Female	56	36.4%	21.19
Male	97	63.0%	38.97
Transgender Female to Male	1	0.6%	n/a

Age^f

10-19	11	7.1%	16.37
20-29	73	47.4%	112.34
30-39	37	24.0%	54.89
40-49	22	14.3%	36.26
50+	11	7.1%	5.83


Affected Subpopulations Male^h

Black Male 10-19	7	4.5%
Black Male 20-29	26	16.9%
Black Male 30-39	18	11.7%
Black Male 40-49	5	3.2%
White Male 20-29	9	5.8%
White Male 30-39	7	4.5%
White Male 40-49	6	3.9%
White Male 50+	5	3.2%

Parish^g

Bienville	4	2.6%	n/a
Bossier	24	15.6%	18.56
Caddo	98	63.6%	42.79
Claiborne	0	0.0%	n/a
De Soto	7	4.5%	26.07
Natchitoches	5	3.2%	13.64
Red River	2	1.3%	n/a
Sabine	7	4.5%	31.84
Webster	7	4.5%	19.64

10-Year Trend Line



^a New diagnoses include only individuals whose initial primary and secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Age categories align with 2022 census age groups.

^g Parish where first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Early Non-Primary Non-Secondary Syphilis Region 7 - Shreveport, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	101	100.0%	19.68

Race/Ethnicity^d

Black	67	66.3%	33.64
Hispanic/Latinx	0	0.0%	n/a
White	24	23.8%	8.84
Other	10	9.9%	n/a

Affected Subpopulations Female^h

	Cases ^b	%
Black Female 10-19	5	5.0%
Black Female 20-29	18	17.8%
Black Female 30-39	12	11.9%
White Female 20-29	5	5.0%

Gender^e

Female	52	51.5%	19.67
Male	49	48.5%	19.69

Age^f

10-19	10	9.9%	14.88
20-29	43	42.6%	66.17
30-39	35	34.7%	51.92
40-49	10	9.9%	16.48
50+	3	3.0%	n/a


Affected Subpopulations Male^h

Black Male 10-19	5	5.0%
Black Male 20-29	11	10.9%
Black Male 30-39	12	11.9%
White Male 20-29	7	6.9%

Parish^g

Bienville	2	2.0%	n/a
Bossier	14	13.9%	10.83
Caddo	63	62.4%	27.51
Claiborne	3	3.0%	n/a
De Soto	3	3.0%	n/a
Natchitoches	9	8.9%	24.55
Red River	1	1.0%	n/a
Sabine	2	2.0%	n/a
Webster	4	4.0%	n/a

10-Year Trend Line



^a New diagnoses include only individuals whose initial non-primary non-secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Age categories align with 2022 census age groups.

^g Parish where first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2023

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

	Cases	%	Rate ^b
Total Infant CS Cases	109	100.0%	199.1
Total Mothers Linked to New Cases	107	100.0%	11.7

Maternal Race/Ethnicity

Black	63	58.9%	8.4
Hispanic/Latinx	8	7.5%	6.4
White	25	23.4%	1.9
Other	11	10.3%	n/a

Maternal Age^c

15-19	6	5.6%	4.1
20-24	40	37.4%	25.6
25-29	29	27.1%	20.1
30-34	17	15.9%	10.6
35+	15	14.0%	4.9

Maternal Region of Residence^d

Region 1 - New Orleans	22	20.6%	12.9
Region 2 - Baton Rouge	20	18.7%	14.0
Region 3 - Houma	2	1.9%	2.8
Region 4 - Lafayette	12	11.2%	10.2
Region 5 - Lake Charles	7	6.5%	12.4
Region 6 - Alexandria	7	6.5%	13.1
Region 7 - Shreveport	18	16.8%	18.2
Region 8 - Monroe	9	8.4%	13.1
Region 9 - Hammond/Slidell	10	9.3%	8.4

Infant Region of Residence^d

Region 1 - New Orleans	23	21.1%	248.8
Region 2 - Baton Rouge	21	19.3%	266.9
Region 3 - Houma	2	1.8%	46.7
Region 4 - Lafayette	12	11.0%	154.3
Region 5 - Lake Charles	7	6.4%	188.3
Region 6 - Alexandria	7	6.4%	193.7
Region 7 - Shreveport	18	16.5%	293.4
Region 8 - Monroe	9	8.3%	220.2
Region 9 - Hammond/Slidell	10	9.2%	138.0


Maternal Stage of Syphilis^e

Primary	4	3.7%	n/a
Secondary	6	5.6%	n/a
Early non-primary non-secondary	37	34.6%	n/a
Unknown/Late Latent	57	53.3%	n/a
Other	3	3.7%	n/a

Positive Toxicology Screens^f

Amphetamines/Meth	16
Cocaine	8
Heroin	8
Marijuana	24

10-Year Trend Line



^a New cases only include those who indicated a Louisiana residence at the time of delivery.

^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

^c Reflects maternal age at delivery.

^d Reflects maternal and infant region of residence at delivery.

^e Reflects latest syphilis stage identified during pregnancy

^f Reflects substances detected during maternal toxicology screens conducted during pregnancy or delivery. Mothers can have positive toxicology screens for more than one substance.

Reported Cases of Gonorrhea Region 7 - Shreveport, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	1,607	100.0%	313.10

Race/Ethnicity^d

Black	1,166	73.5%	585.51
Hispanic/Latinx	13	0.8%	60.45
White	230	14.5%	84.67
Other	178	11.2%	n/a

Sex at Birth

Female	802	49.9%	303.40
Male	805	50.1%	323.40

Age^e

10-19	511	31.8%	760.31
20-29	695	43.2%	1,069.56
30-39	258	16.1%	382.72
40-49	105	6.5%	173.08
50+	38	2.4%	20.15

Parish^f

Bienville	39	2.4%	308.52
Bossier	273	17.0%	211.18
Caddo	900	56.0%	392.97
Claiborne	38	2.4%	276.48
De Soto	63	3.9%	234.61
Natchitoches	159	9.9%	433.68
Red River	40	2.5%	539.08
Sabine	27	1.7%	122.81
Webster	68	4.2%	190.78


Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	213	13.4%
Black Female 20-29	232	14.6%
Black Female 30-39	61	3.8%
Black Female 40-49	25	1.6%
Black Female 50+	9	0.6%
Hispanic Female 20-29	5	0.3%
Other Female 10-19	43	2.7%
Other Female 20-29	53	3.3%
Other Female 30-39	10	0.6%
Other Female 40-49	5	0.3%
White Female 10-19	26	1.6%
White Female 20-29	50	3.2%
White Female 30-39	43	2.7%
White Female 40-49	18	1.1%

Affected Subpopulations Males^g

	Cases ^b	%
Black Male 10-19	185	11.7%
Black Male 20-29	291	18.3%
Black Male 30-39	101	6.4%
Black Male 40-49	36	2.3%
Black Male 50+	13	0.8%
Other Male 10-19	29	1.8%
Other Male 20-29	22	1.4%
Other Male 30-39	11	0.7%
White Male 10-19	9	0.6%
White Male 20-29	29	1.8%
White Male 30-39	26	1.6%
White Male 40-49	15	0.9%
White Male 50+	12	0.8%

10-Year Trend Line



^a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2022 census age groups.

^f Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chlamydia Region 7 - Shreveport, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	4,115	100.0%	801.75

Race/Ethnicity^d

Black	2,835	69.9%	1,423.59
Hispanic/Latinx	27	0.7%	125.54
White	719	17.7%	264.69
Other	476	11.7%	n/a

Sex at Birth

Female	2,745	66.7%	1,038.45
Male	1,368	33.3%	549.59

Age^e

10-19	1,448	35.2%	2,154.47
20-29	2,016	49.0%	3,102.49
30-39	496	12.1%	735.77
40-49	109	2.6%	179.68
50+	46	1.1%	24.39

Parish^f

Bienville	94	2.3%	743.61
Bossier	827	20.1%	639.72
Caddo	2,071	50.3%	904.27
Claiborne	67	1.6%	487.49
De Soto	195	4.7%	726.18
Natchitoches	448	10.9%	1,221.94
Red River	88	2.1%	1,185.98
Sabine	101	2.5%	459.40
Webster	224	5.4%	628.45


Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	688	17.0%
Black Female 20-29	887	21.9%
Black Female 30-39	195	4.8%
Black Female 40-49	34	0.8%
Black Female 50+	15	0.4%
Hispanic Female 20-29	15	0.4%
Other Female 10-19	142	3.5%
Other Female 20-29	180	4.4%
Other Female 30-39	28	0.7%
White Female 10-19	187	4.6%
White Female 20-29	242	6.0%
White Female 30-39	74	1.8%
White Female 40-49	14	0.3%

Affected Subpopulations Males^g

	Cases ^b	%
Black Male 10-19	318	7.8%
Black Male 20-29	493	12.2%
Black Male 30-39	149	3.7%
Black Male 40-49	40	1.0%
Black Male 50+	16	0.4%
Other Male 10-19	50	1.2%
Other Male 20-29	54	1.3%
Other Male 30-39	9	0.2%
Other Male 40-49	5	0.1%
White Male 10-19	43	1.1%
White Male 20-29	106	2.6%
White Male 30-39	31	0.8%
White Male 40-49	11	0.3%
White Male 50+	7	0.2%

10-Year Trend Line



^a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2022 census age groups.

^f Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis B Louisiana, 2023

Region specific table not available due to low case counts.

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	18	100.0%	0.4

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	6	46.2%	0.4
Hispanic/ Latinx	1	7.7%	n/a
White	6	46.2%	0.2

Affected Subpopulations Female^g

Affected subpopulations are all less than 5.

Sex at Birth

Female	10	55.6%	0.4
Male	8	44.4%	0.3


Affected Subpopulations Male^g

Affected subpopulations are all less than 5.

Age^e

18-29	2	11.1%	n/a
30-39	6	33.3%	0.9
40-49	5	27.8%	0.9
50-59	2	11.1%	n/a
60-69	2	11.1%	n/a
70+	1	5.6%	n/a

10 Year Trend Line



Region^f

Region 1 - New Orleans	4	22.2%	n/a
Region 2 - Baton Rouge	1	5.6%	n/a
Region 3 - Houma	1	5.6%	n/a
Region 4 - Lafayette	2	11.1%	n/a
Region 5 - Lake Charles	2	11.1%	n/a
Region 6 - Alexandria	3	16.7%	n/a
Region 7 - Shreveport	1	5.6%	n/a
Region 8 - Monroe	0	0.0%	0.0
Region 9 - Hammond/Slidell	4	22.2%	n/a

^a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

^f Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis B Region 7 - Shreveport, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	112	100.0%	21.6

Race/Ethnicity^d

Asian	4	4.2%	n/a
Black	54	56.3%	26.6
Hispanic/ Latinx	1	1.0%	n/a
White	37	38.5%	13.4

Sex at Birth

Female	59	52.7%	22.1
Male	53	47.3%	21.0

Age^e

0-17	0	0.0%	0.0
18-29	29	25.9%	36.8
30-39	15	13.4%	21.9
40-49	11	9.8%	18.1
50-59	18	16.1%	28.8
60-69	24	21.4%	37.5
70+	15	13.4%	23.9

Parish^f

Bienville	2	1.8%	n/a
Bossier	23	20.5%	17.8
Caddo	66	58.9%	28.3
Caliborne	2	1.8%	n/a
De Soto	5	4.5%	18.5
Natchitoches	5	4.5%	13.5
Red River	1	0.9%	n/a
Sabine	3	2.7%	n/a
Webster	5	4.5%	13.8


Affected Subpopulations Females^g

	Cases ^b	%
Black Female 18-29	8	8.2%
Black Female 50-59	7	7.1%
White Female 30-39	6	6.1%
White Male 18-29	6	6.1%

Affected Subpopulations Males^g

Black Female 50-59	7	7.1%
Black Male 60-69	9	9.2%
White Male 18-29	6	6.1%

10-Year Trend Line



^a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Region 7 - Shreveport, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	9	100.0%	1.7

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	4	44.4%	n/a
Hispanic/ Latinx	1	11.1%	n/a
White	4	44.4%	n/a

Sex at Birth

Female	7	77.8%	2.6
Male	2	22.2%	n/a

Age^e

0-17	0	0.0%	0.0
18-29	0	0.0%	0.0
30-39	2	22.2%	n/a
40-49	1	11.1%	n/a
50-59	2	22.2%	n/a
60-69	2	22.2%	n/a
70+	2	22.2%	n/a

Parish^f


Bienville	0	0.0%	0.0
Bossier	2	22.2%	n/a
Caddo	5	55.6%	2.1
Claiborne	0	0.0%	0.0
De Soto	0	0.0%	0.0
Natchitoches	0	0.0%	0.0
Red River	0	0.0%	0.0
Sabine	0	0.0%	0.0
Webster	2	22.2%	n/a

Affected Subpopulations Female^g

All female subpopulations had a case count less than 5.

Affected Subpopulations Male^g

All male subpopulations had a case count less than 5.



^a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis C Region 7 - Shreveport, 2023

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	413	100.0%	79.6

Race/Ethnicity^d

Asian	4	1.0%	n/a
Black	180	46.8%	88.7
Hispanic/ Latinx	23	6.0%	111.0
White	178	46.2%	64.7

Sex at Birth

Female	166	40.2%	62.2
Male	247	59.8%	97.9

Age^e

0-17	2	0.5%	n/a
18-29	24	5.8%	30.5
30-39	52	12.6%	76.0
40-49	70	16.9%	115.3
50-59	82	19.9%	131.4
60-69	125	30.3%	195.4
70+	58	14.0%	92.4

Parish^f

Bienville	10	2.4%	78.2
Bossier	83	20.1%	64.2
Caddo	242	58.6%	103.8
Claiborne	6	1.5%	42.7
De Soto	13	3.1%	48.2
Natchitoches	22	5.3%	59.4
Red River	5	1.2%	66.1
Sabine	8	1.9%	36.1
Webster	24	5.8%	66.3


Affected Subpopulations Females^g

	Cases	%
Black Female 60-69	24	5.9%
White Female 40-49	19	4.7%
White Female 30-39	16	3.9%
White Female 60-69	15	3.7%
Black Female 70+	15	3.7%
White Female 50-59	14	3.4%
Black Female 50-59	13	3.2%
White Female 18-29	9	2.2%
Black Female 40-49	9	2.2%
White Female 70+	6	1.5%
Black Female 30-39	6	1.5%

Affected Subpopulations Males^g

Black Male 60-69	50	12.3%
White Male 50-59	26	6.4%
Black Male 50-59	22	5.4%
White Male 60-69	22	5.4%
White Male 40-49	21	5.2%
Black Male 70+	15	3.7%
White Male 30-39	15	3.7%
Black Male 40-49	13	3.2%
White Male 70+	11	2.7%
Black Male 18-29	7	1.7%

10-Year Trend Line



^a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.