STI/HIV/Hepatitis B & C Update

2023






Reported Cases of HIV Region 8 - Monroe, 2023

Parish P			2023 New Diagnoses ^a		2023 Prevalence ^b			
Parish P		'	Cases	%	Rated	Cases	%	Rated
Black		Total	74	100.0%	21.5	1,304	100.0%	378.7
Hispanic/Latinx	Race/Ethr	nicitye						
White		Black	58	78.4%	45.5	906	69.5%	710.4
Other 1 1.4% n/a 29 2.2% n/a		Hispanic/Latinx	1	1.4%	n/a	73	5.6%	753.4
Female		White	14	18.9%	7	296	22.7%	149
Female		Other	1	1.4%	n/a	29	2.2%	n/a
Male 61 82.4% 36.2 920 70.6% 545.4 Transgender Male to Female 0 0.0% n/a 15 1.2% n/a Transgender Female to Male 0 0.0% n/a 0 0.0% n/a Ages 0-14 0 0.0% 0 1 0.1% n/a 15-19 8 10.8% 32.2 13 1.0% 55.4 20-29 31 41.9% 61.9 177 13.6% 353.4 30-39 19 25.7% 44.5 282 21.6% 661 40-49 5 6.8% 12.5 306 23.5% 763.3 50+ 11 14.9% 9.1 525 40.3% 432.1 Riskh GBM 51 68.9% n/a 645 50.1% n/a PWID 4 5.4% n/a 8 6.8% n/a High Risk He	Gender	-						
Transgender Male to Female 0 0.0% n/a 0 0.0% 0 0 0.0% 0 0.0%		Female	13	17.6%	7.4	368	28.2%	209.5
Ages Transgender Female to Male 0 0.0% n/a 0 0.0% n/a 0-14 0 0.0% 0 1 0.1% 52.4 15-19 8 10.8% 32.2 13 1.0% 52.4 20-29 31 41.9% 61.9 177 13.6% 353.4 40-49 5 6.8% 12.5 306 23.5% 763.3 50+ 11 14.9% 9.1 525 40.3% 432.1 Riskh GBM 51 68.9% n/a 645 50.1% n/a PVID 4 5.4% n/a 68 6.8% n/a PWID 4 5.4% n/a 68 6.8% n/a 1 High Risk Heterosexual 15 20.3% n/a 478 37.1% n/a Perinatal 0 0.0% n/a 12 0.9% n/a 1 Caldwell 5 6.8% <		Male	61	82.4%	36.2	920	70.6%	545.4
Ages		Transgender Male to Female	0	0.0%	n/a	15	1.2%	n/a
0-14		Transgender Female to Male	0	0.0%	n/a	0	0.0%	n/a
0-14	Ageg							
20-29 31 41.9% 61.9 177 13.6% 353.4	5	0-14	0	0.0%	0	1	0.1%	n/a
30-39		15-19	8	10.8%	32.2	13	1.0%	52.4
A0-49 5 6.8% 12.5 306 23.5% 763.3 50+		20-29	31	41.9%	61.9	177	13.6%	353.4
Signature Sign		30-39	19	25.7%	44.5	282	21.6%	661
Caldwell S		40-49	5	6.8%	12.5	306	23.5%	763.3
GBM 51 68.9% n/a 645 50.1% n/a PWID 4 5.4% n/a 88 6.8% n/a GBM/PWID 3 4.1% n/a 62 4.8% n/a High Risk Heterosexual 15 20.3% n/a 12 0.9% n/a Perinatal 0 0.0% n/a 12 0.9% n/a Transfusion/Hemophilia 0 0.0% n/a 0 0.0% 0.0% n/a 0 0.0% n/a 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0 0 0 0 0 0 0		50+	11	14.9%	9.1	525	40.3%	432.1
PWID 4 5.4% n/a 88 6.8% n/a GBM/PWID 3 4.1% n/a 62 4.8% n/a High Risk Heterosexual 15 20.3% n/a 478 37.1% n/a Perinatal 0 0.0% n/a 12 0.9% n/a Transfusion/Hemophilia 0 0.0% n/a 3 0.2% n/a 0ther 0 0.0% n/a 0 0.0% 0 0 0.0% n/a 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0 0	Risk ^h							
GBM/PWID 3 4.1% n/a 62 4.8% n/a High Risk Heterosexual 15 20.3% n/a 478 37.1% n/a Perinatal 0 0.0% n/a 12 0.9% n/a Transfusion/Hemophilia 0 0.0% n/a 3 0.2% n/a Other 0 0.0% n/a 0 0.0% n/a 0 0.0% n/a Other 0 0.0% n/a 0 0.0% n/a 0 0.0% n/a Other 0 0.0% n/a 0 0.0% 0 0 0.0% 0 0 0 0 0 0 0 0 0.0% 0 0 0 0 0 0 0 0 0		GBM	51	68.9%	n/a	645	50.1%	n/a
High Risk Heterosexual 15 20.3% n/a 478 37.1% n/a Perinatal 0 0.0% n/a 12 0.9% n/a Transfusion/Hemophilia 0 0.0% n/a 0 0.0% 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0.0% 0 0 0.0% 0 0.0% 0 0.0% 0 0.0% 0 0.0% 0 0.0% 0 0.0% 0.0% 0 0.0% 0.0% 0 0.0% 0.0% 0 0.0% 0.0% 0 0.0% 0		PWID	4	5.4%	n/a	88	6.8%	n/a
Perinatal 0 0.0% n/a 12 0.9% n/a Transfusion/Hemophilia 0 0.0% n/a 3 0.2% n/a 0ther 0 0.0% n/a 0 0.		GBM/PWID	3	4.1%	n/a	62	4.8%	n/a
Transfusion/Hemophilia 0 0.0% n/a 3 0.2% n/a 0 0.0% n/a 0 0.0% n/a 0 0.0% n/a n/a 0 0.0% n/a		High Risk Heterosexual	15	20.3%	n/a	478	37.1%	n/a
Parish Other 0 0.0% n/a 0 0.0% n/a Caldwell 5 6.8% 52.3 24 1.8% 251.2 East Carroll 2 2.7% n/a 30 2.3% 429.2 Franklin 5 6.8% 25.9 62 4.8% 321.1 Jackson 1 1.4% n/a 60 4.6% 404.3 Lincoln 4 5.4% n/a 108 8.3% 224.4 Madison 3 4.1% n/a 40 3.1% 422 Morehouse 2 2.7% n/a 64 4.9% 261.8 Ouachita 45 60.8% 28.5 751 57.6% 476.2 Richland 6 8.1% 30.3 70 5.4% 353.1 Tensas 0 0.0% 0 30 2.3% 780 Union 1 1.4% n/a 43		Perinatal	0	0.0%	n/a	12	0.9%	n/a
Parish Caldwell 5 6.8% 52.3 24 1.8% 251.2 East Carroll 2 2.7% n/a 30 2.3% 429.2 Franklin 5 6.8% 25.9 62 4.8% 321.1 Jackson 1 1.4% n/a 60 4.6% 404.3 Lincoln 4 5.4% n/a 108 8.3% 224.4 Madison 3 4.1% n/a 40 3.1% 422 Morehouse 2 2.7% n/a 64 4.9% 261.8 Ouachita 45 60.8% 28.5 751 57.6% 476.2 Richland 6 8.1% 30.3 70 5.4% 353.1 Tensas 0 0.0% 0 30 2.3% 780 Union 1 1.4% n/a 43 3.3% 207.5		Transfusion/Hemophilia	0	0.0%	n/a	3	0.2%	n/a
Caldwell 5 6.8% 52.3 24 1.8% 251.2 East Carroll 2 2.7% n/a 30 2.3% 429.2 Franklin 5 6.8% 25.9 62 4.8% 321.1 Jackson 1 1.4% n/a 60 4.6% 404.3 Lincoln 4 5.4% n/a 108 8.3% 224.4 Madison 3 4.1% n/a 40 3.1% 422 Morehouse 2 2.7% n/a 64 4.9% 261.8 Ouachita 45 60.8% 28.5 751 57.6% 476.2 Richland 6 8.1% 30.3 70 5.4% 353.1 Tensas 0 0.0% 0 30 2.3% 780 Union 1 1.4% n/a 43 3.3% 207.5		Other	0	0.0%	n/a	0	0.0%	n/a
East Carroll 2 2.7% n/a 30 2.3% 429.2 Franklin 5 6.8% 25.9 62 4.8% 321.1 Jackson 1 1.4% n/a 60 4.6% 404.3 Lincoln 4 5.4% n/a 108 8.3% 224.4 Madison 3 4.1% n/a 40 3.1% 422 Morehouse 2 2.7% n/a 64 4.9% 261.8 Ouachita 45 60.8% 28.5 751 57.6% 476.2 Richland 6 8.1% 30.3 70 5.4% 353.1 Tensas 0 0.0% 0 30 2.3% 780 Union 1 1.4% n/a 43 3.3% 207.5	Parish [,]							
Franklin 5 6.8% 25.9 62 4.8% 321.1 Jackson 1 1.4% n/a 60 4.6% 404.3 Lincoln 4 5.4% n/a 108 8.3% 224.4 Madison 3 4.1% n/a 40 3.1% 422 Morehouse 2 2.7% n/a 64 4.9% 261.8 Ouachita 45 60.8% 28.5 751 57.6% 476.2 Richland 6 8.1% 30.3 70 5.4% 353.1 Tensas 0 0.0% 0 30 2.3% 780 Union 1 1.4% n/a 43 3.3% 207.5		Caldwell	5	6.8%	52.3	24	1.8%	251.2
Jackson 1 1.4% n/a 60 4.6% 404.3 Lincoln 4 5.4% n/a 108 8.3% 224.4 Madison 3 4.1% n/a 40 3.1% 422 Morehouse 2 2.7% n/a 64 4.9% 261.8 Ouachita 45 60.8% 28.5 751 57.6% 476.2 Richland 6 8.1% 30.3 70 5.4% 353.1 Tensas 0 0.0% 0 30 2.3% 780 Union 1 1.4% n/a 43 3.3% 207.5		East Carroll	2	2.7%	n/a	30	2.3%	429.2
Lincoln 4 5.4% n/a 108 8.3% 224.4 Madison 3 4.1% n/a 40 3.1% 422 Morehouse 2 2.7% n/a 64 4.9% 261.8 Ouachita 45 60.8% 28.5 751 57.6% 476.2 Richland 6 8.1% 30.3 70 5.4% 353.1 Tensas 0 0.0% 0 30 2.3% 780 Union 1 1.4% n/a 43 3.3% 207.5		Franklin	5	6.8%	25.9	62	4.8%	321.1
Madison 3 4.1% n/a 40 3.1% 422 Morehouse 2 2.7% n/a 64 4.9% 261.8 Ouachita 45 60.8% 28.5 751 57.6% 476.2 Richland 6 8.1% 30.3 70 5.4% 353.1 Tensas 0 0.0% 0 30 2.3% 780 Union 1 1.4% n/a 43 3.3% 207.5		Jackson	1	1.4%	n/a	60	4.6%	404.3
Morehouse 2 2.7% n/a 64 4.9% 261.8 Ouachita 45 60.8% 28.5 751 57.6% 476.2 Richland 6 8.1% 30.3 70 5.4% 353.1 Tensas 0 0.0% 0 30 2.3% 780 Union 1 1.4% n/a 43 3.3% 207.5		Lincoln	4	5.4%	n/a	108	8.3%	224.4
Ouachita 45 60.8% 28.5 751 57.6% 476.2 Richland 6 8.1% 30.3 70 5.4% 353.1 Tensas 0 0.0% 0 30 2.3% 780 Union 1 1.4% n/a 43 3.3% 207.5		Madison	3	4.1%	n/a	40	3.1%	422
Richland 6 8.1% 30.3 70 5.4% 353.1 Tensas 0 0.0% 0 30 2.3% 780 Union 1 1.4% n/a 43 3.3% 207.5		Morehouse	2	2.7%	n/a	64	4.9%	261.8
Tensas 0 0.0% 0 30 2.3% 780 Union 1 1.4% n/a 43 3.3% 207.5		Ouachita	45	60.8%	28.5	751	57.6%	476.2
Union 1 1.4% n/a 43 3.3% 207.5		Richland	6	8.1%	30.3	70	5.4%	353.1
		Tensas	0	0.0%	0	30	2.3%	780
West Carroll 0 0.0% 0 22 1.7% 232.2		Union	1	1.4%	n/a	43	3.3%	207.5
		West Carroll	0	0.0%	0	22	1.7%	232.2

New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.
 Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.
 Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.
 Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Cases are presented by current gender identity rather than sex at birth.
 Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2022 census age groups.
 Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.
 Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.



Reported Cases of Primary and Secondary Syphilis Region 8 - Monroe, 2023

New	Diag	noses
-----	------	-------

		Casesb	%	Ratec
	Total	145	100.0%	42.11
Race/Et	hnicityd			
	Black	74	51.0%	58.02
	Hispanic/Latinx	6	4.1%	61.92
	White	61	42.1%	30.70
	Other	4	2.8%	n/a
Gender	9			
	Female	71	49.0%	40.43
	Male	72	49.7%	42.68
	Transgender Male to Female	2	1.4%	n/a

Affected Subpopulations Femaleh	Cases ^b	%
Black Female 10-19	9	6.2%
Black Female 20-29	16	11.0%
Black Female 30-39	9	6.2%
White Female 20-29	11	7.6%
White Female 30-39	12	8.3%
White Female 40-49	5	3.4%

Agef


10-19	18	12.4%	37.92
20-29	56	38.6%	111.80
30-39	46	31.7%	107.82
40-49	14	9.7%	34.92
50+	11	7.6%	9.05

Affected Subpopulations Maleh

Black Male 10-19	6	4.1%
Black Male 20-29	16	11.0%
Black Male 30-39	12	8.3%
White Male 20-29	7	4.8%
White Male 30-39	10	6.9%
White Male 50+	6	4.1%

Parish^g

Caldwell	4	2.8%	n/a
East Carroll	4	2.8%	n/a
Franklin	7	4.8%	36.25
Jackson	1	0.7%	n/a
Lincoln	9	6.2%	18.70
Madison	8	5.5%	84.41
Morehouse	14	9.7%	57.27
Ouachita	83	57.2%	52.63
Richland	6	4.1%	30.26
Tensas	1	0.7%	n/a
Union	6	4.1%	28.96
West Carroll	2	1.4%	n/a



^a New diagnoses include only individuals whose initial primary and secondary syphillis diagnosis was

New diagnoses include only individuals whose initial primary and secondary syphillis diagnosis was made in Louisiana.
 Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
 Race/ethnicity "Other" race group.
 Race/ethnicity "Other" race group.
 Lases are presented by current gender identity rather than sex at birth.
 Age when first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Age categories align with 2022 census age groups.
 Parish where first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Persons without a parish of residence are not included in the total percentage.
 All subpopulations under 5 were excluded.

Reported Cases of Early Non-Primary Non-Secondary Syphilis Region 8 - Monroe, 2023

New	Diag	nosesa
-----	------	--------

		Casesb	%	Ratec
	Total	70	100.0%	20.33
Race/Et	:hnicity ^d			
	Black	44	62.9%	34.50
	Hispanic/Latinx	3	4.3%	n/a
	White	15	21.4%	7.55
	Other	8	11.4%	n/a
Gender	e 			
	Female	44	62.9%	25.05
	Male	25	35.7%	14.82
	Transgender Male to Female	1	1.4%	n/a

Affected Subpopulations Femaleh	Cases ^b	%
Black Female 10-19	5	7.1%
Black Female 20-29	13	18.6%
White Female 30-39	6	8.6%

Agef


10-19	10	14.3%	21.07
20-29	25	35.7%	49.91
30-39	22	31.4%	51.57
40-49	13	18.6%	32.43
50+	0	0.0%	n/a

Affected Subpopulations Maleh

Black Male 20-29	6	8.6%
Black Male 30-39	7	10.0%

Parish^g

Caldwell	2	2.9%	n/a
East Carroll	2	2.9%	n/a
Franklin	3	4.3%	n/a
Jackson	2	2.9%	n/a
Lincoln	9	12.9%	18.70
Madison	5	7.1%	52.75
Morehouse	8	11.4%	32.73
Ouachita	35	50.0%	22.19
Richland	2	2.9%	n/a
Tensas	1	1.4%	n/a
Union	0	0.0%	n/a
West Carroll	1	1.4%	n/a



- ^a New diagnoses include only individuals whose initial non-primary non-secondary syphillis diagnosis was made in Louisiana.

 ^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

 ^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" ace group.

 ^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

 ^e Cases are presented by current gender identity rather than sex at birth.

 ^f Age when first diagnosed with non-primary non-secondary syphillis is used for new non-primary non-secondary syphillis diagnoses. Age categories align with 2022 census age groups.

 ^g Parish where first diagnosed with non-primary non-secondary syphillis is used for new non-primary non-secondary syphillis diagnoses. Persons without a parish of residence are not included in the total percentage.

 ^h All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2023


Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

	Infants and	d Mothers	Linked to
	Cases	%	Rateb
Total Infant CS Cases	109	100.0%	199.1
Total Mothers Linked to New Cases	107	100.0%	11.7
Maternal Race/Ethnicity			
Black	63	58.9%	8.4
Hispanic/Latinx	8	7.5%	6.4
White	25	23.4%	1.9
Other	11	10.3%	n/a
Maternal Age			
15-19	6	5.6%	4.1
20-24	40	37.4%	25.6
25-29	29	27.1%	20.1
30-34	17	15.9%	10.6
35+	15	14.0%	4.9
Maternal Region of Residenced			
Region 1 - New Orleans	22	20.6%	12.9
Region 2 - Baton Rouge	20	18.7%	14.0
Region 3 - Houma	2	1.9%	2.8
Region 4 - Lafayette	12	11.2%	10.2
Region 5 - Lake Charles	7	6.5%	12.4
Region 6 - Alexandria	7	6.5%	13.1
Region 7 - Shreveport	18	16.8%	18.2
Region 8 - Monroe	9	8.4%	13.1
Region 9 - Hammond/Slide	ell 10	9.3%	8.4
Infant Region of Residenced			
Region 1 - New Orleans	23	21.1%	248.8
Region 2 - Baton Rouge	21	19.3%	266.9
Region 3 - Houma	2	1.8%	46.7
Region 4 - Lafayette	12	11.0%	154.3
Region 5 - Lake Charles	7	6.4%	188.3
Region 6 - Alexandria	7	6.4%	193.7
Region 7 - Shreveport	18	16.5%	293.4
Region 8 - Monroe	9	8.3%	220.2
Region 9 - Hammond/Slide	ell 10	9.2%	138.0
Maternal Stage of Syphilise			
Primary	4	3.7%	n/a
Secondary	6	5.6%	n/a
Early non-primary non-secondary	37	34.6%	n/a
Unknown/Late Latent	57	53.3%	n/a
Other	3	3.7%	n/a

Positive Toxicology Screens	Cases
Amphetamines/Meth	16
Cocaine	8
Heroin	8
Marijuana	24





a New cases only include those who indicated a Louisiana residence at the time of delivery.

b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

c Reflects maternal age at delivery.

d Reflects maternal and infant region of residence at delivery.

e Reflects substances detected during pregnancy

f Reflects substances detected during maternal toxicology screens conducted during pregnancy or delivery. Mothers can have positive toxicology screens for more than one substance.

Reported Cases of Gonorrhea Region 8 - Monroe, 2023

New Diagnoses^a

		Casesb	%	Ratec
	Total	1,130	100.0%	328.19
Race/E	Ethnicity ^d			
	Black	899	80.6%	704.88
	Hispanic/Latinx	8	0.7%	82.56
	White	164	14.7%	82.54
	Other	44	3.9%	n/a
Sex at	Birth			
	Female	576	51.0%	327.98
	Male	553	49.0%	327.81
Agee				
	10-19	334	29.6%	703.63
	20-29	566	50.1%	1,129.94
	30-39	145	12.8%	339.86
	40-49	60	5.3%	149.66
	50+	24	2.1%	19.75


Affected Subpopulations Female ⁹	Casesb	%
Black Female 10-19	163	14.6%
Black Female 20-29	215	19.3%
Black Female 30-39	40	3.6%
Black Female 40-49	15	1.3%
Black Female 50+	6	0.5%
Other Female 10-19	12	1.1%
Other Female 20-29	10	0.9%
White Female 10-19	16	1.4%
White Female 20-29	47	4.2%
White Female 30-39	22	2.0%
White Female 40-49	11	1.0%

Parishf

Caldwell	9	0.8%	94.20
East Carroll	28	2.5%	400.57
Franklin	39	3.5%	201.99
Jackson	23	2.0%	155.00
Lincoln	192	17.0%	398.93
Madison	25	2.2%	263.77
Morehouse	142	12.6%	580.87
Ouachita	546	48.3%	346.22
Richland	48	4.2%	242.11
Tensas	9	0.8%	234.01
Union	55	4.9%	265.43
West Carroll	14	1.2%	147.76

Affected Subpopulations Maleg

Cappopalations maio-		
Black Male 10-19	122	11.0%
Black Male 20-29	245	22.0%
Black Male 30-39	56	5.0%
Black Male 40-49	25	2.2%
Black Male 50+	11	1.0%
Other Male 20-29	13	1.2%
White Male 10-19	7	0.6%
White Male 20-29	27	2.4%
White Male 30-39	21	1.9%
White Male 40-49	8	0.7%



<sup>a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.
b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
e Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2022 census age groups.</sup>

Age when his to largifosed with gonorinea is used for new gonorinea diagnoses. Age categories angli with 2022
census age groups.
 Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.
 Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chlamydia Region 8 - Monroe, 2023

New Diagnosesa

		Casesb	%	Ratec
	Total	3,034	100.0%	881.17
Race/Et	thnicityd			
	Black	2,382	80.1%	1,867.65
	Hispanic/Latinx	30	1.0%	309.60
	White	441	14.8%	221.96
	Other	120	4.0%	n/a
Sex at E	Birth			
	Female	2,019	66.6%	1,149.65
	Male	1,014	33.4%	601.08
Agee				
	10-19	1,152	38.0%	2,426.90
	20-29	1,439	47.4%	2,872.77
	30-39	341	11.2%	799.27
	40-49	67	2.2%	167.12
	50+	33	1.1%	27.16


Affected Subpopulations Female	Casesb	%
Black Female 10-19	671	22.6%
Black Female 20-29	714	24.0%
Black Female 30-39	150	5.0%
Black Female 40-49	18	0.6%
Black Female 50+	6	0.2%
Hispanic Female 10-19	5	0.2%
Hispanic Female 20-29	14	0.5%
Other Female 10-19	23	0.8%
Other Female 20-29	51	1.7%
Other Female 30-39	8	0.3%
White Female 10-19	81	2.7%
White Female 20-29	168	5.7%
White Female 30-39	44	1.5%
White Female 40-49	14	0.5%
White Female 50+	5	0.2%

Parish^f

Caldwell	54	1.8%	565.21
East Carroll	92	3.0%	1,316.17
Franklin	161	5.3%	833.85
Jackson	73	2.4%	491.95
Lincoln	414	13.6%	860.19
Madison	131	4.3%	1,382.15
Morehouse	306	10.1%	1,251.74
Ouachita	1,417	46.7%	898.53
Richland	172	5.7%	867.55
Tensas	20	0.7%	520.02
Union	140	4.6%	675.64
West Carroll	54	1.8%	569.92

Affected Subpopulations Maleg

Black Male 10-19	306	10.3%
Black Male 20-29	384	12.9%
Black Male 30-39	99	3.3%
Black Male 40-49	23	0.8%
Black Male 50+	10	0.3%
Other Male 10-19	10	0.3%
Other Male 20-29	19	0.6%
White Male 10-19	31	1.0%
White Male 20-29	61	2.1%
White Male 30-39	23	0.8%
White Male 40-49	6	0.2%
White Male 50+	8	0.3%



a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and

Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2022

Page when his classificate with chamydia is used to hew chamydia diagnoses. Age categories anythin 2022 census age groups.

Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.

9 Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis B Louisiana, 2023

Region specific table not available due to low case counts.

New Diagnosesa

		Casesb	%	Ratec
	Total	18	100.0%	0.4
Race/Et	hnicity ^d			
•	Asian	0	0.0%	0.0
	Black	6	46.2%	0.4
	Hispanic/ Latinx	1	7.7%	n/a
	White	6	46.2%	0.2

Affected Subpopulations Female^g

Affected subpopulations are all less than 5.

Sex at Birth

Female	10	55.6%	0.4
Male	8	44.4%	0.3


Affected Subpopulations Maleg

Affected subpopulations are all less than 5.

Agee

18-29	2	11.1%	n/a
30-39	6	33.3%	0.9
40-49	5	27.8%	0.9
50-59	2	11.1%	n/a
60-69	2	11.1%	n/a
70+	1	5.6%	n/a

10 Year Trend Line



Regionf

•			
Region 1 - New Orleans	4	22.2%	n/a
Region 2 - Baton Rouge	1	5.6%	n/a
Region 3 - Houma	1	5.6%	n/a
Region 4 - Lafayette	2	11.1%	n/a
Region 5 - Lake Charles	2	11.1%	n/a
Region 6 - Alexandria	3	16.7%	n/a
Region 7 - Shreveport	1	5.6%	n/a
Region 8 - Monroe	0	0.0%	0.0
Region 9 - Hammond/Slidell	4	22.2%	n/a



Diagnosis Year

a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

groups.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category do

g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis B Region 8 - Monroe, 2023

New Di	agnosesª
--------	----------

	Casesb	%	Ratec
Total	57	100.0%	16.4
Race/Ethnicity ^d			
Asian	1	2.7%	n/a
Black	23	62.2%	17.7
Hispanic/ Latinx	1	2.7%	n/a
White	12	32.4%	5.9

Affected Subpopulations Female ⁹	Cases ^b	%
Black Female	10	27.0%

Sex at Birth

Female	25	43.9%	14.1
Male	32	56.1%	18.8


Affected	Subpopu	lations	Maleg

Black Male	13	35.1%	
White Male	8	21.6%	

Agee

0-17	0	0.0%	0.0
18-29	8	14.0%	13.2
30-39	15	26.3%	34.4
40-49	9	15.8%	22.3
50-59	7	12.3%	17.0
60-69	11	19.3%	26.5
70+	7	12.3%	17.6

10-Year Trend Line



Parishf

Caldwell	0	0.0%	0.0
East Carroll	2	3.5%	n/a
Franklin	1	1.8%	n/a
Jackson	7	12.3%	47.0
Lincoln	4	7.0%	n/a
Madison	3	5.3%	n/a
Morehouse	4	7.0%	n/a
Ouachita	28	49.1%	17.6
Richland	1	1.8%	n/a
Tensas	0	0.0%	0.0
Union	6	10.5%	28.4
West Carroll	1	1.8%	n/a

2015 2016 2017 2018 2019 2020 2021 2022

Diagnosis Year



a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.
b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Gases per 100,000 population. Rates not available (iva) for case counts less than 5. Rates not available for Orien face groups.

Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Region 8 - Monroe, 2023

New Diagnosesa

		Casesb	%	Ratec
	Total	4	100.0%	
Race/E	Ethnicity ^d			
	Asian	0	0.0%	0.0
	Black	2	50.0%	n/a
	Hispanic/ Latinx	0	0.0%	0.0
	White	2	50.0%	n/a
Sex at	Birth			
	Female	3	75.0%	n/a
	Male	1	25.0%	n/a
Agee				
	0-17	0	0.0%	0.0
	18-29	0	0.0%	0.0
	30-39	1	33.3%	n/a
	40-49	2	66.7%	n/a
	50-59	0	0.0%	0.0
	60-69	0	0.0%	0.0
	70+	0	0.0%	0.0

Affected Subpopulations Female⁹ Cases^b %

All female subpopulations had a case count less than 5.

Parishf

Caldwell	0	0.0%	0.0
East Carroll	0	0.0%	0.0
Franklin	1	25.0%	n/a
Jackson	0	0.0%	0.0
Lincoln	0	0.0%	0.0
Madison	1	25.0%	n/a
Morehouse	1	25.0%	n/a
Ouachita	1	25.0%	n/a
Richland	0	0.0%	0.0
Tensas	0	0.0%	0.0
Union	0	0.0%	0.0
West Carroll	0	0.0%	0.0

Affected Subpopulations Maleg

All male subpopulations had a case count less than 5.



a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not

included in the total percentage.

g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis C Region 8 - Monroe, 2023

New Diagnosesa

Cases ^b	%	Ratec
212	100.0%	61.0
2	1.0%	n/a
57	28.5%	43.9
11	5.5%	117.3
130	65.0%	64.8
	212 2 57 11	212 100.0% 2 1.0% 57 28.5% 11 5.5%

Affected Subpopulations Female ⁹	Cases	%
White Female 30-39	12	5.8%
White Female 40-49	10	4.9%
White Female 18-29	10	4.9%
White Female 50-59	7	3.4%
Black Female 50-59	6	2.9%
White Female 60-69	5	2.4%
Black Female 60-69	5	2.4%

S	ex	at	В	irl	th

Female	70	33.0%	39.4
Male	142	67.0%	83.3


Affected Subpopulations Maleg

Agee				
	0-17	2	0.9%	n/a
	18-29	22	10.4%	36.2
	30-39	35	16.5%	80.3
	40-49	42	19.8%	104.0
	50-59	45	21.2%	109.5
	60-69	47	22.2%	113.2
	70+	19	9.0%	47.9

• •			
White Male 40-49	21	10.2%	
White Male 50-59	19	9.2%	
Black Male 60-69	17	8.3%	
White Male 60-69	17	8.3%	
White Male 30-39	15	7.3%	
Black Male 70+	6	2.9%	
Black Male 50-59	5	2.4%	
			_

Parishf

Caldwell	12	5.7%	125.3
East Carroll	5	2.4%	69.2
Franklin	12	5.7%	61.0
Jackson	17	8.0%	114.2
Lincoln	18	8.5%	37.3
Madison	3	1.4%	n/a
Morehouse	16	7.5%	63.9
Ouachita	91	42.9%	57.3
Richland	14	6.6%	70.6
Tensas	6	2.8%	148.4
Union	12	5.7%	56.8
West Carroll	6	2.8%	62.5





a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
de Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.
Tearish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are

not included in the total percentage.

9 Affected subpopulations with counts less than 5 are excluded