

# Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Quarterly Report October 1, 2016 - December 31, 2016

Community Based Organizations (CBOs) funded by Louisiana's Ryan White (RW) Part B program served 2,059 persons living with HIV, approximately 10% (2,059/21,334) of persons living with HIV in Louisiana.

The program served a larger proportion of persons who are female, white, and older compared to the larger HIV+ population in Louisiana.

Nearly 70% (n=1,437) of clients served live below the federal poverty level (FPL).

The majority of clients served (89%) had health insurance.

# CHARACTERISTICS OF CLIENTS SERVED

NUMBER OF CLIENTS SERVED\*

2.059

#### Gender

	n	%
Female	685	33.3%
Male	1,353	65.7%
Transgender	21	1.0%

#### Race/Ethnicity

	n	%
Black	1,369	66.5%
Hispanic	29	1.4%
White	610	29.6%
Other	51	2.5%

#### Age Group

	n	%
0-12	3	0.1%
13-24	111	5.4%
25-44	826	40.1%
45-64	1,037	50.4%
65+	82	4.0%

#### Percentage of FPL

	n	%
Below 100	1,437	69.8%
100-199	543	26.4%
200-299	75	3.6%
300+	4	0.2%

### **Primary Health Insurance Type**

Timaly realth modifice Type						
	n	%				
Medicaid	864	42.0%				
Medicare	590	28.7%				
Other Public	15	0.7%				
Private	363	17.6%				
Uninsured	208	10.1%				
Unknown	19	0.9%				

# TOTAL HIV+ POPULATION FOR THE STATE

NUMBER OF PEOPLE LIVING WITH HIV<sup>†</sup>

21.334

#### Gender

	n	%
Female	6,180	29.0%
Male	14,934	70.0%
Transgender	220	1.0%


## Race/Ethnicity

	n	%
Black	14,636	68.6%
Hispanic	919	4.3%
White	5,497	25.8%
Other	282	1.3%

#### **Age Group**

	n	%
0-12	56	0.3%
13-24	1,116	5.2%
25-44	9,233	43.3%
45-64	9,801	45.9%
65+	1,128	5.3%

# Primary Health Insurance Type for RW Part B Clients Served by CBOs



Includes all clients who received a service between October 1, 2016 and December 31, 2016 from a RW Part B CBO.

<sup>&</sup>lt;sup>†</sup>Includes all persons diagnosed with HIV on or before December 31, 2016 who were last known to be alive and living in Louisiana.



#### UTILIZATION


Non-medical case management was provided to 96% (n=1,969) of clients.

Food bank/home-delivered meals and medical transportation were the second and third most utilized services with 55% (n=1,141) and 44% (n=906) respectively of clients receiving these services.


Encounters for non-medical case management were most frequently classified as follow-up or monitoring, followed by treatment adherence counseling, case conferencing, and referral/advocacy.

#### **SERVICES PROVIDED**

			Units per	No.	Encounters
	No. Clients	No. Units	Client	Encounters	per Client
Emergency Financial Assistance	58	13,826	238.4	60	1.0
Food Bank/Home-Delivered Meals	1,141	63,645	55.8	3,028	2.7
Housing Assistance	277	178,362	643.9	614	2.2
Medical Transportation Services	906	83,359	92.0	2,869	3.2
Mental Health Services	42	146	3.5	141	3.4
Non-Medical Case Management	1,969	29,610	15.0	15,415	7.8
Oral Health Care	66	28,207	427.4	97	1.5
Psychosocial Support	57	572	10.0	149	2.6
Substance Use Services	20	408	20.4	67	3.4



No. of Encounters and Clients by Type of Encounter for Non-Medical Case Management, Oct 2016 - Dec 2016





# Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Quarterly Report October 1, 2016 - December 31, 2016

#### **CLINICAL OUTCOMES**

A total of 96% (1,973/2,059) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Seventy-six percent (1,556/2,059) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL.

For clients served by RW Part B CBO program who were in care, 79% (1,556/1,973) were virally suppressed. For the larger HIV+ population living in Louisiana who were in care, 81% (12,021/14,807) were virally suppressed.

Clients who are white, Hispanic, older and have higher incomes were more likely to be virally suppressed.


Clients with who are uninsured are less likely to be virally suppressed. Only 61% (127/208) of those who are uninsured achieved viral suppression compared to 85% (307/363) of those with private health insurance.

Clients Served by RW Part B CBOs vs Louisiana HIV+ Population

, , , , , , , , , , , , , , , , , , , ,	Total	No. In	% In	No. VS <sup>†</sup>	% VS <sup>†</sup>
Served by RW Part B CBOs	2,059	1,973	95.8%	1,556	75.6%
LA HIV+ Population <sup>‡</sup>	20,177	14,807	73.4%	12,021	59.6%

<sup>\*</sup>Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2016 and December 31, 2016.

‡Includes persons diagnosed before January 1, 2016 and last known to be alive and living in Louisiana as of December 31, 2016.




#### Gender

	Total	No. In Care <sup>*</sup>	% In Care <sup>*</sup>	No. VS <sup>†</sup>	% VS <sup>†</sup>
Female	685	664	96.9%	516	75.3%
Male	1,353	1,289	95.3%	1,028	76.0%
Transgender	21	20	95.2%	12	57.1%

<sup>\*</sup>Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2016 and December 31, 2016.

<sup>†</sup>Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2016 and December 31, 2016 with the most recent result <200 copies/mL.




#### Race/Ethnicity

		No. In	% In		
	Total	Care*	Care <sup>*</sup>	No. VS <sup>†</sup>	% VS <sup>†</sup>
Black	1,369	1,305	95.3%	992	72.5%
Hispanic	29	28	96.6%	26	89.7%
White	610	589	96.6%	500	82.0%
Other	51	51	100.0%	38	74.5%

<sup>\*</sup>Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2016 and December 31, 2016.

<sup>†</sup>Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2016 and December 31, 2016 with the most recent result <200 copies/mL.



<sup>†</sup>Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2016 and December 31, 2016 with the most recent result <200 copies/mL.



# Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Quarterly Report October 1, 2016 - December 31, 2016


### **CLINICAL OUTCOMES**

#### Age Group

		No. In	% In		
	Total	Care*	Care <sup>*</sup>	No. VS <sup>†</sup>	% VS <sup>†</sup>
13-24	111	108	97.3%	74	66.7%
25-44	826	797	96.5%	596	72.2%
45-64	1,037	986	95.1%	814	78.5%
65+	82	79	96.3%	70	85.4%

<sup>\*</sup>Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2016 and December 31, 2016.

<sup>†</sup>Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2016 and December 31, 2016 with the most recent result <200 copies/mL.




Percentage of FPL

r crecintage of the						
	Total	No. In Care <sup>*</sup>	% In Care <sup>*</sup>	No. VS <sup>†</sup>	% VS <sup>†</sup>	
Below 100	1,437	1,380	96.0%	1,039	72.3%	
100-199	543	519	95.6%	453	83.4%	
200+	79	74	93.7%	64	81.0%	

<sup>\*</sup>Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2016 and December 31, 2016.

<sup>†</sup>Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2016 and December 31, 2016 with the most recent result <200 copies/mL.




**Primary Health Insurance Type** 

		No. In	% In		
	Total	Care*	Care*	No. VS <sup>†</sup>	% VS <sup>†</sup>
Medicaid	864	836	96.8%	626	72.5%
Medicare	590	570	96.6%	479	81.2%
Private	363	354	97.5%	307	84.6%
Uninsured	208	192	92.3%	127	61.1%
Unknown	19	18	94.7%	15	78.9%

<sup>\*</sup>Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2016 and December 31, 2016.

<sup>†</sup>Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2016 and December 31, 2016 with the most recent result <200 copies/mL.



# Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Quarterly Report October 1, 2016 - December 31, 2016

#### **UNMET NEED**

Unmet need includes persons who are defined as out of care. These persons know their positive HIV status and are not receiving HIV-related medical care. Persons living with HIV who have no evidence of receiving a viral load test or CD4 count within a 12-month period meet the definition of unmet need.

Twenty-seven percent (5,370/20,177) of PLWH in Louisiana met the definition for unmet need between January 1, 2016 and December 31, 2016.

Males, Hispanics, and persons 65 years and older were most likely not to be receiving HIV-related medical care.

Regions supported by Ryan White Part B CBOs with the largest proportion of people with unmet need include Lake Charles and Shreveport.

#### NUMBER OF PEOPLE LIVING WITH HIV WHO MEET UNMET NEED CRITERIA 5,370

#### Gender

	No. In	% In Care <sup>*</sup>	No. Not In Care <sup>†</sup>	% Not In Care <sup>†</sup>
Female	4,528	77.0%	1,346	22.9%
Male	10,118	71.7%	3,985	28.2%
Transgender	161	80.5%	39	19.5%

<sup>\*</sup>Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2016 and December 31, 2016.

### Age Group

	No. In	% In	No. Not	% Not In
	Care <sup>*</sup>	Care <sup>*</sup>	In Care <sup>†</sup>	Care <sup>†</sup>
0-12	45	83.3%	9	16.6%
13-24	659	76.0%	208	23.9%
25-44	6,286	73.2%	2,298	26.7%
45-64	7,030	73.5%	2,531	26.4%
65+	787	70.8%	324	29.1%

<sup>\*</sup>Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2016 and December 31, 2016.

#### Race/Ethnicity

	No. In Care*	% In Care <sup>*</sup>	No. Not In Care <sup>†</sup>	% Not In Care <sup>†</sup>
Black	10,243	74.2%	3,561	25.7%
Hispanic	434	51.1%	415	48.8%
White	3,945	75.1%	1,307	24.8%
Other	185	68.0%	87	31.9%

<sup>\*</sup>Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2016 and December 31, 2016.

#### **Region of Current Residence**

_	No. In	% In	No. Not	% Not In
	Care <sup>*</sup>	Care*	In Care <sup>†</sup>	Care <sup>†</sup>
Region 1	5,189	74.2%	1,795	25.7%
Region 2	3,812	78.5%	1,041	21.4%
Region 3	648	77.2%	191	22.7%
Region 4	1,061	70.2%	450	29.7%
Region 5	622	60.8%	400	39.1%
Region 6	637	69.6%	278	30.3%
Region 7	1,154	66.2%	589	33.7%
Region 8	713	69.3%	315	30.6%
Region 9	966	75.8%	308	24.1%

<sup>\*</sup>Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2016 and December 31, 2016.

<sup>†</sup>Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between October 1, 2015 and September 30, 2016.

<sup>†</sup>Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between October 1, 2015 and September 30, 2016.

<sup>†</sup>Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between October 1, 2015 and September 30, 2016.

<sup>†</sup>Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between October 1, 2015 and September 30, 2016.

<sup>\*</sup>Includes persons diagnosed before January 1, 2016 and last known to be alive and living in Louisiana as of December 31, 2016 with no CD4 or Viral Load reported between January 1, 2016 and December 31, 2016.