

Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Annual Report April 1, 2015 - March 31, 2016

Community Based Organizations (CBOs) funded by Louisiana's Ryan White (RW) Part B program served 2,617 individuals living with HIV, approximately 13% (2,617/20,701) of individuals living with HIV in Louisiana.

The program served a larger proportion of individuals who are female and white compared to the larger HIV+ population in Louisiana.

Over 70% (n=1,888) of clients served live below the federal poverty level (FPL).

The majority of clients served (77%) had health insurance.

CHARACTERISTICS OF CLIENTS SERVED

NUMBER OF CLIENTS SERVED*

2,617

Gender

	n	%
Female	867	33.1%
Male	1,725	65.9%
Transgender	25	1.0%

Race/Ethnicity

	n	%
Black	1,718	65.6%
Hispanic	42	1.6%
White	788	30.1%
Other	69	2.6%

Age Group

	n	%
0-12	3	0.1%
13-24	157	6.0%
25-44	1,116	42.6%
45-64	1,258	48.1%
65+	83	3.2%

Percentage of FPL

	n	%
Below 100	1,888	72.1%
100-199	646	24.7%
200-299	71	2.7%
300+	12	0.5%

Primary Health Insurance Type

	n	%
Medicaid	607	23.2%
Medicare	695	26.6%
Other Public	16	0.6%
Private	702	26.8%
Uninsured	555	21.2%
Unknown	42	1.6%

TOTAL HIV+ POPULATION FOR THE STATE

NUMBER OF PEOPLE LIVING WITH HIV[†]

20,701

Gender

	n	%
Female	6,019	29.1%
Male	14,505	70.1%
Transgender	177	0.9%


Race/Ethnicity

	n	%
Black	14,171	68.5%
Hispanic	874	4.2%
White	5,382	26.0%
Other	274	1.3%

Age Group

•		
	n	%
0-12	60	0.3%
13-24	1,119	5.4%
25-44	8,963	43.3%
45-64	9,517	46.0%
65+	1,042	5.0%

Primary Health Insurance Type for RW Part B Clients Served by CBOs



Includes all clients who received a service between April 1, 2015 and March 31, 2016 from a RW Part B CBO.

[†]Includes all individuals diagnosed with HIV on or before March 31, 2016 who were last known to be alive and living in Louisiana.



UTILIZATION


Food bank/home-delivered meals and medical transportation were the second and third most utilized services with 57% (n=1,489 and n=1,485 respectively) of clients receiving these services.

Services with the largest number of encounters per client included non-medical case management (27.9), followed by medical transportation (8.2) and food bank/home-delivered meals (6.7).


Encounters for non-medical case management were most frequently classified as followup or monitoring, followed by treatment adherence counseling, case conferencing, and referral/advocacy.

SERVICES PROVIDED

			Units per	No.	Encounters
	No. Clients	No. Units	Client	Encounters	per Client
Emergency Financial Assistance	247	51,360	207.9	313	1.3
Food Bank/Home-Delivered Meals	1,489	120,239	80.8	10,044	6.7
Housing Assistance	550	631,643	1,148.4	2,728	5.0
Medical Transportation Services	1,485	361,286	243.3	12,209	8.2
Mental Health Services	123	571	4.6	568	4.6
Non-Medical Case Management	2,618	130,553	49.9	73,048	27.9
Oral Health Care	342	244,471	714.8	745	2.2
Psychosocial Support	95	1,485	15.6	497	5.2
Substance Use Services	42	916	21.8	247	5.9



No. of Encounters and Clients by Type of Encounter for Non-Medical Case Management, Apr 2015 - Mar 2016





Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Annual Report April 1, 2015 - March 31, 2016

CLINICAL OUTCOMES

A total of 93% (2,427/2,617) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Seventy percent (1,842/2,617) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL.

For clients served by RW Part B CBO program who were in care, 76% (1,842/2,427) were virally suppressed. For the larger HIV+ population living in Louisiana who were in care, 79% (11,147/14,050) were virally suppressed.

Clients who are white, older and have higher incomes were more likely to be virally suppressed.

Clients with who are uninsured are less likely to be virally suppressed. Only 59% (325/555) of those who are uninsured achieved viral suppression compared to 77% (538/702) of those with private health insurance.


Clients Served by RW Part B CBOs vs Louisiana HIV+ Population

	Total	No. In Care [*]	% In Care [*]	No. VS [†]	% VS [†]
Served by RW Part B CBOs	2,617	2,427	92.7%	1,842	70.4%
LA HIV+ Population [∓]	19,573	14,050	71.8%	11,147	57.0%

^{*}Clients defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2015 and March 31, 2016.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between April 1, 2015 and March 31, 2016 with the most recent result <200 copies/mL.

‡Includes individuals diagnosed before April 1, 2015 and last known to be alive and living in Louisiana as of March 31, 2016.




Gender

	Total	No. In Care [*]	% In Care [*]	No. VS [†]	% VS [†]
Female	867	808	93.2%	596	68.7%
Male	1,725	1,596	92.5%	1,232	71.4%
Transgender	25	23	92.0%	14	56.0%

^{*}Clients defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2015 and March 31. 2016.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between April 1, 2015 and March 31, 2016 with the most recent result <200 copies/mL.




Race/Ethnicity

		No. In	% In		
	Total	Care*	Care*	No. VS [†]	% VS [†]
Black	1,718	1,591	92.6%	1,145	66.6%
Hispanic	42	37	88.1%	30	71.4%
White	788	736	93.4%	614	77.9%
Other	69	63	91.3%	53	76.8%

^{*}Clients defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2015 and March 31. 2016.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between April 1, 2015 and March 31, 2016 with the most recent result <200 copies/mL.



Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Annual Report April 1, 2015 - March 31, 2016


CLINICAL OUTCOMES

Age Group

	Total	No. In Care [*]	% In Care [*]	No. VS [†]	% VS [†]
13-24	157	147	93.6%	99	63.1%
25-44	1,116	1,025	91.8%	702	62.9%
45-64	1,258	1,176	93.5%	977	77.7%
65+	83	77	92.8%	63	75.9%

^{*}Clients defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2015 and March 31. 2016.

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between April 1, 2015 and March 31, 2016 with the most recent result <200 copies/mL.




Percentage of FPL

		No. In	% In		
	Total	Care*	Care*	No. VS [†]	% VS [†]
Below 100	1,888	1,756	93.0%	1,272	67.4%
100-199	646	591	91.5%	500	77.4%
200-299	71	69	97.2%	60	84.5%
300+	12	11	91.7%	10	83.3%

^{*}Clients defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2015 and March 31, 2016.

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between April 1, 2015 and March 31, 2016 with the most recent result <200 copies/mL.




Primary Health Insurance Type

		No. In	% In		
	Total	Care*	Care [*]	No. VS [†]	% VS [†]
Medicaid	607	565	93.1%	406	66.9%
Medicare	695	648	93.2%	539	77.6%
Private	702	665	94.7%	538	76.6%
Uninsured	555	505	91.0%	325	58.6%
Unknown	42	41	97.6%	31	73.8%

^{*}Clients defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2015 and March 31, 2016.

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between April 1, 2015 and March 31, 2016 with the most recent result <200 copies/mL.



UNMET NEED

Unmet need includes individuals who are defined as out of care. These individuals know their positive HIV status and are not receiving HIV-related medical care. Individuals living with HIV who have no evidence of receiving a viral load test or CD4 count within a 12-month period meet the definition of unmet need.

Twenty-eight percent (5,523/19,573) of PLWH in Louisiana met the definition for unmet need between April 1, 2015 and March 31, 2016.

Males, Hispanics, and individuals 65 years and older were most likely not to be receiving HIV-related medical care.

Regions supported by Ryan White Part B CBOs with the largest proportion of people with unmet need include Lake Charles and Shreveport.

NUMBER OF PEOPLE LIVING WITH HIV WHO MEET UNMET NEED CRITERIA 5,523

Gender

	No. In Care*	% In Care [*]	No. Not In Care [†]	% Not In Care [†]
Female	4,344	75.6%	1,395	24.3%
Male	9,569	70.0%	4,097	29.9%
Transgender	137	81.5%	31	18.4%

^{*}Individuals defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2015 and March 31, 2016.

Age Group

	No. In	% In	No. Not	% Not In
	Care [*]	Care [*]	In Care [†]	Care [†]
0-12	43	76.8%	13	23.6%
13-24	634	72.7%	238	27.2%
25-44	5,939	71.1%	2,410	28.8%
45-64	6,757	72.8%	2,522	27.1%
65+	677	66.5%	340	33.4%

^{*}Individuals defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2015 and March 31, 2016.

Race/Ethnicity

	No. In	% In	No. Not	% Not In
	Care*	Care*	In Care [†]	Care [†]
Black	9,672	72.3%	3,689	27.6%
Hispanic	402	49.8%	405	50.1%
White	3,799	73.7%	1,350	26.2%
Other	177	69.1%	79	30.8%

^{*}Individuals defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2015 and March 31, 2016.

Region of Current Residence

	No. In	% In	No. Not	% Not In
	Care*	Care [*]	In Care	Care
Region 1	4,894	72.0%	1,894	27.9%
Region 2	3,639	76.9%	1,092	23.0%
Region 3	614	76.1%	192	23.8%
Region 4	1,005	68.5%	461	31.4%
Region 5	605	60.7%	391	39.2%
Region 6	607	68.2%	283	31.7%
Region 7	1,097	65.8%	569	34.1%
Region 8	676	67.6%	324	32.4%
Region 9	911	74.3%	314	25.6%

^{*}Individuals defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2015 and March 31, 2016.

[†]Individuals defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between April 1, 2015 and March 31, 2016.

[†]Individuals defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between April 1, 2015 and March 31, 2016.

[†]Individuals defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between April 1, 2015 and March 31, 2016.

[†]Individuals defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between April 1, 2015 and March 31, 2016.

^{*}Includes individuals diagnosed before April 1, 2015 and last known to be alive and living in Louisiana as of March 31, 2016 with no CD4 or Viral Load reported between April 1, 2015 and March 31, 2016.