

STI/HIV/Hepatitis B & C Update 2021 Data Tables

Baton Rouge
Region 2



LOUISIANA
**DEPARTMENT OF
HEALTH**

STD/HIV/Hepatitis Program

Reported Cases of HIV Region 2 - Baton Rouge, 2021

	2021 New Diagnoses ^a			2021 Prevalence ^b		
	Cases ^c	%	Rate ^d	Cases ^c	%	Rate ^d
Total	174	100.0%	25.4	5,083	100.0%	743.4
Race/Ethnicity^e						
Black	142	81.6%	50.8	4,243	83.5%	1,516.6
Hispanic/Latinx	10	5.7%	34.5	124	2.4%	428.1
White	20	11.5%	5.8	664	13.1%	193.7
Other	2	1.1%	n/a	52	1.0%	n/a
Gender^f						
Female	35	20.1%	10.0	1,782	35.1%	509.9
Male	139	79.9%	41.6	3,218	63.3%	962.6
Transgender Male to Female	0	0.0%	n/a	83	1.6%	n/a
Transgender Female to Male	0	0.0%	n/a	0	0.0%	n/a
Age^g						
0-14	1	0.6%	n/a	12	0.2%	9.1
15-19	13	7.5%	27.9	29	0.6%	62.1
20-29	71	40.8%	64.3	529	10.4%	479.3
30-39	41	23.6%	43.9	1,162	22.9%	1,245.4
40-49	18	10.3%	22.5	1,243	24.5%	1,555.0
50+	30	17.2%	13.5	2,108	41.5%	951.4
Risk^h						
GBM	104	59.8%	n/a	1,909	37.6%	n/a
PWID	11	6.3%	n/a	549	10.8%	n/a
GBM/PWID	2	1.1%	n/a	195	3.8%	n/a
High Risk Heterosexual	57	32.8%	n/a	2,361	46.5%	n/a
Perinatal	0	0.0%	n/a	53	1.0%	n/a
Transfusion/Hemophilia	0	0.0%	n/a	12	0.2%	n/a
Other	0	0.0%	n/a	0	0.0%	n/a
Parishⁱ						
Ascension	11	6.3%	8.8	291	5.7%	232.7
East Baton Rouge	141	81.0%	31.8	4,100	80.7%	925.2
East Feliciana	4	2.3%	n/a	151	3.0%	785.3
Iberville	3	1.7%	n/a	241	4.7%	738.7
Pointe Coupee	3	1.7%	n/a	68	1.3%	310.7
West Baton Rouge	5	2.9%	18.9	131	2.6%	496.3
West Feliciana	7	4.0%	45.3	101	2.0%	654.1

^a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.

^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

^c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.

^d Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.

^e Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^f Cases are presented by current gender identity rather than sex at birth.

^g Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2020 census age groups.

^h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.

ⁱ Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

Reported Cases of Primary and Secondary Syphilis Region 2 - Baton Rouge, 2021

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	175	100.0%	25.6

Race/Ethnicity^d

Black	136	77.7%	48.6
Hispanic/Latinx	3	1.7%	n/a
White	34	19.4%	9.9
Other	2	1.1%	n/a

Gender^e

Female	48	27.4%	13.7
Male	124	70.9%	37.1
Transgender Male to Female	3	1.7%	n/a
Transgender Female to Male	0	0.0%	n/a

Age^f

10-19	18	10.3%	19.9
20-29	75	42.9%	68.0
30-39	45	25.7%	48.2
40-49	23	13.1%	28.8
50+	14	8.0%	6.3

Parish^g

Ascension	8	4.6%	6.4
East Baton Rouge	148	84.6%	33.4
East Feliciana	1	0.6%	n/a
Iberville	6	3.4%	18.4
Pointe Coupee	7	4.0%	32.0
West Baton Rouge	4	2.3%	n/a
West Feliciana	1	0.6%	n/a

Affected Subpopulations Female^h

	Cases ^b	%
Black Female 20-29	10	5.7%
Black Female 30-39	12	6.9%
Black Female 40-49	6	3.4%
White Female 20-29	5	2.9%
White Female 30-39	6	3.4%

Affected Subpopulations Male^h

Black Male 10-19	11	6.3%
Black Male 20-29	48	27.4%
Black Male 30-39	22	12.6%
Black Male 40-49	10	5.7%
Black Male 50+	9	5.1%
White Male 20-29	9	5.1%
White Male 40-49	5	2.9%

^a New diagnoses include only individuals whose initial primary and secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Age categories align with 2020 census age groups.

^g Parish where first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2021

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

	Cases	%	Rate ^b
Total Infant CS Cases	110	100.0%	191.7
Total Mothers Linked to New Cases	107	100.0%	4.5
Maternal Race/Ethnicity			
Black	70	65.4%	8.9
Hispanic/Latinx	6	5.6%	5.3
White	31	29.0%	2.2
Other	0	0.0%	n/a
Maternal Age^c			
15-19	7	6.5%	4.8
20-24	28	26.2%	18.3
25-29	33	30.8%	19.5
30-34	26	24.3%	15.8
35+	13	12.1%	4.4
Maternal Region of Residence^d			
Region 1 - New Orleans	9	8.4%	1.9
Region 2 - Baton Rouge	18	16.8%	5.2
Region 3 - Houma	6	5.6%	3.0
Region 4 - Lafayette	13	12.1%	4.2
Region 5 - Lake Charles	3	2.8%	n/a
Region 6 - Alexandria	22	20.6%	14.8
Region 7 - Shreveport	10	9.3%	3.6
Region 8 - Monroe	18	16.8%	10.1
Region 9 - Hammond/Slidell	8	7.5%	2.6
Infant Region of Residence^d			
Region 1 - New Orleans	9	8.2%	87.1
Region 2 - Baton Rouge	18	16.4%	209.4
Region 3 - Houma	6	5.5%	129.5
Region 4 - Lafayette	14	12.7%	171.8
Region 5 - Lake Charles	3	2.7%	n/a
Region 6 - Alexandria	22	20.0%	564.5
Region 7 - Shreveport	11	10.0%	174.7
Region 8 - Monroe	19	17.3%	466.1
Region 9 - Hammond/Slidell	8	7.3%	105.5
Maternal Stage of Syphilis			
Primary	4	3.7%	n/a
Secondary	5	4.7%	n/a
Early non-primary non-secondary	48	44.9%	n/a
Unknown/Late Latent	47	43.9%	n/a
Other	3	2.8%	n/a

^a New cases only include those who indicated a Louisiana residence at the time of delivery.

^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

^c Reflects maternal age at delivery.

^d Reflects maternal and infant region of residence at delivery.

Reported Cases of Gonorrhea Region 2 - Baton Rouge, 2021

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	3,289	100.0%	481.0

Race/Ethnicity^d

Black	2,679	82.2%	957.5
Hispanic/Latinx	64	2.0%	221.0
White	417	12.8%	121.7
Other	101	3.1%	n/a

Sex at Birth

Female	1,576	47.9%	450.9
Male	1,712	52.1%	512.1

Age^e

Under 10	0	0.0%	0.0
10-19	780	23.7%	861.4
20-29	1,719	52.3%	1,557.5
30-39	535	16.3%	573.4
40-49	163	5.0%	203.9
50+	92	2.8%	41.5

Parish^f

Ascension	337	10.2%	269.5
East Baton Rouge	2,590	78.7%	584.4
East Feliciana	40	1.2%	208.0
Iberville	139	4.2%	426.0
Pointe Coupee	54	1.6%	246.8
West Baton Rouge	103	3.1%	390.2
West Feliciana	26	0.8%	168.4

Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	385	11.8%
Black Female 20-29	682	20.9%
Black Female 30-39	153	4.7%
Black Female 40-49	39	1.2%
Black Female 50+	14	0.4%
Hispanic Female 10-19	9	0.3%
Hispanic Female 20-29	9	0.3%
Other Female 10-19	21	0.6%
Other Female 20-29	23	0.7%
Other Female 30-39	5	0.2%
White Female 10-19	52	1.6%
White Female 20-29	98	3.0%
White Female 30-39	49	1.5%
White Female 40-49	21	0.6%
White Female 50+	5	0.2%

Affected Subpopulations Males^g

	Cases ^b	%
Black Male 10-19	269	8.2%
Black Male 20-29	761	23.3%
Black Male 30-39	250	7.7%
Black Male 40-49	71	2.2%
Black Male 50+	55	1.7%
Hispanic Male 10-19	9	0.3%
Hispanic Male 20-29	22	0.7%
Hispanic Male 30-39	8	0.2%
Hispanic Male 40-49	5	0.2%
Other Male 10-19	6	0.2%
Other Male 20-29	28	0.9%
Other Male 30-39	15	0.5%
White Male 10-19	17	0.5%
White Male 20-29	86	2.6%
White Male 30-39	48	1.5%
White Male 40-49	26	0.8%
White Male 50+	15	0.5%

^a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2020 census age groups.

^f Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chlamydia Region 2 - Baton Rouge, 2021

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	6,397	100.0%	935.5

Race/Ethnicity^d

Black	4,758	75.4%	1,700.6
Hispanic/Latinx	217	3.4%	749.2
White	1,018	16.1%	297.0
Other	314	5.0%	n/a

Sex at Birth

Female	4,291	67.1%	1,227.8
Male	2,104	32.9%	629.4

Age^e

Under 10	1	0.0%	n/a
10-19	1,982	31.0%	2,188.8
20-29	3,514	54.9%	3,183.9
30-39	696	10.9%	746.0
40-49	140	2.2%	175.1
50+	64	1.0%	28.9

Parish^f

Ascension	820	12.8%	655.7
East Baton Rouge	4,657	72.8%	1,050.9
East Feliciana	111	1.7%	577.3
Iberville	332	5.2%	1,017.6
Pointe Coupee	156	2.4%	712.9
West Baton Rouge	232	3.6%	879.0
West Feliciana	89	1.4%	576.4

Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	1,077	17.1%
Black Female 20-29	1,732	27.5%
Black Female 30-39	275	4.4%
Black Female 40-49	45	0.7%
Black Female 50+	18	0.3%
Hispanic Female 10-19	52	0.8%
Hispanic Female 20-29	61	1.0%
Hispanic Female 30-39	17	0.3%
Other Female 10-19	91	1.4%
Other Female 20-29	129	2.0%
Other Female 30-39	20	0.3%
White Female 10-19	230	3.6%
White Female 20-29	393	6.2%
White Female 30-39	64	1.0%
White Female 40-49	18	0.3%
White Female 50+	10	0.2%

Affected Subpopulations Males^g

	Cases ^b	%
Black Male 10-19	412	6.5%
Black Male 20-29	896	14.2%
Black Male 30-39	229	3.6%
Black Male 40-49	47	0.7%
Black Male 50+	26	0.4%
Hispanic Male 10-19	25	0.4%
Hispanic Male 20-29	41	0.7%
Hispanic Male 30-39	18	0.3%
Other Male 10-19	10	0.2%
Other Male 20-29	42	0.7%
Other Male 30-39	12	0.2%
White Male 10-19	48	0.8%
White Male 20-29	175	2.8%
White Male 30-39	54	0.9%
White Male 40-49	20	0.3%
White Male 50+	6	0.1%

^a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2020 census age groups.

^f Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis B Louisiana, 2021

Region specific table not available due to low case counts.

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	36	100.0%	0.8

Race/Ethnicity^d

Asian	1	2.8%	n/a
Black	12	33.3%	0.7
Hispanic/Latinx	1	2.8%	n/a
White	22	61.1%	0.8
Other	0	0.0%	n/a

Affected Subpopulations Female^g

Cases ^b	%
White Female	11 30.6%

Sex at Birth

Female	14	38.9%	0.5
Male	22	61.1%	0.9

Age^e

0-17	0	0.0%	0.0
18-29	5	13.9%	0.6
30-39	5	13.9%	0.7
40-49	15	41.7%	2.7
50-59	7	19.4%	1.2
60-69	3	8.3%	n/a
70+	1	2.8%	n/a

Region^f

Region 1 - New Orleans	7	19.4%	0.7
Region 2 - Baton Rouge	6	16.7%	0.8
Region 3 - Houma	2	5.6%	n/a
Region 4 - Lafayette	6	16.7%	0.9
Region 5 - Lake Charles	3	8.3%	n/a
Region 6 - Alexandria	2	5.6%	n/a
Region 7 - Shreveport	0	0.0%	0.0
Region 8 - Monroe	3	8.3%	n/a
Region 9 - Hammond/Slidell	7	19.4%	1.1

Affected Subpopulations Male^g

Black Male	9 25.0%
White Male	11 30.6%

^a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2020 census age groups.

^f Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis B Region 2 - Baton Rouge, 2021

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	192	100.0%	28.1

Race/Ethnicity^d

Asian	22	12.0%	127.8
Black	97	52.7%	34.0
Hispanic/Latinx	5	2.7%	16.2
White	59	32.1%	17.3
Other	1	0.5%	n/a

Sex at Birth

Female	74	38.5%	21.1
Male	118	61.5%	35.5

Age^e

0-17	0	0.0%	0.0
18-29	27	14.1%	21.0
30-39	48	25.0%	51.5
40-49	43	22.4%	54.1
50-59	40	20.8%	49.4
60-69	18	9.4%	23.7
70+	16	8.3%	23.5

Parish^f

Ascension	18	9.4%	14.0
East Baton Rouge	131	68.2%	29.8
East Feliciana	11	5.7%	58.3
Iberville	17	8.9%	53.0
Pointe Coupee	3	1.6%	n/a
West Baton Rouge	3	1.6%	n/a
West Feliciana	9	4.7%	58.2

Affected Subpopulations Females^g

	Cases ^b	%
Asian Female 30-39	5	2.7%
Black Female 18-29	9	4.9%
Black Female 30-39	12	6.5%
Black Female 40-49	10	5.4%
Black Female 50-59	6	3.3%
White Female 18-29	6	3.3%

Affected Subpopulations Males^g

Black Male 18-29	6	3.3%
Black Male 30-39	11	6.0%
Black Male 40-49	11	6.0%
Black Male 50-59	15	8.2%
Black Male 60-69	5	2.7%
Black Male 70+	7	3.8%
White Male 30-39	10	5.4%
White Male 40-49	10	5.4%
White Male 50-59	9	4.9%
White Male 60-69	6	3.3%

^a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2020 census age groups.

^f Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Region 2 - Baton Rouge, 2021

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	63	100.0%	9.2

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	30	48.4%	1.9
Hispanic/Latinx	2	3.2%	n/a
White	30	48.4%	1.1
Other	0	0.0%	0.0

Affected Subpopulations Female^g

	Cases ^b	%
Black Female 18-29	6	9.7%
White Female 18-29	7	11.3%
White Female 30-39	5	8.1%

Sex at Birth

Female	29	46.0%	1.2
Male	34	54.0%	1.5

Age^e

0-17	0	0.0%	0.0
18-29	25	39.7%	3.3
30-39	14	22.2%	2.1
40-49	9	14.3%	1.6
50-59	8	12.7%	1.3
60-69	7	11.1%	1.2
70+	0	0.0%	0.0

Parish^f

Ascension	3	4.8%	n/a
East Baton Rouge	49	77.8%	11.1
East Feliciana	1	1.6%	n/a
Iberville	5	7.9%	15.6
Pointe Coupee	1	1.6%	n/a
West Baton Rouge	1	1.6%	n/a
West Feliciana	3	4.8%	n/a

Affected Subpopulations Male^g

Black Male 18-29	5	8.1%
Black Male 50-59	6	9.7%
White Male 18-29	5	8.1%
White Male 30-39	5	8.1%

^a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.

^f Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis C

Region 2 - Baton Rouge, 2021

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	974	100.0%	142.6

Race/Ethnicity^d

Asian	4	0.5%	n/a
Black	424	50.4%	28.1
Hispanic/Latinx	32	3.8%	12.6
White	362	43.0%	13.4
Other	19	2.3%	n/a

Sex at Birth

Female	277	28.4%	11.6
Male	697	71.6%	30.7

Age^e

0-17	0	0.0%	0.0
18-29	82	8.4%	11.0
30-39	163	16.7%	25.5
40-49	186	19.1%	34.0
50-59	233	23.9%	40.4
60-69	245	25.2%	44.2
70+	65	6.7%	12.7

Parish^f

Ascension	116	11.9%	90.2
East Baton Rouge	476	48.9%	108.2
East Feliciana	45	4.6%	238.3
Iberville	71	7.3%	221.4
Pointe Coupee	26	2.7%	120.8
West Baton Rouge	49	5.0%	182.9
West Feliciana	191	19.6%	1235.0

Affected Subpopulations Females^g

	Cases ^b	%
Black Female 18-29	10	1.2%
Black Female 30-39	7	0.8%
Black Female 40-49	19	2.3%
Black Female 50-59	33	3.9%
Black Female 60-69	38	4.5%
Black Female 70+	7	0.8%
Hispanic Female 30-39	6	0.7%
Hispanic Female 50-59	6	0.7%
White Female 18-29	23	2.7%
White Female 30-39	37	4.4%
White Female 40-49	22	2.6%
White Female 50-59	22	2.6%
White Female 60-69	17	2.0%
White Female 70+	9	1.1%

Affected Subpopulations Males^g

Black Male 18-29	9	1.1%
Black Male 30-39	30	3.6%
Black Male 40-49	40	4.8%
Black Male 50-59	97	11.5%
Black Male 60-69	112	13.3%
Black Male 70+	22	2.6%
Hispanic Male 30-39	6	0.7%
Hispanic Male 60-69	5	0.6%
Other Male 40-49	8	1.0%
White Male 18-29	29	3.5%
White Male 30-39	55	6.5%
White Male 40-49	58	6.9%
White Male 50-59	39	4.6%
White Male 60-69	38	4.5%
White Male 70+	13	1.5%

^a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.

^f Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.