

STI/HIV/Hepatitis B & C Update 2021 Data Tables

Houma
Region 3



LOUISIANA
**DEPARTMENT OF
HEALTH**

STD/HIV/Hepatitis Program

Reported Cases of HIV Region 3 - Houma, 2021

	2021 New Diagnoses ^a			2021 Prevalence ^b		
	Cases ^c	%	Rate ^d	Cases ^c	%	Rate ^d
Total	49	100.0%	12.3	913	100.0%	229.1
Race/Ethnicity^e						
Black	28	57.1%	26.3	554	60.7%	520.6
Hispanic/Latinx	4	8.2%	n/a	52	5.7%	252.5
White	16	32.7%	6.4	293	32.1%	117.0
Other	1	2.0%	n/a	14	1.5%	n/a
Gender^f						
Female	13	26.5%	6.4	314	34.4%	154.4
Male	34	69.4%	17.4	585	64.1%	299.6
Transgender Male to Female	2	4.1%	n/a	14	1.5%	n/a
Transgender Female to Male	0	0.0%	n/a	0	0.0%	n/a
Age^g						
0-14	0	0.0%	0.0	2	0.2%	n/a
15-19	4	8.2%	n/a	5	0.5%	19.8
20-29	23	46.9%	44.2	126	13.8%	242.2
30-39	8	16.3%	15.1	202	22.1%	382.2
40-49	9	18.4%	19.4	208	22.8%	448.1
50+	5	10.2%	3.5	370	40.5%	260.3
Risk^h						
GBM	29	59.2%	n/a	428	47.1%	n/a
PWID	3	6.1%	n/a	75	8.3%	n/a
GBM/PWID	3	6.1%	n/a	32	3.5%	n/a
High Risk Heterosexual	14	28.6%	n/a	361	39.7%	n/a
Perinatal	0	0.0%	n/a	13	1.4%	n/a
Transfusion/Hemophilia	0	0.0%	n/a	0	0.0%	n/a
Other	0	0.0%	n/a	0	0.0%	n/a
Parishⁱ						
Assumption	5	10.2%	22.5	44	4.8%	197.9
Lafourche	9	18.4%	9.2	162	17.7%	165.3
St. Charles	9	18.4%	17.0	148	16.2%	280.0
St. James	2	4.1%	n/a	87	9.5%	411.5
St. John the Baptist	7	14.3%	16.3	168	18.4%	390.2
St. Mary	9	18.4%	18.0	105	11.5%	209.9
Terrebonne	8	16.3%	7.2	199	21.8%	178.8

^a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.

^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

^c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.

^d Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.

^e Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^f Cases are presented by current gender identity rather than sex at birth.

^g Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2020 census age groups.

^h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.

ⁱ Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

Reported Cases of Primary and Secondary Syphilis Region 3 - Houma, 2021

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	35	100.0%	8.8

Race/Ethnicity^d

Black	15	42.9%	14.1
Hispanic/Latinx	0	0.0%	0.0
White	18	51.4%	7.2
Other	2	5.7%	n/a

Affected Subpopulations Female^h

Cases ^b	%
--------------------	---

All female subpopulations had a case count less than 5.

Gender^e

Female	6	17.1%	3.0
Male	26	74.3%	13.3
Transgender Male to Female	2	5.7%	n/a
Transgender Female to Male	1	2.9%	n/a

Affected Subpopulations Male^h

Black Male 30-39	6	17.1%
------------------	---	-------

Age^f

10-19	3	8.6%	n/a
20-29	12	34.3%	23.1
30-39	10	28.6%	18.9
40-49	5	14.3%	10.8
50+	5	14.3%	3.5

Parish^g

Assumption	0	0.0%	0.0
Lafourche	6	17.1%	6.1
St. Charles	5	14.3%	9.5
St. James	0	0.0%	0.0
St. John the Baptist	4	11.4%	n/a
St. Mary	9	25.7%	18.0
Terrebonne	11	31.4%	9.9

^a New diagnoses include only individuals whose initial primary and secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Age categories align with 2020 census age groups.

^g Parish where first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2021

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

	Cases	%	Rate ^b
Total Infant CS Cases	110	100.0%	191.7
Total Mothers Linked to New Cases	107	100.0%	4.5
Maternal Race/Ethnicity			
Black	70	65.4%	8.9
Hispanic/Latinx	6	5.6%	5.3
White	31	29.0%	2.2
Other	0	0.0%	n/a
Maternal Age^c			
15-19	7	6.5%	4.8
20-24	28	26.2%	18.3
25-29	33	30.8%	19.5
30-34	26	24.3%	15.8
35+	13	12.1%	4.4
Maternal Region of Residence^d			
Region 1 - New Orleans	9	8.4%	1.9
Region 2 - Baton Rouge	18	16.8%	5.2
Region 3 - Houma	6	5.6%	3.0
Region 4 - Lafayette	13	12.1%	4.2
Region 5 - Lake Charles	3	2.8%	n/a
Region 6 - Alexandria	22	20.6%	14.8
Region 7 - Shreveport	10	9.3%	3.6
Region 8 - Monroe	18	16.8%	10.1
Region 9 - Hammond/Slidell	8	7.5%	2.6
Infant Region of Residence^d			
Region 1 - New Orleans	9	8.2%	87.1
Region 2 - Baton Rouge	18	16.4%	209.4
Region 3 - Houma	6	5.5%	129.5
Region 4 - Lafayette	14	12.7%	171.8
Region 5 - Lake Charles	3	2.7%	n/a
Region 6 - Alexandria	22	20.0%	564.5
Region 7 - Shreveport	11	10.0%	174.7
Region 8 - Monroe	19	17.3%	466.1
Region 9 - Hammond/Slidell	8	7.3%	105.5
Maternal Stage of Syphilis			
Primary	4	3.7%	n/a
Secondary	5	4.7%	n/a
Early non-primary non-secondary	48	44.9%	n/a
Unknown/Late Latent	47	43.9%	n/a
Other	3	2.8%	n/a

^a New cases only include those who indicated a Louisiana residence at the time of delivery.

^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

^c Reflects maternal age at delivery.

^d Reflects maternal and infant region of residence at delivery.

Reported Cases of Gonorrhea Region 3 - Houma, 2021

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	1,149	100.0%	288.3

Race/Ethnicity^d

Black	739	65.0%	694.4
Hispanic/Latinx	25	2.2%	121.4
White	322	28.3%	128.6
Other	51	4.5%	n/a

Sex at Birth

Female	590	51.3%	290.2
Male	559	48.7%	286.3

Age^e

Under 10	1	0.1%	n/a
10-19	312	27.2%	578.1
20-29	564	49.1%	1,084.3
30-39	203	17.7%	384.1
40-49	47	4.1%	101.2
50+	22	1.9%	15.5

Parish^f

Assumption	57	5.0%	256.3
Lafourche	274	23.8%	279.6
St. Charles	94	8.2%	177.8
St. James	67	5.8%	316.9
St. John the Baptist	145	12.6%	336.8
St. Mary	149	13.0%	297.9
Terrebonne	363	31.6%	326.2

Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	116	10.2%
Black Female 20-29	186	16.4%
Black Female 30-39	37	3.3%
Other Female 10-19	8	0.7%
Other Female 20-29	21	1.8%
Other Female 30-39	5	0.4%
White Female 10-19	57	5.0%
White Female 20-29	89	7.8%
White Female 30-39	38	3.3%
White Female 40-49	12	1.1%
White Female 50+	6	0.5%

Affected Subpopulations Males^g

Black Male 10-19	114	10.0%
Black Male 20-29	192	16.9%
Black Male 30-39	65	5.7%
Black Male 40-49	19	1.7%
Black Male 50+	8	0.7%
Hispanic Male 20-29	10	0.9%
Other Male 20-29	7	0.6%
Other Male 30-39	8	0.7%
White Male 10-19	6	0.5%
White Male 20-29	52	4.6%
White Male 30-39	44	3.9%
White Male 40-49	12	1.1%
White Male 50+	6	0.5%

^a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2020 census age groups.

^f Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chlamydia Region 3 - Houma, 2021

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	2,473	100.0%	620.4

Race/Ethnicity^d

Black	1,512	61.7%	1,420.7
Hispanic/Latinx	69	2.8%	335.1
White	764	31.2%	305.2
Other	104	4.2%	n/a

Sex at Birth

Female	1,776	71.8%	873.4
Male	697	28.2%	357.0

Age^e

Under 10	0	0.0%	0.0
10-19	849	34.3%	1,573.0
20-29	1,277	51.6%	2,455.0
30-39	268	10.8%	507.1
40-49	61	2.5%	131.4
50+	18	0.7%	12.7

Parish^f

Assumption	151	6.1%	679.1
Lafourche	509	20.6%	519.5
St. Charles	251	10.1%	474.9
St. James	165	6.7%	780.4
St. John the Baptist	360	14.6%	836.1
St. Mary	302	12.2%	603.8
Terrebonne	735	29.7%	660.4

Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	395	16.1%
Black Female 20-29	526	21.5%
Black Female 30-39	84	3.4%
Black Female 40-49	13	0.5%
Hispanic Female 10-19	13	0.5%
Hispanic Female 20-29	19	0.8%
Hispanic Female 30-39	8	0.3%
Other Female 10-19	26	1.1%
Other Female 20-29	53	2.2%
Other Female 30-39	7	0.3%
White Female 10-19	222	9.1%
White Female 20-29	303	12.4%
White Female 30-39	61	2.5%
White Female 40-49	15	0.6%
White Female 50+	6	0.2%

Affected Subpopulations Males^g

	Cases ^b	%
Black Male 10-19	141	5.8%
Black Male 20-29	267	10.9%
Black Male 30-39	60	2.4%
Black Male 40-49	18	0.7%
Hispanic Male 20-29	20	0.8%
Other Male 20-29	8	0.3%
White Male 10-19	34	1.4%
White Male 20-29	77	3.1%
White Male 30-39	36	1.5%
White Male 40-49	7	0.3%

^a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2020 census age groups.

^f Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis B Louisiana, 2021

Region specific table not available due to low case counts.

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	36	100.0%	0.8

Race/Ethnicity^d

Asian	1	2.8%	n/a
Black	12	33.3%	0.7
Hispanic/Latinx	1	2.8%	n/a
White	22	61.1%	0.8
Other	0	0.0%	n/a

Affected Subpopulations Female^g

Cases ^b	%
White Female	11 30.6%

Sex at Birth

Female	14	38.9%	0.5
Male	22	61.1%	0.9

Age^e

0-17	0	0.0%	0.0
18-29	5	13.9%	0.6
30-39	5	13.9%	0.7
40-49	15	41.7%	2.7
50-59	7	19.4%	1.2
60-69	3	8.3%	n/a
70+	1	2.8%	n/a

Region^f

Region 1 - New Orleans	7	19.4%	0.7
Region 2 - Baton Rouge	6	16.7%	0.8
Region 3 - Houma	2	5.6%	n/a
Region 4 - Lafayette	6	16.7%	0.9
Region 5 - Lake Charles	3	8.3%	n/a
Region 6 - Alexandria	2	5.6%	n/a
Region 7 - Shreveport	0	0.0%	0.0
Region 8 - Monroe	3	8.3%	n/a
Region 9 - Hammond/Slidell	7	19.4%	1.1

Affected Subpopulations Male^g

Black Male	9 25.0%
White Male	11 30.6%

^a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2020 census age groups.

^f Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis B Region 3 - Houma, 2021

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	92	100.0%	23.4

Race/Ethnicity^d

Asian	7	7.7%	179.1
Black	34	37.4%	32.7
Hispanic/Latinx	3	3.3%	n/a
White	45	49.5%	18.2
Other	2	2.2%	n/a

Affected Subpopulations Female^g

	Cases ^b	%
Black Female 50-59	5	5.5%
Black Female 60-69	5	5.5%
White Female 40-49	7	7.7%

Sex at Birth

Female	44	47.8%	21.9
Male	48	52.2%	24.9

Age^e

0-17	1	1.1%	n/a
18-29	9	9.8%	15.5
30-39	10	10.9%	19.2
40-49	19	20.7%	41.2
50-59	21	22.8%	39.1
60-69	22	23.9%	45.8
70+	10	10.9%	23.5

Parish^f

Assumption	4	4.3%	n/a
Lafourche	13	14.1%	13.3
St. Charles	11	12.0%	20.8
St. James	4	4.3%	n/a
St. John the Baptist	15	16.3%	35.3
St. Mary	13	14.1%	26.9
Terrebonne	32	34.8%	29.1

Affected Subpopulations Male^g

Black Male 60-69	7	7.7%
White Male 40-49	6	6.6%
White Male 50-59	5	5.5%
White Male 60-69	6	6.6%

^a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2020 census age groups.

^f Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Region 3 - Houma, 2021

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	22	100.0%	5.6

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	5	22.7%	0.3
Hispanic/Latinx	0	0.0%	0.0
White	16	72.7%	0.5
Other	1	4.5%	n/a

Affected Subpopulations Female^g

Cases ^b	%
All female subpopulations had a case count less than 5.	

Sex at Birth

Female	9	40.9%	0.3
Male	13	59.1%	0.5

Age^e

0-17	0	0.0%	0.0
18-29	8	36.4%	1.0
30-39	5	22.7%	0.7
40-49	5	22.7%	0.9
50-59	1	4.5%	n/a
60-69	3	13.6%	n/a
70+	0	0.0%	0.0

Parish^f

Assumption	2	9.1%	n/a
Lafourche	2	9.1%	n/a
St. Charles	1	4.5%	n/a
St. James	1	4.5%	n/a
St. John the Baptist	4	18.2%	n/a
St. Mary	0	0.0%	0.0
Terrebonne	12	54.5%	10.9

Affected Subpopulations Male^g

All male subpopulations had a case count less than 5.

^a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.

^f Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis C

Region 3 - Houma, 2021

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	295	100.0%	74.9

Race/Ethnicity^d

Asian	1	0.3%	n/a
Black	68	23.6%	4.5
Hispanic/Latinx	13	4.5%	5.1
White	202	70.1%	7.4
Other	4	1.4%	n/a

Sex at Birth

Female	108	36.6%	4.5
Male	187	63.4%	8.2

Age^e

0-17	3	1.0%	n/a
18-29	48	16.3%	6.4
30-39	60	20.3%	9.3
40-49	43	14.6%	7.8
50-59	60	20.3%	10.4
60-69	64	21.7%	11.5
70+	17	5.8%	3.3

Parish^f

Assumption	14	4.7%	64.8
Lafourche	70	23.7%	71.7
St. Charles	26	8.8%	49.1
St. James	15	5.1%	72.4
St. John the Baptist	30	10.2%	70.6
St. Mary	38	12.9%	78.6
Terrebonne	102	34.6%	92.8

Affected Subpopulations Females^g

	Cases ^b	%
Black Female 50-59	5	1.8%
Black Female 60-69	6	2.1%
Black Female 70+	5	1.8%
White Female 18-29	21	7.4%
White Female 30-39	19	6.7%
White Female 40-49	13	4.6%
White Female 50-59	15	5.3%
White Female 60-69	8	2.8%

Affected Subpopulations Males^g

	Cases ^b	%
Black Male 30-39	5	1.8%
Black Male 40-49	5	1.8%
Black Male 50-59	12	4.2%
Black Male 60-69	18	6.3%
Black Male 70+	6	2.1%
White Male 18-29	19	6.7%
White Male 30-39	30	10.6%
White Male 40-49	19	6.7%
White Male 50-59	23	8.1%
White Male 60-69	29	10.2%

^a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.

^f Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.