

# STI/HIV/Hepatitis B & C Update 2021 Data Tables

Lafayette  
Region 4



LOUISIANA  
**DEPARTMENT OF  
HEALTH**

*STD/HIV/Hepatitis Program*

## Reported Cases of HIV Region 4 - Lafayette, 2021

	2021 New Diagnoses <sup>a</sup>			2021 Prevalence <sup>b</sup>		
	Cases <sup>c</sup>	%	Rate <sup>d</sup>	Cases <sup>c</sup>	%	Rate <sup>d</sup>
Total	109	100.0%	18.0	1,903	100.0%	313.8
<b>Race/Ethnicity<sup>e</sup></b>						
Black	60	55.0%	36.8	1,057	55.5%	648.0
Hispanic/Latinx	6	5.5%	26.2	105	5.5%	459.2
White	40	36.7%	10.1	700	36.8%	176.6
Other	3	2.8%	n/a	41	2.2%	n/a
<b>Gender<sup>f</sup></b>						
Female	20	18.3%	6.4	449	23.6%	144.8
Male	83	76.1%	28.0	1,424	74.8%	480.4
Transgender Male to Female	6	5.5%	n/a	30	1.6%	n/a
Transgender Female to Male	0	0.0%	n/a	0	0.0%	n/a
<b>Age<sup>g</sup></b>						
0-14	0	0.0%	0.0	2	0.1%	n/a
15-19	4	3.7%	n/a	11	0.6%	27.9
20-29	39	35.8%	47.3	251	13.2%	304.3
30-39	29	26.6%	34.2	453	23.8%	534.4
40-49	10	9.2%	14.6	340	17.9%	494.8
50+	27	24.8%	13.2	846	44.5%	412.6
<b>Risk<sup>h</sup></b>						
GBM	73	67.6%	n/a	1,092	57.6%	n/a
PWID	8	7.4%	n/a	130	6.9%	n/a
GBM/PWID	6	5.6%	n/a	94	5.0%	n/a
High Risk Heterosexual	21	19.4%	n/a	562	29.6%	n/a
Perinatal	0	0.0%	n/a	12	0.6%	n/a
Transfusion/Hemophilia	0	0.0%	n/a	5	0.3%	n/a
Other	0	0.0%	n/a	1	0.1%	n/a
<b>Parish<sup>i</sup></b>						
Acadia	8	7.3%	12.8	146	7.7%	234.1
Evangeline	6	5.5%	17.9	95	5.0%	283.7
Iberia	10	9.2%	14.1	171	9.0%	241.7
Lafayette	61	56.0%	25.0	939	49.3%	385.3
St. Landry	11	10.1%	13.3	325	17.1%	392.6
St. Martin	6	5.5%	11.2	122	6.4%	227.6
Vermilion	7	6.4%	11.7	105	5.5%	175.6

<sup>a</sup> New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.

<sup>b</sup> Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

<sup>c</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.

<sup>d</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.

<sup>e</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>f</sup> Cases are presented by current gender identity rather than sex at birth.

<sup>g</sup> Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2020 census age groups.

<sup>h</sup> Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.

<sup>i</sup> Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

# Reported Cases of Primary and Secondary Syphilis Region 4 - Lafayette, 2021

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	104	100.0%	17.1

### Race/Ethnicity<sup>d</sup>

Black	52	50.0%	31.9
Hispanic/Latinx	1	1.0%	n/a
White	47	45.2%	11.9
Other	4	3.8%	n/a

### Affected Subpopulations Female<sup>h</sup>

	Cases <sup>b</sup>	%
Black Female 20-29	8	7.7%
White Female 20-29	7	6.7%
White Female 30-39	5	4.8%

### Gender<sup>e</sup>

Female	33	31.7%	10.6
Male	70	67.3%	23.6
Transgender Male to Female	1	1.0%	n/a
Transgender Female to Male	0	0.0%	n/a

### Age<sup>f</sup>

10-19	9	8.7%	10.9
20-29	46	44.2%	55.8
30-39	25	24.0%	29.5
40-49	13	12.5%	18.9
50+	11	10.6%	5.4

### Affected Subpopulations Male<sup>h</sup>

Black Male 20-29	18	17.3%
Black Male 30-39	13	12.5%
Black Male 40-49	5	4.8%
White Male 20-29	12	11.5%
White Male 30-39	5	4.8%
White Male 50+	5	4.8%

### Parish<sup>g</sup>

Acadia	14	13.5%	22.4
Evangeline	3	2.9%	n/a
Iberia	16	15.4%	22.6
Lafayette	52	50.0%	21.3
St. Landry	10	9.6%	12.1
St. Martin	4	3.8%	n/a
Vermilion	5	4.8%	8.4

<sup>a</sup> New diagnoses include only individuals whose initial primary and secondary syphilis diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Cases are presented by current gender identity rather than sex at birth.

<sup>f</sup> Age when first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Age categories align with 2020 census age groups.

<sup>g</sup> Parish where first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

<sup>h</sup> All subpopulations under 5 were excluded.

# Reported Cases of Congenital Syphilis Louisiana, 2021

Region specific table not available due to low case counts.

## Infants and Mothers Linked to New Congenital Syphilis Cases<sup>a</sup>

	Cases	%	Rate <sup>b</sup>
Total Infant CS Cases	110	100.0%	191.7
Total Mothers Linked to New Cases	107	100.0%	4.5
<b>Maternal Race/Ethnicity</b>			
Black	70	65.4%	8.9
Hispanic/Latinx	6	5.6%	5.3
White	31	29.0%	2.2
Other	0	0.0%	n/a
<b>Maternal Age<sup>c</sup></b>			
15-19	7	6.5%	4.8
20-24	28	26.2%	18.3
25-29	33	30.8%	19.5
30-34	26	24.3%	15.8
35+	13	12.1%	4.4
<b>Maternal Region of Residence<sup>d</sup></b>			
Region 1 - New Orleans	9	8.4%	1.9
Region 2 - Baton Rouge	18	16.8%	5.2
Region 3 - Houma	6	5.6%	3.0
Region 4 - Lafayette	13	12.1%	4.2
Region 5 - Lake Charles	3	2.8%	n/a
Region 6 - Alexandria	22	20.6%	14.8
Region 7 - Shreveport	10	9.3%	3.6
Region 8 - Monroe	18	16.8%	10.1
Region 9 - Hammond/Slidell	8	7.5%	2.6
<b>Infant Region of Residence<sup>d</sup></b>			
Region 1 - New Orleans	9	8.2%	87.1
Region 2 - Baton Rouge	18	16.4%	209.4
Region 3 - Houma	6	5.5%	129.5
Region 4 - Lafayette	14	12.7%	171.8
Region 5 - Lake Charles	3	2.7%	n/a
Region 6 - Alexandria	22	20.0%	564.5
Region 7 - Shreveport	11	10.0%	174.7
Region 8 - Monroe	19	17.3%	466.1
Region 9 - Hammond/Slidell	8	7.3%	105.5
<b>Maternal Stage of Syphilis</b>			
Primary	4	3.7%	n/a
Secondary	5	4.7%	n/a
Early non-primary non-secondary	48	44.9%	n/a
Unknown/Late Latent	47	43.9%	n/a
Other	3	2.8%	n/a

<sup>a</sup> New cases only include those who indicated a Louisiana residence at the time of delivery.

<sup>b</sup> Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

<sup>c</sup> Reflects maternal age at delivery.

<sup>d</sup> Reflects maternal and infant region of residence at delivery.

# Reported Cases of Gonorrhea Region 4 - Lafayette, 2021

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	2,143	100.0%	353.3

### Race/Ethnicity<sup>d</sup>

Black	1,457	68.8%	893.2
Hispanic/Latinx	43	2.0%	188.1
White	557	26.3%	140.5
Other	61	2.9%	n/a

### Sex at Birth

Female	1,008	47.1%	325.1
Male	1,134	52.9%	382.6

### Age<sup>e</sup>

Under 10	4	0.2%	n/a
10-19	598	27.9%	725.3
20-29	1,057	49.3%	1,281.4
30-39	333	15.5%	392.9
40-49	106	4.9%	154.3
50+	45	2.1%	21.9

### Parish<sup>f</sup>

Acadia	205	9.6%	328.7
Evangeline	95	4.4%	283.7
Iberia	323	15.1%	456.5
Lafayette	863	40.3%	354.1
St. Landry	302	14.1%	364.8
St. Martin	203	9.5%	378.7
Vermilion	152	7.1%	254.2

### Affected Subpopulations Females<sup>g</sup>

	Cases <sup>b</sup>	%
Black Female 10-19	225	10.6%
Black Female 20-29	300	14.2%
Black Female 30-39	57	2.7%
Black Female 40-49	19	0.9%
Black Female 50+	9	0.4%
Hispanic Female 10-19	5	0.2%
Hispanic Female 20-29	8	0.4%
Other Female 10-19	14	0.7%
Other Female 20-29	13	0.6%
White Female 10-19	85	4.0%
White Female 20-29	151	7.1%
White Female 30-39	64	3.0%
White Female 40-49	37	1.7%

### Affected Subpopulations Males<sup>g</sup>

Black Male 10-19	216	10.2%
Black Male 20-29	451	21.3%
Black Male 30-39	135	6.4%
Black Male 40-49	25	1.2%
Black Male 50+	17	0.8%
Hispanic Male 10-19	12	0.6%
Hispanic Male 20-29	8	0.4%
Other Male 10-19	5	0.2%
Other Male 20-29	13	0.6%
Other Male 30-39	10	0.5%
White Male 10-19	22	1.0%
White Male 20-29	107	5.1%
White Male 30-39	55	2.6%
White Male 40-49	17	0.8%
White Male 50+	16	0.8%

<sup>a</sup> New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2020 census age groups.

<sup>f</sup> Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.



# Reported Cases of Chlamydia Region 4 - Lafayette, 2021

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	4,036	100.0%	665.5

### Race/Ethnicity<sup>d</sup>

Black	2,458	61.6%	1,506.8
Hispanic/Latinx	100	2.5%	437.3
White	1,287	32.2%	324.7
Other	146	3.7%	n/a

### Sex at Birth

Female	2,643	65.5%	852.3
Male	1,393	34.5%	470.0

### Age<sup>e</sup>

Under 10	2	0.0%	n/a
10-19	1,474	36.5%	1,787.9
20-29	2,025	50.2%	2,454.9
30-39	408	10.1%	481.3
40-49	90	2.2%	131.0
50+	37	0.9%	18.0

### Parish<sup>f</sup>

Acadia	378	9.4%	606.1
Evangeline	190	4.7%	567.3
Iberia	525	13.0%	741.9
Lafayette	1,639	40.6%	672.6
St. Landry	640	15.9%	773.1
St. Martin	367	9.1%	684.6
Vermilion	297	7.4%	496.8

### Affected Subpopulations Females<sup>g</sup>

	Cases <sup>b</sup>	%
Black Female 10-19	628	15.7%
Black Female 20-29	740	18.5%
Black Female 30-39	118	3.0%
Black Female 40-49	20	0.5%
Black Female 50+	10	0.3%
Hispanic Female 10-19	34	0.9%
Hispanic Female 20-29	27	0.7%
Hispanic Female 30-39	7	0.2%
Other Female 10-19	35	0.9%
Other Female 20-29	64	1.6%
Other Female 30-39	9	0.2%
White Female 10-19	366	9.2%
White Female 20-29	447	11.2%
White Female 30-39	85	2.1%
White Female 40-49	18	0.5%

### Affected Subpopulations Males<sup>g</sup>

	Cases <sup>b</sup>	%
Black Male 10-19	299	7.5%
Black Male 20-29	489	12.3%
Black Male 30-39	113	2.8%
Black Male 40-49	26	0.7%
Black Male 50+	13	0.3%
Hispanic Male 10-19	8	0.2%
Hispanic Male 20-29	12	0.3%
Hispanic Male 30-39	8	0.2%
Other Male 10-19	5	0.1%
Other Male 20-29	21	0.5%
Other Male 30-39	8	0.2%
White Male 10-19	75	1.9%
White Male 20-29	208	5.2%
White Male 30-39	57	1.4%
White Male 40-49	20	0.5%
White Male 50+	8	0.2%

<sup>a</sup> New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2020 census age groups.

<sup>f</sup> Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.

# Reported Cases of Acute Hepatitis B Louisiana, 2021

Region specific table not available due to low case counts.

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	36	100.0%	0.8

### Race/Ethnicity<sup>d</sup>

Asian	1	2.8%	n/a
Black	12	33.3%	0.7
Hispanic/Latinx	1	2.8%	n/a
White	22	61.1%	0.8
Other	0	0.0%	n/a

### Affected Subpopulations Female<sup>g</sup>

Cases <sup>b</sup>	%
White Female	11 30.6%

### Sex at Birth

Female	14	38.9%	0.5
Male	22	61.1%	0.9

### Age<sup>e</sup>

0-17	0	0.0%	0.0
18-29	5	13.9%	0.6
30-39	5	13.9%	0.7
40-49	15	41.7%	2.7
50-59	7	19.4%	1.2
60-69	3	8.3%	n/a
70+	1	2.8%	n/a

### Region<sup>f</sup>

Region 1 - New Orleans	7	19.4%	0.7
Region 2 - Baton Rouge	6	16.7%	0.8
Region 3 - Houma	2	5.6%	n/a
Region 4 - Lafayette	6	16.7%	0.9
Region 5 - Lake Charles	3	8.3%	n/a
Region 6 - Alexandria	2	5.6%	n/a
Region 7 - Shreveport	0	0.0%	0.0
Region 8 - Monroe	3	8.3%	n/a
Region 9 - Hammond/Slidell	7	19.4%	1.1

### Affected Subpopulations Male<sup>g</sup>

Black Male	9 25.0%
White Male	11 30.6%

<sup>a</sup> New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2020 census age groups.

<sup>f</sup> Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.

# Reported Cases of Chronic Hepatitis B Region 4 - Lafayette, 2021

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	145	100.0%	24.0

### Race/Ethnicity<sup>d</sup>

Asian	15	10.6%	164.8
Black	54	38.0%	32.5
Hispanic/Latinx	6	4.2%	25.4
White	65	45.8%	16.4
Other	2	1.4%	n/a

### Affected Subpopulations Female<sup>g</sup>

	Cases <sup>b</sup>	%
Black Female 18-29	5	3.5%
Black Female 60-69	5	3.5%
White Female 18-29	5	3.5%
White Female 50-59	6	4.2%

### Sex at Birth

Female	55	37.9%	17.8
Male	90	62.1%	30.5

### Age<sup>e</sup>

0-17	0	0.0%	0.0
18-29	16	11.0%	17.2
30-39	32	22.1%	38.3
40-49	28	19.3%	39.7
50-59	32	22.1%	42.2
60-69	18	12.4%	25.3
70+	19	13.1%	30.9

### Parish<sup>f</sup>

Acadia	11	7.6%	17.8
Evangeline	7	4.8%	21.0
Iberia	15	10.3%	21.7
Lafayette	72	49.7%	29.2
St. Landry	23	15.9%	28.2
St. Martin	4	2.8%	n/a
Vermillion	13	9.0%	21.9

### Affected Subpopulations Male<sup>g</sup>

Black Male 30-39	8	5.6%
Black Male 40-49	6	4.2%
Black Male 50-59	6	4.2%
Black Male 60-69	7	4.9%
Black Male 70+	5	3.5%
White Male 30-39	10	7.0%
White Male 40-49	12	8.5%
White Male 50-59	9	6.3%
White Male 70+	8	5.6%

<sup>a</sup> New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2020 census age groups.

<sup>f</sup> Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.



# Reported Cases of Acute Hepatitis C

## Region 4 - Lafayette, 2021

### New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	36	100.0%	6.0

#### Race/Ethnicity<sup>d</sup>

Asian	0	0.0%	0.0
Black	7	19.4%	0.4
Hispanic/Latinx	3	8.3%	n/a
White	24	66.7%	0.8
Other	2	5.6%	n/a

#### Affected Subpopulations Female<sup>g</sup>

Cases <sup>b</sup>	%
White Female	10 27.8%

#### Sex at Birth

Female	17	47.2%	0.7
Male	19	52.8%	0.8

#### Age<sup>e</sup>

0-17	0	0.0%	0.0
18-29	6	16.7%	0.8
30-39	12	33.3%	1.8
40-49	8	22.2%	1.4
50-59	4	11.1%	n/a
60-69	6	16.7%	1.0
70+	0	0.0%	0.0

#### Parish<sup>f</sup>

Acadia	2	5.6%	n/a
Evangeline	1	2.8%	n/a
Iberia	3	8.3%	n/a
Lafayette	19	52.8%	7.7
St. Landry	2	5.6%	n/a
St. Martin	7	19.4%	13.2
Vermilion	2	5.6%	n/a

#### Affected Subpopulations Male<sup>g</sup>

White Male	14 38.9%
------------	----------

<sup>a</sup> New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.

<sup>f</sup> Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.

# Reported Cases of Chronic Hepatitis C Region 4 - Lafayette, 2021

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	434	100.0%	71.8

### Race/Ethnicity<sup>d</sup>

Asian	2	0.5%	n/a
Black	153	36.2%	10.1
Hispanic/Latinx	26	6.1%	10.2
White	230	54.4%	8.5
Other	12	2.8%	n/a

### Sex at Birth

Female	151	34.8%	6.3
Male	283	65.2%	12.4

### Age<sup>e</sup>

0-17	3	0.7%	n/a
18-29	39	9.0%	5.2
30-39	80	18.4%	12.5
40-49	59	13.6%	10.7
50-59	112	25.8%	19.4
60-69	121	27.9%	21.8
70+	20	4.6%	3.9

### Parish<sup>f</sup>

Acadia	46	10.6%	74.3
Evangeline	17	3.9%	51.1
Iberia	55	12.7%	79.7
Lafayette	157	36.2%	63.7
St. Landry	89	20.5%	109.3
St. Martin	43	9.9%	81.2
Vermilion	27	6.2%	45.5

### Affected Subpopulations Females<sup>g</sup>

	Cases <sup>b</sup>	%
Black Female 18-29	5	1.2%
Black Female 40-49	7	1.7%
Black Female 50-59	12	2.8%
Black Female 60-69	24	5.7%
Hispanic Female 18-29	5	1.2%
White Female 18-29	9	2.1%
White Female 30-39	25	5.9%
White Female 40-49	10	2.4%
White Female 50-59	21	5.0%
White Female 60-69	11	2.6%

### Affected Subpopulations Males<sup>g</sup>

	Cases <sup>b</sup>	%
Black Male 30-39	5	1.2%
Black Male 40-49	7	1.7%
Black Male 50-59	28	6.6%
Black Male 60-69	50	11.8%
Black Male 70+	7	1.7%
Hispanic Male 30-39	6	1.4%
Hispanic Male 50-59	7	1.7%
White Male 18-29	17	4.0%
White Male 30-39	38	9.0%
White Male 40-49	28	6.6%
White Male 50-59	34	8.0%
White Male 60-69	28	6.6%
White Male 70+	5	1.2%

<sup>a</sup> New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.

<sup>f</sup> Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.