STI/HIV/Hepatitis B & C Update 2021 Data Tables

Shreveport Region 7



Reported Cases of HIV Region 7 - Shreveport, 2021

		2021 N	lew Diagno	Sesa	2021	Prevalence	e ^b
		Cases⁰	%	Rated	Cases∘	%	Rate
	Total	115	100.0%	21.4	2,074	100.0%	386.6
Race/Ethr	nicity®						
	Black	81	70.4%	38.6	1,533	73.9%	730.0
	Hispanic/Latinx	0	0.0%	0.0	54	2.6%	278.4
	White	30	26.1%	10.5	447	21.6%	155.9
	Other	4	3.5%	n/a	40	1.9%	n/a
Gender ^f							
	Female	29	25.2%	10.5	612	29.5%	221.4
	Male	82	71.3%	31.5	1,426	68.8%	548.
	Transgender Male to Female	4	3.5%	n/a	36	1.7%	n/a
	Transgender Female to Male	0	0.0%	0.0	0	0.0%	n/
Ageg							
	0-14	0	0.0%	0.0	1	0.0%	n/
	15-19	6	5.2%	17.6	8	0.4%	23.
	20-29	51	44.3%	70.5	293	14.1%	405.
	30-39	18	15.7%	25.3	555	26.8%	779.
	40-49	19	16.5%	31.2	480	23.1%	789.
	50+	21	18.3%	10.9	737	35.5%	384.
Risk ^h							
	GBM	67	58.3%	n/a	1,052	51.0%	n/a
	PWID	7	6.1%	n/a	147	7.1%	n/a
	GBM/PWID	7	6.1%	n/a	108	5.2%	n/a
	High Risk Heterosexual	34	29.6%	n/a	736	35.7%	n/a
	Perinatal	0	0.0%	n/a	14	0.7%	n/a
	Transfusion/Hemophilia	0	0.0%	n/a	5	0.2%	n/a
	Other	0	0.0%	n/a	0	0.0%	n/a
Parish							
	Bienville	0	0.0%	0.0	51	2.5%	380.9
	Bossier	21	18.3%	16.5	374	18.0%	294.6
	Caddo	78	67.8%	32.1	1,297	62.5%	533.2
	Claiborne	0	0.0%	0.0	52	2.5%	328.0
	De Soto	7	6.1%	25.6	63	3.0%	230.0
	Natchitoches	4	3.5%	n/a	144	6.9%	374.0
	Red River	0	0.0%	0.0	12	0.6%	141.8
	Sabine	2	1.7%	n/a	19	0.9%	79.4
	Webster	3	2.6%	n/a	62	3.0%	159.7

^a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.
^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.
^c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.
^e Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^f Cases are presented by current gender identity rather than sex at birth.
^g Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2020 census age groups.
^h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.
ⁱ Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.



Reported Cases of Primary and Secondary Syphilis Region 7 - Shreveport, 2021

				New Diagn	OSES ^a		
		Cases ^b	%	Rate∘			_
	Total	91	100.0%	17.0			
Race/E	thnicityd				Affected Subpopulations Female ^h	Cases ^b	%
	Black	56	61.5%	26.7	Black Female 20-29	6	6.6%
	Hispanic/Latinx	1	1.1%	n/a			
	White	32	35.2%	11.2			
	Other	2	2.2%	n/a			
Gende	re						
	Female	24	26.4%	8.7			
	Male	66	72.5%	25.4			
	Transgender Male to Female	1	1.1%	n/a			
	Transgender Female to Male	0	0.0%	n/a			
Age ^f					Affected Subpopulations Male ^h		
C	10-19	4	4.4%	n/a	Black Male 20-29	19	20.9%
	20-29	35	38.5%	48.4	Black Male 30-39	16	17.6%
	30-39	29	31.9%	40.7	Black Male 40-49	7	7.7%
	40-49	13	14.3%	21.4	White Male 30-39	7	7.7%
	50+	10	11.0%	5.2	White Male 50+	7	7.7%
Parish	3						
	Bienville	2	2.2%	n/a			
	Bossier	15	16.5%	11.8			
	Caddo	58	63.7%	23.8			
	Claiborne	0	0.0%	0.0			
	De Soto	2	2.2%	n/a			
	Natchitoches	11	12.1%	28.6			
	Red River	1	1.1%	n/a			
	Sabine	1	1.1%	n/a			
	Webster	1	1.1%	n/a			

New diagnoses include only individuals whose initial primary and secondary syphillis diagnosis was made in Louisiana.
Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
Cases are presented by current gender identity rather than sex at birth.
Age when first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Age categories align with 2020 census age groups.
Parish where first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Persons without a parish of residence are not include in the total percentage.
All subpopulations under 5 were excluded.



Reported Cases of Congenital Syphilis Louisiana, 2021

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

			o New Cor	-
		Cases	%	Rate
	Total Infant CS Cases	110	100.0%	191.7
	Total Mothers Linked to New Cases	107	100.0%	4.5
Maternal Race	Ethnicity			
	Black	70	65.4%	8.9
	Hispanic/Latinx	6	5.6%	5.3
	White	31	29.0%	2.2
	Other	0	0.0%	n/a
Maternal Age∘				
	15-19	7	6.5%	4.8
	20-24	28	26.2%	18.3
	25-29	33	30.8%	19.5
	30-34	26	24.3%	15.8
	35+	13	12.1%	4.4
Maternal Regio	on of Residence ^d			
_	Region 1 - New Orleans	9	8.4%	1.9
	Region 2 - Baton Rouge	18	16.8%	5.2
	Region 3 - Houma	6	5.6%	3.0
	Region 4 - Lafayette	13	12.1%	4.2
	Region 5 - Lake Charles	3	2.8%	n/a
	Region 6 - Alexandria	22	20.6%	14.8
	Region 7 - Shreveport	10	9.3%	3.6
	Region 8 - Monroe	18	16.8%	10.1
	Region 9 - Hammond/Slidell	8	7.5%	2.6
Infant Region	of Residence ^d			
	Region 1 - New Orleans	9	8.2%	87.1
	Region 2 - Baton Rouge	18	16.4%	209.4
	Region 3 - Houma	6	5.5%	129.5
	Region 4 - Lafayette	14	12.7%	171.8
	Region 5 - Lake Charles	3	2.7%	n/a
	Region 6 - Alexandria	22	20.0%	564.5
	Region 7 - Shreveport	11	10.0%	174.7
	Region 8 - Monroe	19	17.3%	466.1
	Region 9 - Hammond/Slidell	8	7.3%	105.5
Maternal Stage	of Syphilis			
	Primary	4	3.7%	n/a
	Secondary	5	4.7%	n/a
	Early non-primary non-secondary	48	44.9%	n/a
	•	47	40.00/	n/o
	Unknown/Late Latent	47	43.9%	n/a

^a New cases only include those who indicated a Louisiana residence at the time of delivery.
 ^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.
 ^c Reflects maternal and infant region of residence at delivery.



Reported Cases of Gonorrhea Region 7 - Shreveport, 2021

				New Diagnose
		Cases ^b	%	Ratec
	Total	1,719	100.0%	320.4
Race/E	Ethnicity ^d			
	Black	1,239	73.4%	590.0
	Hispanic/Latinx	23	1.4%	118.6
	White	332	19.7%	115.8
	Other	94	5.6%	n/a
Sex at	Birth			
	Female	879	51.1%	317.9
	Male	840	48.9%	323.0
Agee				
, .go	Under 10	3	0.2%	n/a
	10-19	439	25.5%	613.3
	20-29	849	49.4%	1,173.8
	30-39	318	18.5%	446.7
	40-49	77	4.5%	126.6
	50+	33	1.9%	17.2
Parisl	ſ			
	Bienville	36	2.1%	268.8
	Bossier	298	17.3%	234.7
	Caddo	895	52.1%	367.9
	Claiborne	32	1.9%	201.8
	De Soto	74	4.3%	270.1
	Natchitoches	164	9.5%	425.9

New Diagnose	Sa
--------------	----

Affected Subpopulations Female ^g	Cases ^b	%
Black Female 10-19	208	12.3%
Black Female 20-29	328	19.4%
Black Female 30-39	62	3.7%
Black Female 40-49	12	0.7%
Hispanic Female 20-29	5	0.3%
Other Female 10-19	13	0.8%
Other Female 20-29	27	1.6%
White Female 10-19	32	1.9%
White Female 20-29	84	5.0%
White Female 30-39	69	4.1%
White Female 40-49	14	0.8%
White Female 50+	5	0.3%

Bienville	36	2.1%	268.8	
Bossier	298	17.3%	234.7	
Caddo	895	52.1%	367.9	
Claiborne	32	1.9%	201.8	
De Soto	74	4.3%	270.1	
Natchitoches	164	9.5%	425.9	
Red River	32	1.9%	378.2	
Sabine	43	2.5%	179.8	
Webster	145	8.4%	373.6	
				-

Affected Subp	pulations	Maleg
---------------	-----------	-------

Black Male 10-19	145	8.6%
Black Male 20-29	308	18.2%
Black Male 30-39	126	7.5%
Black Male 40-49	29	1.7%
Black Male 50+	18	1.1%
Hispanic Male 20-29	7	0.4%
Hispanic Male 30-39	6	0.4%
Other Male 10-19	13	0.8%
Other Male 20-29	30	1.8%
Other Male 30-39	6	0.4%
White Male 10-19	11	0.7%
White Male 20-29	47	2.8%
White Male 30-39	43	2.5%
White Male 40-49	19	1.1%
White Male 50+	7	0.4%

^a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^e Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2020 census age groups.
^f Parish Where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.
^g Affected subpopulations with counts less than 5 are excluded.





Reported Cases of Chlamydia Region 7 - Shreveport, 2021

				New Diagnos
		Cases ^b	%	Rate ^c
	Total	3,613	100.0%	673.4
Race/E	ithnicity ^d			
	Black	2,448	69.0%	1,165.8
	Hispanic/Latinx	79	2.2%	407.3
	White	802	22.6%	279.8
	Other	217	6.1%	n/a
Sex at	Birth			
	Female	2,468	68.3%	892.7
	Male	1,145	31.7%	440.3
Agee				
•	Under 10	1	0.0%	n/a
	10-19	1,218	33.7%	1,701.6
	20-29	1,871	51.8%	2,586.7
	30-39	388	10.7%	545.1
	40-49	84	2.3%	138.1
	50+	51	1.4%	26.6
Parish	ŋf			
	Bienville	94	2.6%	702.0
	Bossier	649	18.0%	511.2
	Caddo	1,757	48.6%	722.3
	Claiborne	82	2.3%	517.2
	De Soto	184	5.1%	671.7
	Natchitoches	429	11.9%	1,114.1
	Red River	63	1.7%	744.5
	Sabine	118	3.3%	493.4
	Webster	237	6.6%	610.6

sesa

Affected Subpopulations Female ^g	Cases ^b	%
Black Female 10-19	594	16.8%
Black Female 20-29	862	24.3%
Black Female 30-39	128	3.6%
Black Female 40-49	16	0.5%
Hispanic Female 10-19	23	0.6%
Hispanic Female 20-29	25	0.7%
Hispanic Female 30-39	5	0.1%
Other Female 10-19	60	1.7%
Other Female 20-29	93	2.6%
Other Female 30-39	6	0.2%
White Female 10-19	204	5.8%
White Female 20-29	309	8.7%
White Female 30-39	77	2.2%
White Female 40-49	13	0.4%

Affected Subpopulations Male^g

u	Suppopulations males		
	Black Male 10-19	242	6.8%
	Black Male 20-29	420	11.8%
	Black Male 30-39	129	3.6%
	Black Male 40-49	31	0.9%
	Black Male 50+	22	0.6%
	Hispanic Male 10-19	10	0.3%
	Hispanic Male 20-29	12	0.3%
	Other Male 10-19	18	0.5%
	Other Male 20-29	28	0.8%
	Other Male 30-39	5	0.1%
	White Male 10-19	36	1.0%
	White Male 20-29	96	2.7%
	White Male 30-39	35	1.0%
	White Male 40-49	14	0.4%
	White Male 50+	14	0.4%

^a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2020 census age groups.
^f Parish Where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.
^g Affected subpopulations with counts less than 5 are excluded.





Reported Cases of Acute Hepatitis B Louisiana, 2021

Region specific table not available due to low case counts.

New Diagnoses^a **Cases**^b % Ratec Total 36 100.0% 0.8 Race/Ethnicity^d n/a 1 2.8% Asian Black 12 33.3% 0.7 Hispanic/Latinx 1 2.8% n/a 0.8 White 22 61.1% Other 0 0.0% n/a Sex at Birth 14 0.5 Female 38.9% 22 0.9 Male 61.1% Agee 0-17 0 0.0% 0.0 18-29 5 13.9% 0.6 30-39 5 0.7 13.9% 2.7 40-49 15 41.7% 50-59 7 19.4% 1.2 60-69 3 n/a 8.3% 70+ 1 2.8% n/a Aff Regionf Region 1 - New Orleans 7 19.4% 0.7 Region 2 - Baton Rouge 6 0.8 16.7% 2 Region 3 - Houma 5.6% n/a Region 4 - Lafayette 6 16.7% 0.9 Region 5 - Lake Charles 3 8.3% n/a Region 6 - Alexandria 2 5.6% n/a 0 0.0 Region 7 - Shreveport 0.0%

% **Cases**^b Affected Subpopulations Female^g 30.6% 11 White Female

fected Subpopulations Male ^g			
Black Male	9	25.0%	
White Male	11	30.6%	

New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.
 Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

3

7

8.3%

19.4%

n/a

1.1

c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Case bein for our population. Rates not available (ma) for case counts less than 5. Rates not available for Other face groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2020 census age groups.
 Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not include the tact.

included in the total percentage

9 Affected subpopulations with counts less than 5 are excluded

Region 8 - Monroe

Region 9 - Hammond/Slidell



Reported Cases of Chronic Hepatitis B Region 7 - Shreveport, 2021

	New Diagnoses ^a						
		Cases ^b	%	Rate ^c			
	Total	139	100.0%	26.3	-		
Race/E	thnicityd				Affected Subpopulations Female ^g	Cases ^b	%
	Asian	9	6.8%	144.8	Black Female 18-29	7	5.3%
	Black	75	56.8%	36.3	Black Female 40-49	8	6.1%
	Hispanic/Latinx	2	1.5%	n/a	Black Female 60-69	11	8.3%
	White	45	34.1%	15.9	White Female 30-39	6	4.5%
	Other	1	0.8%	n/a	White Female 70+	6	4.5%
Sex at	Birth						
	Female	63	45.3%	23.1	-		
	Male	76	54.7%	29.7			
Agee							
Age	0-17	5	3.6%	3.8	-		
	18-29	15	10.8%	18.2			
	30-39	21	15.1%	30.3			
	40-49	26	18.7%	42.6			
	50-59	23	16.5%	36.2			
	60-69	31	22.3%	48.2			
	70+	18	12.9%	27.7			
Parish ^f					Affected Subpopulations Maleg		
i unon	Bienville	3	2.2%	n/a	Black Male 40-49	9	6.8%
	Bossier	25	18.0%	19.6	Black Male 50-59	7	5.3%
	Caddo	76	54.7%	32.0	Black Male 60-69	11	8.3%
	Caliborne	2	1.4%	n/a	White Male 50-59	8	6.1%
	De Soto	8	5.8%	28.9			
	Natchitoches	11	7.9%	29.2			
	Red River	2	1.4%	n/a			
	Sabine	3	2.2%	n/a			
	Webster	9	6.5%	23.7			

^a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completenes.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race counts.

Cases per 100,000 population. Kates not available (n/a) for case counts less than 5. Kates not available for "Other" race groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2020 census age groups.
 Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
 Affected subpopulations with counts less than 5 are excluded.



Reported Cases of Acute Hepatitis C Region 7 - Shreveport, 2021

				New D
		Cases ^b	%	Rate
	Total	12	100.0%	2.3
Race/E	Ethnicity ^d			
	Asian	1	8.3%	n/a
	Black	4	33.3%	n/a
	Hispanic/Latinx	2	16.7%	n/a
	White	5	41.7%	0.1
	Other	0	0.0%	0.0
Sex at	Birth			
	Female	6	50.0%	0.2
	Male	6	50.0%	0.2
Agee				
•	0-17	0	0.0%	0.0
	18-29	3	25.0%	n/a
	30-39	2	16.7%	n/a
	40-49	3	25.0%	n/a
	50-59	3	25.0%	n/a
	60-69	0	0.0%	0.0
	70+	1	8.3%	n/a
Parish	f			
	Bienville	0	0.0%	0.0
	Bossier	3	25.0%	n/a
	Caddo	8	66.7%	3.3
	Claiborne	0	0.0%	0.0
	De Soto	0	0.0%	0.0
	Natchitoches	0	0.0%	0.0
	Red River	0	0.0%	0.0
	Sabine	0	0.0%	0.0

New Diagnoses^a

Affected Subpopulations Female^g **Cases**^b

All female subpopulations had a case count less than 5.

%

11311				
	Bienville	0	0.0%	0.0
	Bossier	3	25.0%	n/a
	Caddo	8	66.7%	3.3
	Claiborne	0	0.0%	0.0
	De Soto	0	0.0%	0.0
	Natchitoches	0	0.0%	0.0
	Red River	0	0.0%	0.0
	Sabine	0	0.0%	0.0
	Webster	1	8.3%	n/a

Affected Subpopulations Maleg

All male subpopulations had a case count less than 5.

^a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.
 ^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 ^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Cases per 100,000 population. Kates not available (n/a) for case counts less than 5. Kates not available for "Other" race groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.
 Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not include the text devices.

included in the total percentage. 9 Affected subpopulations with counts less than 5 are excluded.



Reported Cases of Chronic Hepatitis C Region 7 - Shreveport, 2021

				New Diag	nose
		Cases ^b	%	Rate ^c	
	Total	431	100.0%	81.5	-
Race/E	Ethnicityd				ŀ
	Asian	0	0.0%	0.0	-
	Black	186	45.4%	12.3	
	Hispanic/Latinx	16	3.9%	6.3	
	White	203	49.5%	7.5	
	Other	5	1.2%	n/a	-
Sex at	Birth				_
	Female	196	45.5%	8.2	
	Male	235	54.5%	10.3	-
Age®					
	0-17	2	0.5%	n/a	-
	18-29	18	4.2%	2.4	
	30-39	61	14.2%	9.5	
	40-49	62	14.4%	11.3	
	50-59	105	24.4%	18.2	
	60-69	143	33.2%	25.8	
	70+	40	9.3%	7.8	

Affected Subpopulations Female ^g	Cases ^b	%
Black Female 30-39	6	1.5%
Black Female 40-49	5	1.2%
Black Female 50-59	24	5.8%
Black Female 60-69	27	6.6%
Black Female 70+	13	3.2%
White Female 18-29	7	1.7%
White Female 30-39	25	6.1%
White Female 40-49	24	5.8%
White Female 50-59	24	5.8%
White Female 60-69	15	3.6%
White Female 70+	5	1.2%

Parishf

arisn					
	Bienville	6	1.4%	46.2	
	Bossier	66	15.3%	51.9	
	Caddo	256	59.4%	107.8	
	Claiborne	13	3.0%	83.8	
	De Soto	12	2.8%	43.3	
	Natchitoches	20	4.6%	53.1	
	Red River	9	2.1%	108.6	
	Sabine	11	2.6%	46.2	
	Webster	38	8.8%	100.2	

Affected Subpopulations Maleg

 Black Male 30-39	5	1.2%	
Black Male 40-49	7	1.7%	
Black Male 50-59	26	6.3%	
Black Male 60-69	53	12.9%	
Black Male 70+	14	3.4%	
White Male 30-39	21	5.1%	
White Male 40-49	19	4.6%	
White Male 50-59	23	5.6%	
 White Male 60-69	33	8.0%	

^a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.
 ^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 ^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.
Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
Affected subpopulations with counts less than 5 are excluded.

