

# Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Quarterly Report July 1, 2017 - September 30, 2017

Community Based Organizations (CBOs) funded by Louisiana's Ryan White (RW) Part B program served 1,989 persons living with HIV, approximately 9% (1,989/21,719) of persons living with HIV in Louisiana.

The program served a larger proportion of persons who are female, and white compared to the larger HIV+ population in Louisiana.

Sixty-nine percent (n=1,366) of clients served live below the federal poverty level (FPL).

The majority of clients served (94%) had health insurance.

## CHARACTERISTICS OF CLIENTS SERVED

NUMBER OF CLIENTS SERVED\*

1.989

### Gender

	n	%
Female	637	32.0%
Male	1,331	66.9%
Transgender	21	1.1%

## Race/Ethnicity

	n	%
Black	1,305	65.6%
Hispanic	27	1.4%
White	604	30.4%
Other	53	2.7%

## **Age Group**

	n	%
0-12	2	0.1%
13-24	102	5.1%
25-44	794	39.9%
45-64	997	50.1%
65+	94	4.7%

### Percentage of FPL

	n	%
Below 100	1,366	68.7%
100-199	523	26.3%
200-299	96	4.8%
300+	4	0.2%

## **Primary Health Insurance Type**

Timaly realist insurance type					
	n	%			
Medicaid	1,044	52.5%			
Medicare	575	28.9%			
Other Public	16	0.8%			
Private	226	11.4%			
Uninsured	122	6.1%			
Unknown	6	0.3%			

## TOTAL HIV+ POPULATION FOR THE STATE

NUMBER OF PEOPLE LIVING WITH HIV<sup>†</sup>

21.719

### Gender

	n	%
Female	6,241	28.7%
Male	15,244	70.2%
Transgender	234	1.1%


## Race/Ethnicity

	n	%
Black	14,853	68.4%
Hispanic	992	4.6%
White	5,596	25.8%
Other	278	1.3%

## **Age Group**

	n	%
0-12	47	0.2%
13-24	1,063	4.9%
25-44	9,398	43.3%
45-64	9,944	45.8%
65+	1,267	5.8%

## Primary Health Insurance Type for RW Part B Clients Served by CBOs



Includes all clients who received a service between July 1, 2017 and September 30, 2017 from a RW Part B CBO.

<sup>&</sup>lt;sup>†</sup>Includes all persons diagnosed with HIV on or before September 30, 2017 who were last known to be alive and living in Louisiana.



## UTILIZATION


Non-medical case management was provided to 95% (n=1,887) of clients.

Food bank/home-delivered meals and medical transportation were the second and third most utilized services with 55% (n=1,098) and 41% (n=818) respectively of clients receiving these services.

Encounters for non-medical case management were most frequently classified as follow-up or monitoring, followed by treatment adherence counseling, referral/advocacy, and case conferencing.


#### SERVICES PROVIDED

			Units per	No.	Encounters
	No. Clients	No. Units	Client	Encounters	per Client
Emergency Financial Assistance	69	18,396	266.6	72	1.0
Food Bank/Home-Delivered Meals	1,098	46,939	42.7	2,332	2.1
Housing Assistance	300	184,827	616.1	664	2.2
Medical Transportation Services	818	72,578	88.7	2,631	3.2
Mental Health Services	37	172	4.6	134	3.6
Non-Medical Case Management	1,887	27,868	14.8	12,933	6.9
Oral Health Care	57	26,410	463.3	75	1.3
Psychosocial Support	66	592	9.0	171	2.6
Substance Use Services	17	281	16.5	52	3.1



Non-Medical CM Mental Health Medical Transportation Substance Use Psychosocial Support lousing Assis Food Bank Oral Health Care EFA Jan-Mar 2017 Apr-Jun 2017 Jul-Sept 2017

No. of Encounters and Clients by Type of Encounter for Non-Medical Case Management, Jul 2017 - Sept 2017





## Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Quarterly Report July 1, 2017 - September 30, 2017

### **CLINICAL OUTCOMES**

A total of 93% (1,847/1,989) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Seventy-six percent (1,510/1,989) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL.

For clients served by RW Part B CBO program who were in care, 82% (1,510/1,847) were virally suppressed. For the larger HIV+ population living in Louisiana who were in care, 83% (12,586/15,233) were virally suppressed.

Clients who are white, Hispanic, older and have higher incomes were more likely to be virally suppressed.


Clients who are uninsured are less likely to be virally suppressed. Only 57% (70/122) of those who are uninsured achieved viral suppression compared to 86% (194/226) of those with private health insurance.

Clients Served by RW Part B CBOs vs Louisiana HIV+ Population

	Total	No. In Care <sup>*</sup>	% In Care <sup>*</sup>	No. VS <sup>†</sup>	% VS <sup>†</sup>
Served by RW Part B CBOs	1,989	1,847	92.9%	1,510	75.9%
LA HIV+ Population <sup>∓</sup>	20,690	15,233	73.6%	12,586	60.8%

<sup>\*</sup>Clients defined as 'in care' had at least one CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

<sup>‡</sup>Includes persons diagnosed before October 1, 2016 and last known to be alive and living in Louisiana as of September 30, 2017.




#### Gender

	Total	No. In Care <sup>*</sup>	% In Care <sup>*</sup>	No. VS <sup>†</sup>	% VS <sup>†</sup>
Female	637	603	94.7%	481	75.5%
Male	1,331	1,224	92.0%	1,011	76.0%
Transgender	21	20	95.2%	18	85.7%

<sup>\*</sup>Clients defined as 'in care' had at least one CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

<sup>†</sup>Clients defined as 'Virally Suppressed' had at least one Viral Load reported between October 1, 2016 and September 30, 2017 with the most recent result <200 copies/mL.




#### Race/Ethnicity

		No. In	% In		
	Total	Care*	Care <sup>*</sup>	No. VS <sup>†</sup>	% VS <sup>†</sup>
Black	1,305	1,206	92.4%	958	73.4%
Hispanic	27	25	92.6%	25	92.6%
White	604	568	94.0%	487	80.6%

<sup>\*</sup>Clients defined as 'in care' had at least one CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between October 1, 2016 and September 30, 2017 with the most recent result <200 copies/mL.



<sup>†</sup>Clients defined as 'Virally Suppressed' had at least one Viral Load reported between October 1, 2016 and September 30, 2017 with the most recent result <200 copies/mL.



## Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Quarterly Report July 1, 2017 - September 30, 2017


## **CLINICAL OUTCOMES**

#### Age Group

		No. In	% In		
	Total	Care*	Care*	No. VS <sup>†</sup>	% VS <sup>†</sup>
13-24	102	86	84.3%	67	65.7%
25-44	794	728	91.7%	553	69.6%
45-64	997	945	94.8%	808	81.0%
65+	94	87	92.6%	81	86.2%

<sup>\*</sup>Clients defined as 'in care' had at least one CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

<sup>†</sup>Clients defined as 'Virally Suppressed' had at least one Viral Load reported between October 1, 2016 and September 30, 2017 with the most recent result <200 copies/mL.




Percentage of FPL

. c. cctage of E					
	Total	No. In Care <sup>*</sup>	% In Care <sup>*</sup>	No. VS <sup>†</sup>	% VS <sup>†</sup>
Below 100	1,366	1,260	92.2%	990	72.5%
100-199	523	496	94.8%	434	83.0%
200+	100	91	91.0%	86	86.0%

<sup>\*</sup>Clients defined as 'in care' had at least one CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

<sup>†</sup>Clients defined as 'Virally Suppressed' had at least one Viral Load reported between October 1, 2016 and September 30, 2017 with the most recent result <200 copies/mL.




**Primary Health Insurance Type** 

		No. In	% In		
	Total	Care*	Care <sup>*</sup>	No. VS <sup>†</sup>	% VS <sup>†</sup>
Medicaid	1,044	975	93.4%	765	73.3%
Medicare	575	551	95.8%	476	82.8%
Private	226	213	94.2%	194	85.8%
Uninsured	122	101	82.8%	70	57.4%

<sup>\*</sup>Clients defined as 'in care' had at least one CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

<sup>†</sup>Clients defined as 'Virally Suppressed' had at least one Viral Load reported between October 1, 2016 and September 30, 2017 with the most recent result <200 copies/mL.



### **UNMET NEED**

Unmet need includes persons who are defined as out of care. These persons know their positive HIV status and are not receiving HIV-related medical care. Persons living with HIV who have no evidence of receiving a viral load test or CD4 count within a 12-month period meet the definition of unmet need.

Twenty-six percent (5,457/20,690) of PLWH in Louisiana met the definition for unmet need between October 1, 2016 and September 30, 2017.

Males, Hispanics, and persons 65 years and older were most likely not to be receiving HIV-related medical care.

Regions supported by Ryan White Part B CBOs with the largest proportion of people with unmet need include Lake Charles and Shreveport.

## NUMBER OF PEOPLE LIVING WITH HIV WHO MEET UNMET NEED CRITERIA 5,457

#### Gender

	No. In	% In Care <sup>*</sup>	No. Not In Care <sup>†</sup>	% Not In Care <sup>†</sup>
Female	4,607	76.9%	1,377	23.0%
Male	10,440	72.0%	4,043	27.9%
Transgender	186	83.4%	37	16.5%

<sup>\*</sup>Persons defined as 'in care' had at least one CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

## Age Group

	No. In	% In	No. Not	% Not In
	Care <sup>*</sup>	Care <sup>*</sup>	In Care <sup>†</sup>	Care <sup>†</sup>
0-12	38	82.6%	8	17.3%
13-24	635	74.9%	212	25.0%
25-44	6,510	73.8%	2,301	26.1%
45-64	7,177	73.7%	2,559	26.2%
65+	873	69.8%	377	30.1%

<sup>\*</sup>Persons defined as 'in care' had at least one CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

#### Race/Ethnicity

	No. In	% In	No. Not	% Not In
	Care	Care	In Care <sup>†</sup>	Care <sup>†</sup>
Black	10,538	74.5%	3,605	25.4%
Hispanic	479	52.1%	439	47.8%
White	4,032	75.2%	1,325	24.7%
Other	184	67.6%	88	32.3%

<sup>\*</sup>Persons defined as 'in care' had at least one CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

## **Region of Current Residence**

_	No. In	% In	No. Not	% Not In
	Care <sup>*</sup>	Care*	In Care <sup>†</sup>	Care <sup>†</sup>
Region 1	5,315	74.1%	1,854	25.8%
Region 2	3,950	79.6%	1,010	20.3%
Region 3	651	75.3%	213	24.6%
Region 4	1,154	73.4%	417	26.5%
Region 5	611	59.6%	414	40.3%
Region 6	644	69.7%	279	30.2%
Region 7	1,194	66.1%	612	33.8%
Region 8	719	68.0%	338	31.9%
Region 9	995	75.6%	320	24.3%

<sup>\*</sup>Persons defined as 'in care' had at least one CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

<sup>†</sup>Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

<sup>†</sup>Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

<sup>†</sup>Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

<sup>†</sup>Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.

<sup>\*</sup>Includes persons diagnosed before October 1, 2016 and last known to be alive and living in Louisiana as of September 30, 2017 with no CD4 or Viral Load reported between October 1, 2016 and September 30, 2017.