



## Louisiana Ryan White HIV/AIDS Part B CBO Program Region 3 Annual Report January 01, 2019 - December 31, 2019

NO/AIDS Region 3 served 142 persons living with HIV, approximately 15% (142/922) of persons living with HIV in Region 3.

The program served a larger proportion of persons who are white and older compared to the larger HIV+ population in the region.

61% (n=86) of clients served live below the federal poverty level (FPL).

Nearly all clients (99%) served had health insurance.

### CHARACTERISTICS OF CLIENTS SERVED

#### NUMBER OF CLIENTS SERVED 142\*

GENDER	n	%
Female	54	38.0%
Male	87	61.3%
Transgender	1	0.7%

RACE/ETHNICITY	n	%
Black	70	49.3%
Hispanic	3	2.1%
White	58	40.8%
Other	11	7.7%

AGE GROUP	n	%
13-24	5	3.5%
25-44	49	34.5%
45-64	77	54.2%
65+	11	7.7%

PERCENTAGE OF FPL	n	%
Below 100	86	60.6%
100-199	46	32.4%
200-299	8	5.6%
300+	2	1.4%

HEALTH INSURANCE TYPE	n	%
Medicaid	65	45.8%
Medicare	61	43.0%
Other Public	3	2.1%
Private	11	7.7%
Uninsured	2	1.4%

### TOTAL HIV+ POPULATION FOR REGION 3


#### NUMBER OF PEOPLE LIVING WITH HIV 922†

GENDER	n	%
Female	309	33.5%
Male	605	65.6%
Transgender	8	0.9%

RACE/ETHNICITY	n	%
Black	556	60.3%
Hispanic	40	4.3%
White	313	33.9%
Other	13	1.4%

AGE GROUP	n	%
0-12	2	0.2%
13-24	50	5.4%
25-44	400	43.4%
45-64	401	43.5%
65+	69	7.5%

Primary Health Insurance Type for RW Part B Clients Served by NO/AIDS Region 3



\*Includes all clients who received a service between January 01, 2019 and December 31, 2019 from NO/AIDS Region 3.

†Includes all persons diagnosed with HIV on or before December 31, 2019 who were last known to be alive and living in Region 3.



**Louisiana Ryan White HIV/AIDS Part B CBO Program  
Region 3 Annual Report  
January 01, 2019 - December 31, 2019**

**UTILIZATION**


Non-medical case management was provided to nearly all (n=135) clients.

Health education and food bank/home-delivered meals were the second and third most utilized services with 94% (n=133) and 88% (n=125) respectively of clients receiving these services.

Encounters for non-medical case management were most frequently classified as other, followed by home visit, and coordinated transportation.

SERVICES PROVIDED	No. Clients	No. Units	Units per Client	No. Encounters	Encounters per Client
Emergency Financial Assistance	14	6,456	461.1	17	1.2
Food Bank/Home-Delivered Meals	125	138,290	1,106.3	944	7.6
Health Education	133	1,262	9.5	698	5.2
Housing Assistance	51	117,033	2,294.8	329	6.5
Medical Transportation Services	48	26,585	553.9	349	7.3
Non-Medical Case Management	135	7,067	52.3	2,906	21.5
Oral Health Care	11	9,276	843.3	13	1.2
Outreach Services	31	130	4.2	63	2.0
Referral	52	68	1.3	68	1.3

**No. of Clients and Encounters by Type of Encounter for Non-Medical Case Management**





# Louisiana Ryan White HIV/AIDS Part B CBO Program Region 3 Annual Report January 01, 2019 - December 31, 2019

Continuum Legend	
<span style="display:inline-block; width:10px; height:10px; background-color:darkblue;"></span>	Total
<span style="display:inline-block; width:10px; height:10px; background-color:mediumslateblue;"></span>	% In Care*
<span style="display:inline-block; width:10px; height:10px; background-color:lightblue;"></span>	% Virally Suppressed†

## CLINICAL OUTCOMES



A total of 95% (135/142) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

77% (109/142) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL.



For clients served by NO/AIDS Region 3 who were in care, 81% (109/135) were virally suppressed. For the larger HIV+ population living in Region 3 who were in care, 87% (586/672) were virally suppressed.

Clients who are female, white, and older were more likely to be virally suppressed.

Of the 142 Served by NO/AIDS Region 3



Of the 776‡ people living with HIV in Region 3 who have had a lab reported within the last 5 years




\*Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.

‡Includes persons diagnosed before January 01, 2019, last known to be alive and living in Region 3 as of December 31, 2019, and who've had a lab reported within the last 5 years (on or after January 01, 2015).

GENDER	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
Female	54	51	94.4%	43	79.6%
Male	87	83	95.4%	66	75.9%

CARE CONTINUUM BY GENDER




\*Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

†Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.

RACE/ETHNICITY	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
Black	70	64	91.4%	51	72.9%
White	58	57	98.3%	48	82.8%
Other	11	11	100.0%	8	72.7%

CARE CONTINUUM BY RACE/ETHNICITY



\*Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

†Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.




# Louisiana Ryan White HIV/AIDS Part B CBO Program Region 3 Annual Report January 01, 2019 - December 31, 2019



## CLINICAL OUTCOMES


AGE GROUP	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
13-24	5	5	100.0%	2	40.0%
25-44	49	45	91.8%	34	69.4%
45-64	77	74	96.1%	64	83.1%
65+	11	11	100.0%	9	81.8%



\*Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

†Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.


PERCENTAGE OF FPL	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
Below 100	86	80	93.0%	63	73.3%
100-199	46	45	97.8%	38	82.6%
200-299	8	8	100.0%	6	75.0%



\*Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

†Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.

HEALTH INSURANCE TYPE	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
Medicaid	65	61	93.8%	45	69.2%
Medicare	61	59	96.7%	54	88.5%
Private	11	11	100.0%	9	81.8%



\*Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

†Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.



**Louisiana Ryan White HIV/AIDS Part B CBO  
Region 3 Annual Report  
January 01, 2019 - December 31, 2019**

**UNMET NEED**

Unmet need includes persons who are defined as out of care. These persons know their positive HIV status and are not receiving HIV-related medical care. Persons living with HIV who have no evidence of receiving a viral load test or CD4 count within a 12-month period meet the definition of unmet need. Furthermore, unmet need has been defined here only to include persons with a lab reported to the health department within the last 5 years (on or after January 01, 2015).

13% (104/776) of PLWH in Region 3 met the definition for unmet need between January 01, 2019 and December 31, 2019.

Males, Blacks and Hispanics, and persons 13-44 years old were most likely not to be receiving HIV-related medical care.

Parishes with the largest proportion of persons with unmet need include St. John the Baptist and Terrebonne.

**NUMBER OF PERSONS LIVING WITH HIV WHO MEET UNMET NEED CRITERIA\* 104**

GENDER	In Care*		Not In Care†	
	n	pct	n	pct
Female	236	88.1%	32	11.9%
Male	428	85.6%	72	14.4%
Transgender	8	100.0%		

\*Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

RACE/ETHNICITY	In Care*		Not In Care†	
	n	pct	n	pct
Black	402	85.0%	71	15.0%
Hispanic	25	92.6%	2	7.4%
White	234	88.6%	30	11.4%
Other	11	91.7%	1	8.3%

\*Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

AGE GROUP	In Care*		Not In Care†	
	n	pct	n	pct
0-12	2	100.0%		
13-24	33	84.6%	6	15.4%
25-44	296	84.1%	56	15.9%
45-64	291	88.4%	38	11.6%
65+	50	92.6%	4	7.4%

\*Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

PARISH	In Care*		Not In Care†	
	n	pct	n	pct
Assumption	32	91.4%	3	8.6%
LaFourche	129	87.8%	18	12.2%
St. Charles	96	92.3%	8	7.7%
St. James	63	86.3%	10	13.7%
St. John the Bapti..	134	85.9%	22	14.1%
St. Mary	77	89.5%	9	10.5%
Terrebonne	141	80.6%	34	19.4%

\*Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

\*Includes persons that meet the following criteria: 1) diagnosed before January 01, 2019; 2) are last known to be alive and living in Region 3 as of December 31, 2019; 3) had a lab reported within the last 5 years (on or after January 01, 2015); 4) had no CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.