



## Louisiana Ryan White HIV/AIDS Part B CBO Program Region 7 Annual Report January 01, 2019 - December 31, 2019

The Philadelphia Center served 636 persons living with HIV, approximately 31% (636/2,041) of persons living with HIV in Region 7.

The program served a larger proportion of persons who are older compared to the larger HIV+ population in the region.

69% (n=436) of clients served live below the federal poverty level (FPL).

The majority of clients served (87%) had health insurance.

### CHARACTERISTICS OF CLIENTS SERVED

#### NUMBER OF CLIENTS SERVED 636\*

GENDER	n	%
Female	184	28.9%
Male	439	69.0%
Transgender	13	2.0%

RACE/ETHNICITY	n	%
Black	460	72.3%
Hispanic	23	3.6%
White	145	22.8%
Other	8	1.3%

AGE GROUP	n	%
13-24	30	4.7%
25-44	311	48.9%
45-64	263	41.4%
65+	32	5.0%

PERCENTAGE OF FPL	n	%
Below 100	436	68.6%
100-199	146	23.0%
200-299	40	6.3%
300+	14	2.2%

HEALTH INSURANCE TYPE	n	%
Medicaid	351	55.2%
Medicare	131	20.6%
Other Public	14	2.2%
Private	60	9.4%
Uninsured	77	12.1%
Unknown	3	0.5%

### TOTAL HIV+ POPULATION FOR REGION 7


#### NUMBER OF PEOPLE LIVING WITH HIV 2,041†

GENDER	n	%
Female	591	29.0%
Male	1,427	69.9%
Transgender	23	1.1%

RACE/ETHNICITY	n	%
Black	1,515	74.2%
Hispanic	52	2.5%
White	438	21.5%
Other	36	1.8%

AGE GROUP	n	%
0-12	1	0.0%
13-24	108	5.3%
25-44	1,042	51.1%
45-64	767	37.6%
65+	123	6.0%

Primary Health Insurance Type for RW Part B Clients Served by the Philadelphia Center



\*Includes all clients who received a service between January 01, 2019 and December 31, 2019 from the Philadelphia Center.

†Includes all persons diagnosed with HIV on or before December 31, 2019 who were last known to be alive and living in Region 7.



## Louisiana Ryan White HIV/AIDS Part B CBO Program Region 7 Annual Report January 01, 2019 - December 31, 2019

### UTILIZATION


Non-medical case management was provided to nearly all clients.

Food bank/home-delivered meals and medical transportation were the second and third most utilized services with 81% (516/636) and 45% (286/636) respectively of clients receiving these services.

Encounters for non-medical case management were most frequently classified as other, followed by six month assessment, and coordinated transportation.

SERVICES PROVIDED	No. Clients	No. Units	Units per Client	No. Encounters	Encounters per Client
Food Bank/Home-Delivered Meals	516	273,075	529.2	3,641	7.1
Health Education	77	310	4.0	129	1.7
Housing Assistance	167	168,258	1,007.5	616	3.7
Medical Transportation Services	286	79,728	278.8	3,259	11.4
Non-Medical Case Management	633	28,245	44.6	11,023	17.4
Oral Health Care	68	160,589	2,361.6	209	3.1
Outreach Services	68	148	2.2	124	1.8
Psychosocial Support	80	1,835	22.9	1,186	14.8
Referral	37	42	1.1	42	1.1
Substance Use Services	22	233	10.6	141	6.4

No. of Clients and Encounters by Type of Encounter for Non-Medical Case Management





# Louisiana Ryan White HIV/AIDS Part B CBO Program Region 7 Annual Report January 01, 2019 - December 31, 2019

Continuum Legend		
<span style="display:inline-block; width:10px; height:10px; background-color:darkblue;"></span>	Total	
<span style="display:inline-block; width:10px; height:10px; background-color:mediumblue;"></span>	% In Care*	
<span style="display:inline-block; width:10px; height:10px; background-color:lightblue;"></span>	% Virally Suppressed†	

## CLINICAL OUTCOMES

A total of 86% (546/636) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

67% (429/636) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL.





For clients served by the Philadelphia Center who were in care, 80% (429/546) were virally suppressed. For the larger HIV+ population living in Region 7 who were in care, 79% (1,041/1,307) were virally suppressed.

Clients who are female, white, and older were more likely to be virally suppressed.

Clients who are uninsured are less likely to be virally suppressed. Only 56% (43/77) of those who are uninsured achieved viral suppression compared to 85% (51/60) of those with private health insurance.

Of the 636 client served by the Philadelphia Center

Of the 1,668‡ persons living with HIV in Region 7 who have had a lab reported within the last 5 years




\*Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.

‡Includes persons diagnosed before January 01, 2019, last known to be alive and living in Region 7 as of December 31, 2019, and who've had a lab reported within the last 5 years (on or after January 01, 2015).

GENDER	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
Female	184	166	90.2%	137	74.5%
Male	439	368	83.8%	283	64.5%
Transgender	13	12	92.3%	9	69.2%

CARE CONTINUUM BY GENDER




\*Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

†Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.

RACE/ETHNICITY	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
Black	460	390	84.8%	298	64.8%
Hispanic	23	19	82.6%	16	69.6%
White	145	129	89.0%	108	74.5%
Other	8	8	100.0%	7	87.5%

CARE CONTINUUM BY RACE/ETHNICITY



\*Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

†Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.



# Louisiana Ryan White HIV/AIDS Part B CBO Program Region 7 Annual Report January 01, 2019 - December 31, 2019

Continuum Legend		
<span style="display:inline-block; width:10px; height:10px; background-color:darkblue;"></span>	Total	
<span style="display:inline-block; width:10px; height:10px; background-color:mediumblue;"></span>	% In Care*	
<span style="display:inline-block; width:10px; height:10px; background-color:lightblue;"></span>	% Virally Suppressed†	


## CLINICAL OUTCOMES

AGE GROUP	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
13-24	30	25	83.3%	15	50.0%
25-44	311	263	84.6%	184	59.2%
45-64	263	231	87.8%	206	78.3%
65+	32	27	84.4%	24	75.0%

\*Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

†Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.

CARE CONTINUUM BY AGE GROUP




PERCENTAGE OF FPL	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
Below 100	436	375	86.0%	286	65.6%
100-199	146	127	87.0%	108	74.0%
200-299	40	32	80.0%	27	67.5%
300+	14	12	85.7%	8	57.1%

\*Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

†Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.

CARE CONTINUUM BY PERCENTAGE OF FPL




HEALTH INSURANCE TYPE	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
Medicaid	351	305	86.9%	227	64.7%
Medicare	131	120	91.6%	102	77.9%
Private	60	58	96.7%	51	85.0%
Uninsured	77	57	74.0%	43	55.8%

\*Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

†Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.

CARE CONTINUUM BY HEALTH INSURANCE TYPE





## Louisiana Ryan White HIV/AIDS Part B CBO Region 7 Annual Report January 01, 2019 - December 31, 2019

### UNMET NEED

Unmet need includes persons who are defined as out of care. These persons know their positive HIV status and are not receiving HIV-related medical care. Persons living with HIV who have no evidence of receiving a viral load test or CD4 count within a 12-month period meet the definition of unmet need. Furthermore, unmet need has been defined here only to include persons with a lab reported to the health department within the last 5 years (on or after January 01, 2015).

22% (361/1,668) of PLWH in Region 7 met the definition for unmet need between January 01, 2019 and December 31, 2019.

Males, Blacks, and persons 13-24 years old were most likely not to be receiving HIV-related medical care.

Parishes with the largest proportion of persons with unmet need include Sabine, Bienville, and Bossier.

### NUMBER OF PERSONS LIVING WITH HIV WHO MEET UNMET NEED CRITERIA\* 361

GENDER	In Care*		Not In Care†	
	n	pct	n	pct
Female	402	80.2%	99	19.8%
Male	891	77.3%	261	22.7%
Transgender	14	93.3%	1	6.7%

\*Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

RACE/ETHNICITY	In Care*		Not In Care†	
	n	pct	n	pct
Black	967	77.0%	289	23.0%
Hispanic	28	82.4%	6	17.6%
White	290	82.9%	60	17.1%
Other	22	78.6%	6	21.4%

\*Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

AGE GROUP	In Care*		Not In Care†	
	n	pct	n	pct
0-12	1	100.0%		
13-24	47	60.3%	31	39.7%
25-44	659	73.6%	236	26.4%
45-64	522	86.6%	81	13.4%
65+	78	85.7%	13	14.3%

\*Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

PARISH	In Care*		Not In Care†	
	n	pct	n	pct
Bienville	23	74.2%	8	25.8%
Bossier	178	75.1%	59	24.9%
Caddo	850	78.6%	231	21.4%
Claiborne	57	87.7%	8	12.3%
De Soto	36	78.3%	10	21.7%
Natchitoches	88	79.3%	23	20.7%
Red River	12	85.7%	2	14.3%
Sabine	9	64.3%	5	35.7%
Webster	54	78.3%	15	21.7%

\*Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

\*Includes persons that meet the following criteria: 1) diagnosed before January 01, 2019; 2) are last known to be alive and living in Region 7 as of December 31, 2019; 3) had a lab reported within the last 5 years (on or after January 01, 2015); 4) had no CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.